

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Roundup and this supplement.

ROUNDUP®
Herbicide by Monsanto

EPA Reg. No. 524-445

ACCEPTED

AUG 11 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 524-445

HOODED SPRAYERS IN SUGARCANE

Keep out of reach of children.

WARNING! AVISO!

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

®Roundup is a registered trademark of Monsanto Company.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

AVOID CONTACT WITH FOLIAGE, GREEN STEMS, OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION" and "MIXING, ADDITIVES AND APPLICATION INSTRUCTIONS" sections of the label booklet for Roundup herbicide for essential product performance information

RECOMMENDATIONS

This product may be used through hooded sprayers for weed control between the rows of sugarcane. Sugarcane must be at least 3 feet tall.

For specific rates of application and instructions for control of various annual and perennial weeds, see the "WEEDS CONTROLLED" section of the label booklet for Roundup herbicide.

A hooded sprayer is a type of shielded applicator. The spray pattern

BEST AVAILABLE COPY

is completely enclosed on the top and all 4 sides by a hood, thereby shielding desirable vegetation from the spray solution.

Hooded sprayers which apply the herbicide solution as a spray band should be calibrated on a broadcast equivalent rate and volume basis. Use the following equation to convert from a broadcast rate per acre to a band rate per acre.

$$\frac{\text{Band width in inches}}{\text{Row width in inches}} \times \text{Herbicide Broadcast RATE per acre} = \text{Herbicide Band RATE per acre}$$

$$\frac{\text{Band width in inches}}{\text{Row width in inches}} \times \text{Broadcast VOLUME of solution per acre} = \text{Band VOLUME of solution per acre}$$

Use nozzles that provide uniform coverage within the treated area. The herbicide solution should contact the entire weed.

Equipment must be designed, maintained and operated to prevent the herbicide solution from contacting desirable vegetation.

Do not allow treated weeds to come into contact with desirable vegetation.

Droplets, mist, foam, or splatter of the herbicide solution settling on desirable vegetation may result in discoloration, stunting or destruction.

Minimize the potential for spray particles to escape from under the hood by operating the sprayer at appropriate ground speeds, nozzle pressures, and wind speeds. Operation on rough or sloping ground may result in spray particles escaping from the hood.

Contact of this product in any manner to any vegetation to which treatment is not intended may cause damage. Such damage shall be the sole responsibility of the applicator.

Read the "Limit of Warranty and Liability" in the label booklet for Roundup herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

©Monsanto Company 1993

MAP

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167



SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Roundup, container labels and this supplement.

ACCEPTED
AUG 11 1994
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the use of Roundup Ready Gene soybeans registered under EPA Reg. No. 524-445

ROUNDUP®
Herbicide by Monsanto

EPA Reg. No. 524-445

USE ONLY FOR SEED PRODUCTION OF SOYBEANS WITH THE ROUNDUP READY™ GENE

Keep out of reach of children.
WARNING! AVISO!

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

Roundup® is a registered trademark of Monsanto Company.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

See "GENERAL INFORMATION" and "MIXING, ADDITIVES AND APPLICATIONS INSTRUCTIONS" sections of the label booklet for Roundup for essential product performance information.

NOTE: THIS PRODUCT MAY BE USED FOR CONTROL OF NON-GLYPHOSATE TOLERANT SOYBEANS IN PRODUCTION FIELDS OF SOYBEANS CONTAINING THE ROUNDUP READY™ GENE. SEVERE INJURY OR DEATH WILL RESULT IF SOYBEAN VARIETIES WHICH DO NOT CONTAIN THE ROUNDUP READY GENE ARE SPRAYED WITH THIS PRODUCT. AVOID CONTACT OF THE SPRAY WITH FOLIAGE, GREEN STEMS, OR FRUIT OF CROPS, OR ANY DESIRABLE PLANTS AND TREES, OTHER THAN SOYBEANS WITH THE ROUNDUP READY GENE, SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

USE RECOMMENDATIONS:

When applied as directed under the conditions described, this product will control non-glyphosate tolerant soybeans in seed.

BEST AVAILABLE COPY

production fields of soybeans containing the Roundup Ready gene. This product may be applied using ground spray equipment only. Apply 1 quart of this product plus 0.5 to 1.0% nonionic surfactant by total spray volume in 5 to 20 gallons of spray solution per acre as a broadcast spray

DO NOT EXCEED A MAXIMUM RATE OF 1 QUART PER ACRE OF THIS PRODUCT.

Application Timing - This product can be applied to Roundup Ready Soybeans from the cracking stage through the flowering stage.