Please read instructions on reverse before completing form.	129/2001 Form Approved. OMB No. 2076	DO-000 183	
SEPA Environmental Protection Washington, DC 20480	Agency Registrati	on OPP Identifier Number	
Application	for Pesticide - Section I		
1. Company/Product Number 524-445	2. EPA Product Menager Mr. James Tompkins	Mr. James Tompkins	
4. Company/Product (Name) Roundup Original Herbicide	PM# 25	X None Restricted	
5. Name and Address of Applicant (Include ZIP Code) Monsanto Company 600 13th Street, N.W., Suite 660 Washington, DC 20005 Check if this is a new address	6. Expedited Review. In accordance (b)(i), my product is similar or identicato: EPA Reg. No. Product Name	i i	
	Section - II		
Amendment - Explain below. Resubmission in response to Agency letter dated X Notification - Explain below.	Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.	NOTIFICATION JUN 2 9 2001	
with hooded sprayers.	Section - III		
	No # "Yest No. per Package wgt container	Metal Plastic Glass Reger to a produce and a company of the company of the produce and a company of the	
3. Location of Net Contents Information 4. Size(s) Retail	Container 5. Location of Label On Label		
6. Manner in Which Label is Affixed to Product Lithogram Paper did Stendied	led	May 11 years	
Terreta Ave	Section - IV	7. () () () () () () () () () (
1. Contact Point (Complete items directly below for identification of Name Dr. Marsha Gray	<u> </u>	(202) 783-2460	
Certification I certify that the statements I have made on this form and all acknowledge that any knowingly false or misleading statements both under applicable law. 2. Signature 3.	l attachments thereto are true, accurate and cons		
7000 77477	Date June 26, 2001		

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP ORIGINAL™ HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Roundup Original herbicide and this supplement.



NOTIFICATION

JUN 2 9 2001

EPA Reg. No. 524-445

Roundup Original is a trademark and Roundup Ready is a registered trademark of Monsanto Company.

FOR HOODED SPRAYER APPLICATIONS IN COTTON WITH THE ROUNDUP READY® GENE

Keep out of reach of children WARNING!

In case of emergency involving this product, Call Collect, day or night, 314-694-4000.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

See "GENERAL INFORMATION" and "MIXING, ADDITIVES AND APPLICATION INSTRUCTIONS" sections of the label booklet for Roundup Original™ herbicide for essential product performance information.

GENERAL INFORMATION

ATTENTION: SEVERE INJURY OR DEATH OF <u>COTTON</u> WILL RESULT IF ANY COTTON VARIETIES NOT PROPERLY DESIGNATED AS HAVING THE ROUNDUP READY GENE ARE SPRAYED WITH THIS PRODUCT.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, OR FRUIT OF CROPS, OR ANY DESIRABLE PLANTS AND TREES, OTHER THAN CROPS WITH THE ROUNDUP READY GENE, SINCE SEVERE INJURY OR DESTRUCTION WILL RESULT.

ROUNDUP READY COTTON VARIETIES MUST BE PURCHASED FROM AN AUTHORIZED LICENSED SEED SUPPLIER. THE DESIGNATION, "ROUNDUP READY",

INDICATES THE COTTON VARIETY CONTAINS A PATENTED PROPRIETARY TRAIT.

Application Instructions

This product will control many troublesome weeds with hooded sprayer applications in Roundup Ready cotton.

Maximum Allowable Yearly Rates

Combined total per year for all applications

8 quarts/acre

Preplant, Preemergence applications 5 quarts/acre

3. Total in-crop applications using hooded sprayers from the fifth leaf

2-quarts/acre

to layby

The maximum use rates stated throughout this product's labeling apply to this product combined with the use of all other herbicides containing glyphosate or sulfosate as the active ingredient, whether applied as mixtures or separately. Calculate the application rates and ensure that the total use of this and other glyphosate or sulfosate containing products does not exceed stated maximum use rate.

Apply this product in 5 to 20 gallons of spray solution per acre. Carefully select proper nozzle and spray pressure to avoid spraying a fine mist. For best results with ground

373

application equipment, use flat fan nozzles. Check for even distribution of spray droplets.

There are no rotational crop restrictions following applications of this product.

Sprayer Preparation: It is important that sprayer and mixing equipment be clean and free of pesticide residue before making applications of this product to Roundup Ready cotton. Follow the cleaning procedures specified on the label of the product(s) previously used. Cotton is very sensitive to many herbicides at extremely low concentrations and care should be taken to thoroughly clean all equipment prior to use.

Hooded applications: This product may be applied using a hooded sprayer to Roundup Ready cotton through layby. Contact of the spray with cotton leaves should be avoided to the maximum extent possible. To minimize spray onto the leaves of the cotton plants, maintain low spray pressure (less than 30 PSI). For best results, make applications while weeds are small (less than 3 inches). Any single application should not exceed 1 quart per acre of this product. No more than two applications should be made from the fifth leaf through layby. Sequential in-crop applications of this product must be at least 10 days apart and cotton must have at least two nodes of incremental growth between applications.

ATTENTION: USE OF ROUNDUP ORIGINAL HERBICIDE IN ACCORDANCE WITH LABEL DIRECTIONS IS EXPECTED TO RESULT IN NORMAL GROWTH OF ROUNDUP READY COTTON, HOWEVER, VARIOUS ENVIRONMENTAL CONDITIONS, AGRONOMIC PRACTICES AND OTHER FACTORS MAKE IT IMPOSSIBLE TO ELIMINATE ALL RISKS ASSOCIATED WITH THIS PRODUCT, EVEN WHEN APPLICATIONS ARE

MADE IN CONFORMANCE WITH THE LABEL SPECIFICATIONS. IN SOME CASES, THESE FACTORS CAN RESULT IN BOLL LOSS, DELAYED MATURITY AND/OR YIELD LOSS.

Weeds controlled: For specific rates of application and instructions for control of various annual and perennial weeds, refer to "WEEDS CONTROLLED" section of the label booklet. Roundup Original herbicide applied at 1 quart per acre will burndown or suppress the growth of the following perennial weeds and reduce crop competition: yellow and purple nutsedge, rhizome johnsongrass, common bermudagrass, silverleaf nightshade, trumpet creeper, and redvine.

Some weeds with multiple germination times or suppressed (stunted) weeds may require sequential applications of this product for control.

Read the "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Roundup Original herbicide before using. For over-the-top uses on Roundup Ready crop varieties, crop safety and weed control performance are not warranted by Monsanto when this product is used in conjunction with "brown bag" or "bin-run" seed saved from previous year's production and replanted. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

©2001 MONSANTO COMPANY ST. LOUIS, MISSOURI 63167

21154Z1-63

04-23-2001