

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 524-449	DATE OF ISSUANCE 6/25/91
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Expedite Grass & Weed Plus Herbicide	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Monsanto Company
 700 14th Street, NW.
 Washington, DC 20005

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) and FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 524-449" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Robert J. Taylor *vlw*
 Product Manager (25)
 Fungicide-Herbicide Branch
 Registration Division (H7505C)

Enclosures
 ATTACHMENT IS APPLICABLE

BEST AVAILABLE COPY

SIGNATURE OF APPROVING OFFICIAL <i>Robert J. Taylor</i>	DATE 6/25/91
--	-----------------



EXPEDITE[®]

GRASS & WEED PLUS

RESIDUAL HERBICIDE
by Monsanto

FOR NONSELECTIVE POSTEMERGENT AND RESIDUAL CONTROL

Specially formulated for Expedite™ Application Equipment

Keep out of reach of children.

CAUTION!

(See precautions on back panel)

Read the entire label before using this product.
Use only according to label instructions.
Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

REFORMULATION OR REPACKAGING IS PROHIBITED.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION!

HARMFUL IF INHALED.
MAY CAUSE RESPIRATORY TRACT IRRITATION.
Avoid breathing vapor or spray mist.
Wash thoroughly with soap and water after handling.
Remove contaminated clothing and wash before reuse.

FIRST AID: IF INHALED, remove individual to fresh air. Seek medical attention if breathing difficulty develops.

Continued on back panel

In case of an emergency involving this product, Call Collect, day or night, (314) 684-4000.

Covers from 14,000 to 19,000 square feet

ACTIVE INGREDIENT:

*Glyphosate, N-(phosphonomethyl)glycine in the form of its isopropylamine salt.....	12.4%
*Oryzalin, 3,5-dinitro-N,N'-dipropylsulfanilamide.....	11.8%
INERT INGREDIENTS.....	75.8%
	100.0%

*Contains 125 grams per litre or 1.04 pounds per U.S. gallon of the active ingredient, glyphosate, in the form of its isopropylamine salt. (Equivalent to 93 grams per litre or 0.77 pound per U.S. gallon of the acid, glyphosate) and 120 grams per litre or 1.0 pound per U.S. gallon of the active ingredient, oryzalin.

This product is protected by U.S. patents No. 3,799,758, No. 4,405,531 and No. 4,840,850. Other patents pending. No licenses granted under any non-U.S. patent(s).

This product contains glyphosate, the active ingredient in Roundup herbicide.
© MONSANTO COMPANY 1988

EPA Reg. No. 524-XXX

Part 1 of 2 875.15-400.07/53

Monsanto



NET 1.32 GAL (1 GAL 1 QT 9 FL OZ)

BEST AVAILABLE COPY

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 524-449

EXPEDITE **GRASS & WEED PLUS**

(Continued from front panel)

Environmental Hazards

Do not apply directly to water or wetland (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment cleaning solutions.

Physical or Chemical Hazards

Apply this product ONLY through Expedite application equipment designed for its use. DO NOT STORE OR APPLY THIS PRODUCT IN ANY OTHER TYPE OF CONTAINER, PARTICULARLY GALVANIZED STEEL OR UNLINED CONTAINERS OR SPRAY TANKS. This product will react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE:

Store this product between 32° F and 100° F in its original container and in a secured storage area.

DISPOSAL:

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed. Do not reuse container.

When container is completely emptied through Expedite application equipment, puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(See label booklet for Complete Direction for Use.)

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OF IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.

EPA Est. 524-xc-xc

Part 2 of 2 875.15-400.08/83

BEST AVAILABLE COPY

**Expedite Grass & Weed Plus Herbicide (MON 18714)
EPA File Number 524-UUO**

Proposed Label

Pamphlet with application settings for "Superpro" Lance

BEST AVAILABLE COPY

**EXPEDITE®
GRASS & WEED PLUS RESIDUAL HERBICIDE
by Monsanto**

FOR NONSELECTIVE POSTEMERGENCE AND RESIDUAL CONTROL

Contains glyphosate, the active ingredient in Roundup® herbicide.

[The Roundup Logo]

Specially formulated for Expedite™ Application Equipment.

Complete Directions for Use

EPA Reg. No. 524-XXX

Covers from 14,000 to 19,000 square feet.

®™ Expedite is a registered trademark of, and used under license from, Nomix Plc.

• Roundup is a registered trademark of Monsanto Company.

1990-1

875.15.400.06/52

ACCEPTED

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 524-449

BEST AVAILABLE COPY

©MONSANTO COMPANY 1990

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.

(SUPERPRO.LBL)

1.

(10/22/90)

Read the entire label before using this product.

Use only according to label instructions.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

REFORMULATION OR REPACKAGING IS PROHIBITED.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION!

HARMFUL IF INHALED.
MAY CAUSE RESPIRATORY TRACT IRRITATION.

Avoid breathing vapor or spray mist.

Wash thoroughly with soap and water after handling.

FIRST AID: IF INHALED, remove individual to fresh air. Seek medical attention if breathing difficulty develops.

In case of an emergency involving this product,
Call Collect, day or night, (314) 694-4000.

Environmental Hazards

Do not apply directly to water or wetland (swamps, bogs marshes, and potholes). Do not contaminate water when disposing of equipment cleaning solutions.

Physical or Chemical Hazards

Apply this product ONLY through Expedite application equipment designed for its use. DO NOT STORE OR APPLY THIS PRODUCT IN ANY OTHER TYPE OF CONTAINER, PARTICULARLY GALVANIZED STEEL OR UNLINED STEEL CONTAINERS OR SPRAY TANKS. This product will react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

ACTIVE INGREDIENT:

*Glyphosate, N-(phosphonomethyl) glycine	
in the form of its isopropylamine salt	12.4 %
*Oryzalin, 3,5-dinitro-N ⁴ ,N ⁴ -dipropylsulfanilamide.....	11.8 %
INERT INGREDIENTS:.....	<u>75.8 %</u>
	100.0 %

Contains petroleum distillates.

*Contains 125 grams per litre or 1.04 pounds per U.S. gallon of the active ingredient, glyphosate, in the form of its isopropylamine salt (Equivalent to 93 grams per litre or 0.77 pounds per U.S. gallon of the acid, glyphosate) and 120 grams per litre or 1.0 pounds per U.S. gallon of the active ingredient, oryzalin.

This product is protected by U.S. Patent No. 3,799,758, No. 4,405,531 and No. 4,840,650. Other patents are pending.

No license granted under any non-U.S. patent(s).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE:

Store this product between 32°F and 100°F in its original container and in a secured storage area.

DISPOSAL:

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed. Do not reuse container.

When container is completely emptied through Expedite application equipment, puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

General Information

This product is a mixture of a nonselective postemergence and a selective preemergence weed killer. Visible symptoms of postemergence control may require a week or more to appear, with complete browning usually occurring in 1 to 4 weeks. Symptoms are a gradual wilting and yellowing of the treated plant foliage followed by browning and deterioration of both shoots and roots.

The preemergence portion of this product will remain stable on the soil surface up to 21 days. In the absence of timely rainfall for activation, irrigation can be used to move this product into the soil surface. If this product is not activated by rainfall or irrigation within 21 days of application, erratic preemergence weed control may result.

This product is recommended for commercial, industrial, noncropland and residential vegetation management in areas such as airports, christmas tree plantations, ditchbanks, farmsteads, fencerows, greenhouses, golf courses, highways and roadsides, industrial plant sites, institutional sites, municipalities, lawns, lumberyards, nurseries, nonbearing trees and vines, parking areas, parks, playgrounds, petroleum tank farms, pipeline, power, telephone and utility rights-of-way, railroads, schools, storage areas and similar sites.

This product may be used as a directed application to control undesirable vegetation growing around established ornamentals, trees or shrubs. To avoid injury on desirable plants, prevent spray or drift contact with foliage, stems or green (immature) tree bark.

Do not apply this product where the likelihood of runoff onto lawn areas containing dichondra or cool-season turfgrass species exist as severe injury may occur.

Reseeding of desirable species should be delayed by 120 days following an application of this product.

Rainfall or irrigation within 2 hours after application may wash the product off plant foliage resulting in reduced postemergence activity.

THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY CONTACT WITH THE FOLIAGE OF DESIRABLE TURF, ORNAMENTALS, SHRUBS OR TREES. DO NOT APPLY OVER THE TOP OF DESIRABLE PLANTS.

How to Apply

Apply this product as a uniform spray over the foliage of undesirable vegetation. Avoid applications during windy conditions, as spray drift or swath displacement may cause damage to any vegetation contacted. Use only Expedite application equipment when applying this product.

To select general flow rate settings for applying this product, use the Expedite Set-N-Spray settings listed in the following application guide. The letters followed by a number (A2...G5) represent equipment settings for flow rates within the application range recommended for this product. If calibration is desired to obtain equipment settings, see the "HOW TO CALIBRATE" section of this label.

A range of application rates are represented in the following application guide. Use the higher rate in the range on established perennial weeds or where longer residual control is needed. For best results, make applications before weeds are allowed to form a dense canopy.

When the desired head setting is obtained, install the spinner as indicated in the following guide. Best results are obtained when the spinner is producing a uniform spray pattern. This is obtained by holding the lance head as close as practical to the top of the weed canopy (less than 4 inches) and increasing the spinner speed to obtain the correct swath width.

EXPEDITE® GRASS & WEED PLUS RESIDUAL HERBICIDE APPLICATION GUIDE

SET-N-SPRAY SETTINGS

SPINNER TYPE	SPRAY SWATH WIDTH	WALKING SPEED			
		1.5 MPH	2.0 MPH	2.5 MPH	3.0 MPH
	<6"	A2 to A3	A3 to A4	A4 to A5	A5 to B1
	6"	A3 to A5	A4 to B1	B1 to B3	B2 to B5
	9"	A5 to B2	B2 to B4	B4 to C2	B5 to C4
Use Square Spinner	12"	B2 to B4	B5 to C2	C2 to C4	C4 to D2
	15"	B4 to C2	C2 to C4	C4 to D3	D1 to E4

	18"	B5 to C4	C4 to D2	D1 to E4	D5 to G5
	21"	C2 to D1	C5 to E2	D5 to G4	F2 to *
Use Round Spinner	24"	C4 to D2	D2 to F3	E5 to *	G5 to *
	36"	D5 to G5	G5 to *	*	*

The recommended rate range for this product represents 6 to 8 pounds total active ingredient or 3 to 4 gallons of product per acre.

*The flow rate through the equipment is not adequate to apply the recommended rates at these walking speed and swath width combinations.

How to Calibrate

1. Determine the proper Multi Flow units required from the following calibration guide. The number of Multi Flow units required is where the swath width row intersects the walking speed column. For example, for a 1.5 mph walking speed and a 12" swath width, 22 to 29 Multi Flow units are recommended.
2. Before calibrating, the lance must be primed to remove trapped air. To prime the lance, set the head setting to G+ and depress the trigger until all air is removed from the lance. Priming must be done with the head of the lance held above the handle but below the level of the product container.
3. Remove the spray disc and attach the Expedite calibration flow cup.
4. For the initial calibration check, set the equipment within the range of Set-N-Spray settings listed in the application guide in the "HOW TO APPLY" section. Lower the lance head to the spraying position, depress the trigger for 30 seconds and compare the measured volume to the desired Multi Flow units.
5. To remove the product from the calibration cup, raise the lance above head level and depress the trigger long enough to allow the product to flow back into the lance. Do not allow air to reenter the lance. If air enters the lance, it must be reprimed.
6. If required, adjust the head setting and repeat the process until the desired Multi Flow units are obtained.

7. When the desired head setting is obtained, remove the calibration cup and reattach the desired spinner and follow the instructions in the "HOW TO APPLY" section on how to spray this product.

**EXPEDITE® GRASS & WEED PLUS RESIDUAL HERBICIDE
CALIBRATION GUIDE**

30 SECOND MULTI FLOW™ MEASUREMENT*

SPINNER TYPE	SPRAY SWATH WIDTH	WALKING SPEED			
		1.5 MPH	2.0 MPH	2.5 MPH	3.0 MPH
Use Square Spinner	<6"	7 to 10	10 to 13	12 to 16	14 to 19
	6"	11 to 14	14 to 19	18 to 24	22 to 29
	9"	16 to 22	22 to 29	27 to 36	32 to 43
	12"	22 to 29	29 to 38	36 to 48	43 to 57
	15"	27 to 36	36 to 48	45 to 60	54 to 72
	18"	32 to 43	43 to 57	54 to 72	65 to 86
	21"	38 to 50	50 to 67	63 to 84	75 to 100**
Use Round Spinner	24"	43 to 57	57 to 76	72 to 96**	86 to 115**
	36"	65 to 86	86 to 114**	108 to 144**	129 to 173**

The recommended rate range for this product represents 6 to 8 pounds total active ingredient or 3 to 4 gallons of product per acre.

*One Multi Flow equals 0.8 Milliliter.

**The flow rate through the equipment may not be adequate to apply the recommended rates at these walking speed and swath width combinations.

™Multi Flow is a trademark of Nomix, Plc.

Cleaning of Equipment

The Expedite application equipment must be cleaned after each use and prior to storage. Use Expedite cleaner to remove residues of this product. To clean the lance, connect the lance to the cleaner box, set the head setting to G+ and let the cleaner flow until it runs clear. Disconnect the lance from the cleaner box and remove the remaining cleaner from the lance. Do not drain cleaner back into the box. With extended use of this product, periodic cleaning of the lance head cap is recommended to prevent product buildup. Follow the procedure outlined in the equipment operating instructions for removing and replacing the head cap. Failure to properly clean the equipment may result in equipment failure or injury to subsequently treated desirable vegetation. After thorough cleaning, equipment may be used to apply other products, especially formulated for use in Expedite application equipment.

Wastes resulting from the use or cleaning of equipment that cannot be used or chemically reprocessed should be disposed of in accordance with applicable Federal, state or local procedures. See the "Storage and Disposal" section of this label for more information.

WEEDS CONTROLLED

When applied as recommended under the conditions described, this product provides POSTEMERGENCE control of many grasses and broadleaf weeds, including the following:

Bahiagrass
Barnyardgrass
Bentgrass
Bermudagrass*
Bindweed, field*
Bluegrass, annual
Brome, Downy
Bromegrass, smooth
Cheat
Chickweed
Clover: red, white
Crabgrass
Dallisgrass
Dandelion
Dock, curly
Foxtail
Geranium, Carolina
Goosegrass
Lambsquarters, common

Fescues
Johnsongrass
Lettuce, prickly
Nutsedge: purple, yellow
Mustard, tansy
Orchardgrass
Quackgrass
Pennycress, field
Pigweed: redroot, smooth
Ragweed, common
Ryegrass: annual, perennial
Sandbur, field
Shepherdspurse
Sowthistle
Stinkgrass
Thistle, Canada
Timothy
Vaseygrass

*Partial control

When applied as recommended under the conditions described, this product provides PREEMERGENCE control of many broadleaf and grass weeds, including the following:

Barley, little	Morningglory*
Barnyardgrass	Mustard: black, wild*
Bittercress	Nightshade, black*
Bluegrass, annual	Oat, wild
Brachiaria	Panicum: fall, Texas
Carpentergrass	Pigweed: prostrate,
Chickweed, common	redroot, rough,
Crabgrass: large, smooth	spring, tumble
Crowfootgrass	Puncturevine
Cupgrass, southwestern	Purslane, common
Fiddleneck, coast	Pusley, Florida
Filaree: redstem, whitestem	Ragweed, common*
Foxtail: bottlegrass, bristleglass,	Rocket, London
giant, green, robust, yellow	Rockpurslane, desert
Groundsel, common	Ryegrass, annual
Henbit	Sandbur, field
Horseweed*	Shepherdspurse
Johnsongrass(seedling only)	Smartweed*
Junglerice	Sowthistle*
Knotweed, prostrate	Sprangletop, red
Ladysthumb*	Spurge, prostrate
Lambsquarter	Spurge, spotted*
Lettuce, prickly*	Teaweed(Prickly sida)*
Lovegrass: Mexican, orcutt	Velvetleaf*
Mallow, common*	Wheat, volunteer
Milkweed, climbing*	Witchgrass
	Woodsorrel, yellow

*This product provides suppression of these species.

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyers and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather

conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

875.15-400.06/53

EPA Reg. No. 524-XXX

©MONSANTO COMPANY 1990

In case of an emergency involving this product, Call Collect,
day or night, (314) 694-4000.

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.