

PM 25
524-452

pg. 1915

IMMEDIATE PRODUCT WRAPPER

ROUNDUP® QUIK STIK
GRASS & WEED KILLER

ACCEPTED
JUL 11 1991
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 524-452

Keep out of reach of children.

CAUTION!

ACTIVE INGREDIENT:

Glyphosate, N-(phosphonomethyl)- glycine	60.00%
INERT INGREDIENTS	40.00%
	100.00%

CONTAINS ONE EFFERVESCENT TABLET (9 gm)

MONSANTO COMPANY
ST. LOUIS, MISSOURI 63167 897.23-000.02

EPA REG. NO. 524-XXX

BEST AVAILABLE COPY

02000056

Pg 2015

FRONT PANEL

NEW ROUNDUP®

QUIK STIK

Grass & Weed Killer

- SOLID
- SYSTEMIC GRASS AND WEED KILLER FOR SPOT TREATMENT OF UNDESIRABLE VEGETATION
- KILLS ACTIVELY GROWING LAELED WEEDS AND GRASSES, ROOTS AND ALL
- JUST ADD WATER - MAKES 24 OZ.
- DOES NOT HAVE SOIL ACTIVITY
- SUITABLE FOR USE AROUND FLOWER BEDS, TREES, SHRUBS, FENCES, WALKS AND FOR LAWN RENOVATION

USE WITH 24 OZ. HAND-HELD SPRAYER

Read the entire label before using this product. Use only according to label instructions.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. If these terms are not acceptable, return at once unopened.

Keep out of reach of children.

CAUTION!

See back panel for Precautionary Statements and Directions for Use.

EPA Reg. No. 524-XXX

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167
U.S.A.

ACTIVE INGREDIENT:

Glyphosate, N-(phosphonomethyl)-glycine	60%
INERT INGREDIENTS	40%
	100%

This product is protected by U.S. Patents No. 3,799,758, No. 4,405,531 and No. 4,840,650. Other patents pending. No license granted under any non-U.S. patent(s).

© Trademark of Monsanto Company
© MONSANTO COMPANY 1991

CONTAINS ONE EFFERVESCENT TABLET (9 gm)

02100056

BEST AVAILABLE COPY

BACK PANEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Keep out of reach of children.

CAUTION! Wash thoroughly with soap and water after handling. Keep children and pets off treated area until spray is thoroughly dry. In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000. (Picture of telephone receiver)

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetland (swamps, bogs, marshes or potholes). Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Spray solutions of this product should be mixed, stored or applied ONLY in stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers. DO NOT MIX, STORE OR APPLY SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAYERS. Use of this product in such containers could result in the formation of an explosive hydrogen gas mixture which could flash or explode if ignited by open flames or any other ignition source.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Roundup® Quik Stik herbicide, when dissolved in water, is a nonselective grass and weed killer which when absorbed by contacted foliage, is carried throughout the stems and roots to give complete kill of labeled tough annual and perennial grasses and broadleaf weeds. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation. It is formulated for "spot" application to kill individual weeds around trees, shrubs, fences, patios, walks, flower gardens, and for lawn renovation. Yellowing and wilting usually occur within one week with a complete kill in 2 to 4 weeks. For best results, apply to actively growing undesirable plants in warm sunny weather. One application will control most listed weeds. If certain hard-to-control weeds are not completely killed within 4 weeks, repeat application. Treated areas can be reseeded or replanted 7 or more days after application.

MIXING AND SPRAYING

Do not apply this product through any type of irrigation system. Use pump-up type or hand-trigger sprayers. Fill the sprayer with 12 oz. (1½ cups) of clean water and then add one effervescent tablet. DO NOT SHAKE the sprayer to accelerate dissolution. Wait until the tablet has completely dissolved (2-3 minutes) and add an additional 12 oz. of clean water before sealing the sprayer. (One tablet makes 24 oz. of spray solution.) DO NOT

BACK PANEL CONTINUED

SEAL THE SPRAYER UNTIL THE TABLET IS COMPLETELY DISSOLVED. Use of hose-end sprayers or sprinkler devices may result in poor and/or erratic results.

Position sprayer tip approximately 1-2 feet from the weed and apply to completely cover the weed, stopping just before the spray begins to run off.

CLEANING EQUIPMENT

Triple-rinse sprayer and flush all sprayer components with water to remove residues of this product. After thorough cleaning, equipment may be used to apply other products.

WEEDS CONTROLLED: Bahiagrass, Barnyardgrass, Bermudagrass, Blackberry, Thistles, Chickweed, Common Ragweed, Crabgrasses, Dandelion, Kudzu, Fescues, Field Bindweed, Foxtail, Johnsongrass, Kentucky Bluegrass, Lambsquarter, Orchardgrass, Perennial Ryegrass, Poison Ivy, Poison Oak, Quackgrass, Shepherdspurse, Smooth Bromegrass, Sowthistle, White Clover and Yellow Nutsedge and many other annual and perennial grasses, weeds, sedges and brush.

IMPORTANT: This product is a nonselective weed killer which can injure or kill all vegetation contacted. **AVOID SPRAY CONTACT ON DESIRABLE PLANTS. APPLY ONLY WHEN THE AIR IS CALM.** If spray or drift accidentally contacts desirable vegetation, wash off immediately with water. Rainfall within 6 hours could affect performance. Avoid mowing, cutting or otherwise disturbing treated vegetation for at least 7 days.

For more product information, call toll-free 1-800-225-2883.
(Picture of telephone receiver)

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE: STORE THIS PRODUCT ONLY IN ITS ORIGINAL CONTAINER AND IN A SECURE STORAGE AREA. Protect product from moisture.

DISPOSAL: To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash. Do not reuse inner wrapping or outer container. Discard both in trash.

EPA Est. XXX
897.23-000.01

(har code)

0 70183 50030 7

(Proof of purchase)

Pg. 5 of 5

MON 35035

herbicide by Monsanto
QUICK-DISSOLVING TABLET

- Water soluble tablet
- 2 tablets makes 1 gallon of spray solution
- Suitable for use in pump-up and backpack sprayers
- Controls labeled weeds and grasses, roots and all


A non-selective postemergent herbicide for control of annual and perennial grasses and broadleaf weeds for:

- | | |
|------------------------------|-----------------------------|
| -General Weed Control | -Utility rights-of way |
| -Nurseries | -Farmsteads/fencerows |
| -Ornamental plants and trees | -Turfgrass renovation |
| -Municipalities | -Site preparation |
| -Parks/schools | -Roadsides |
| -Golf courses | -Christmas tree plantations |
| -Commercial areas | -Residential areas |

-And similar noncrop areas


Complete Directions for Use

EPA Reg. No. 524-XXX



1991-1

897.65-00.01/53



Read the entire label before using this product.

Use only according to label instructions.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

REFORMULATION OR REPACKAGING IS PROHIBITED.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION!

Wash thoroughly with soap and water after handling. Keep children and pets off treated area until spray is thoroughly dry.

In case of emergency involving this product, Call Collect, day or night, (314) 694-4000.


Environmental Hazards

Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. Spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.



ACTIVE INGREDIENT:

Glyphosate, N-(phosphonomethyl) glycine.....60.0%

INERT INGREDIENTS:.....40.0%
100.0%

Product protected by U.S. Patents No. 3,799,758, No. 4,405,531 and No. 4,840,650. Other patents pending. No license granted under any non-U.S. patent(s).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE:


STORE THIS PRODUCT ONLY IN ITS ORIGINAL CONTAINER. STORE PRODUCT IN A SECURE STORAGE AREA. Protect product from moisture.

DISPOSAL:

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state, or local procedures.

Emptied containers retain product residue. Observe all labeled safeguards until container is destroyed.

Dispose of empty packets and box in a sanitary landfill, or by incineration, or, if allowed by state or local authorities, by burning. If burned, stay out of smoke.



GENERAL INFORMATION

This product, a water soluble tablet, mixes readily with water to be applied as a foliar spray for the control or destruction of most herbaceous plants. It may be applied through most standard pump-up, backpack or hand-held sprayers after dilution and thorough mixing with water in accordance with label instructions.

This product moves through the plant from the point of foliage contact to and into the root system. Visible effects on most annual weeds occur within 2 to 4 days, but on most perennial weeds may not occur for 7 days or more. Extremely cool or cloudy weather following treatment may slow down activity of this product and delay visual effects of control. Visible effects are a gradual wilting and yellowing of the plant which advances to complete browning of aboveground growth and deterioration of underground plant parts.


Rainfall or watering treated plants within 6 hours after application may reduce effectiveness of this product.

This product is recommended for commercial, industrial and residential weed control in areas such as airports, golf courses, highways and roadsides, industrial plant sites, institutional sites, municipalities, lawns, dry ditchbanks, dry canals, lumberyards, nurseries, parking areas, parks, playgrounds, petroleum tank farms, farmsteads, fencerows, pipeline, power and telephone and utility rights-of-way, railroads, schools, storage areas, christmas tree plantations, forestry sites and similar areas.

This product controls many weeds around buildings, signposts, trees, fences, sidewalks, driveways and patios; in vacant lots, storage and recreational areas; and prior to planting turfgrasses, shrubs and flower beds.

THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY DRIFT CONTACT WITH DESIRABLE LAWN GRASSES, FLOWERS, VEGETABLES, SHRUBS OR TREES. DO NOT CONTACT GREEN BARK OF TREES OR SHRUBS. IF DESIRABLE VEGETATION IS CONTACTED, WASH IMMEDIATELY WITH WATER.

DO NOT APPLY THROUGH ANY TYPE OF IRRIGATION SYSTEM.



MIXING AND SPRAYING

Add 2 tablets to 1 gallon of clean water:

<u>MON 35035</u>		<u>WATER</u>
2 TABLETS	PLUS	1 GALLON

- Step 1: Fill the spray tank with the desired amount of water.
- Step 2: Add the correct number of tablets.
- Step 3: Wait until the tablets have stopped "fizzing" before putting the lid on the sprayer.

This product is premeasured to give the correct amount for general weed control.


When the tablets are added to water, they will bubble or "fizz" to produce a clear liquid spray solution. No agitation is needed.

DO NOT SHAKE THE SPRAYER TO MAKE THE TABLETS DISSOLVE. DO NOT TIGHTEN THE LID ON THE SPRAYER UNTIL THE TABLETS ARE COMPLETELY DISSOLVED.

Applications should be made on a spray-to-wet basis. Spray coverage should be uniform and complete. Do not spray to the point of runoff.

Cleaning Equipment

Triple-rinse sprayer and flush all sprayer components with water to remove residues of this product. After thorough cleaning, equipment may be used to apply other products.



WEEDS CONTROLLED


Annual Weeds

Apply to actively growing annual grasses and broadleaf weeds.

Allow at least 3 days after application before disturbing treated vegetation. After this period, the weeds may be mowed, tilled or burned.

When applied as directed under the conditions described in this label, this product will control the following annual weeds:

- Balsamapple
- Barley
- Barnyardgrass
- Bassia, fivehook
- Bluegrass, annual
- Bluegrass, bulbous
- Brome
- Buttercup
- Cheat
- Chickweed, mouseear
- Cocklebur
- Corn, volunteer
- Crabgrass
- Dwarfdandelion
- Falseflax, smallseed
- Fiddleneck
- Flaxleaf fleabane
- Fleabane
- Foxtail
- Foxtail, Carolina
- Groundsel, common
- Horseweed/Marestail
- Kochia
- Lambsquarters, common
- Lettuce, prickly
- Morningglory
- Mustard, blue
- Mustard, tansy
- Mustard, tumble
- Mustard, wild
- Oats, wild
- Panicum
- Pennycress, field
- Pigweed, redroot
- Pigweed, smooth



Ragweed, common
 Ragweed, giant
 Rocket, London
 Rye
 Ryegrass, Italian
 Sandbur, field
 Shattercane
 Shepherdspurse
 Signalgrass, broadleaf
 Smartweed, Pennsylvania
 Sowthistle, annual
 Spanishneedles
 Stinkgrass
 Sunflower
 Thistle, Russian
 Spurry, umbrella
 Velvetleaf
 Wheat
 Witchgrass

Perennial Weeds


Apply to actively growing perennial weeds.

Allow at least 7 days after application before disturbing treated vegetation. After this period, the weeds may be mowed, tilled or burned.

Repeat treatments may be necessary to control weeds regenerating from underground parts or seeds.

When applied as directed under the conditions described, this product will provide partial control of the following perennial weeds:


Alfalfa
 Alligatorweed
 Artichoke, Jerusalem
 Bahiagrass
 Bermudagrass
 Bermudagrass
 Bindweed, field
 Bluegrass, Kentucky
 Blueweed, Texas
 Brackenfern
 Bromegrass, smooth
 Canarygrass, reed
 Cattail
 Clover, red
 Clover, white



Cogongrass
 Cutgrass, giant
 Dallisgrass
 Dandelion
 Dock, curly
 Dogbane, hemp
 Fescue
 Fescue, tall
 Guineagrass
 Horsenettle
 Horseradish
 Johnsongrass
 Kikuyugrass
 Knapweed
 Lantana
 Loosestrife, purple
 Lotus, American
 Maidencane
 Milkweed
 Muhly, wirestem
 Mullein, common
 Napiergrass
 Nightshade, silverleaf
 Nutsedge: purple, yellow
 Orchardgrass
 Pampasgrass
 Paragrass
 Phragmites
 Quackgrass
 Reed, giant
 Ryegrass, perennial
 Smartweed, swamp
 Spatterdock
 Sweet potato, wild
 Thistle, Canada
 Timothy
 Torpedograss
 Tules, common
 Vaseygrass
 Waterhyacinth
 Waterlettuce
 Waterprimrose
 Wheatgrass, western

TRIM AND EDGE TREATMENTS

This product can be used to control weeds for trimming and edging around many structures, including buildings, sidewalks, roads, patios, fences, and gravel and bark mulch beds. It can also be used to remove weeds around obstacles to mowing such as park benches, golf course markers, trees, light poles, sign posts, fence posts, etc.



SITE PREPARATION

This product does not provide residual weed control.

After an area has been treated with this product, any ornamental species, bedding plants, turfgrasses, and tree species can be planted.

Delay planting or seeding for 7 days to allow time for the product to move within the treated weeds for most effective results.

POST-DIRECTED APPLICATIONS

This product can be used for spot-spraying weeds found in shrub beds, ornamental plantings, ground covers, nurseries, christmas tree plantings, and similar sites.

Avoid spray contact with desirable plants. To avoid injury on desirable plants, prevent spray or drift contact with foliage, stem or bark. Do not spray into, or over the top of, desirable plants, trees or shrubs.

TURFGRASS RENOVATION

Seeding of turfgrass species may be done 7 days following treatment of weeds or undesirable turf grasses. Ensure adequate seed/soil contact and follow a thorough watering schedule.

GREENHOUSE/SHADEHOUSE

This product may be used to control weeds listed on this label which are growing in greenhouses. Desirable vegetation must not be present during application and air circulation fans must be turned off.


LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyers and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.



02.15.81

Buyer and all users are deemed to have accepted the terms of this
LIMIT OF WARRANTY AND LIABILITY which may not be varied by any
verbal or written agreement.

MONSANTO COMPANY 1991

897.65-00.01/53

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.

