

MAR 10 1992

Mr. Roy G. Danhaus
Monsanto Company
700 14th Street NW., Suite 1100
Washington, DC 20005

Dear Mr. Danhaus:

Subject: Roundup Quik Stik Grass and Weed Killer (Revise Package Labels)
EPA Registration No. 524-452
Your Application Dated February 6, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. Please submit five (5) copies of your final printed labeling incorporating these changes before you release the product for shipment. A stamped copy of labeling is enclosed for your records.

Sincerely yours,

Robert J. Taylor
Product Manager (25)
Fungicide-Herbicide Branch
Registration Division (H7505C)

56071:I:Taylor:WP5.0-09:KEVRIC:03/03/92:04/03/92:aw:DD:CL

BEST AVAILABLE COPY

CONCURRENCES

SYMBOL	H7505C							
SURNAME	OK Walker							
DATE	3/9/92							

FRONT PANEL

NEW-ROUNDUP®

QUIK STIK

by Monsanto

Grass & Weed Killer

THIS BOX IS MADE FROM 100% RECYCLED MATERIAL

- SOLID
- SYSTEMIC GRASS AND WEED KILLER FOR SPOT TREATMENT OF UNDESIRABLE VEGETATION
- KILLS ACTIVELY GROWING LABELED WEEDS AND GRASSES, ROOTS AND ALL
- JUST ADD WATER - MAKES 24 OZ-
- DOES NOT HAVE SOIL ACTIVITY
- SUITABLE FOR USE AROUND FLOWER BEDS, TREES, SHRUBS, FENCES, WALKS AND FOR LAWN RENOVATION

USE WITH 24 OZ- HAND-HELD SPRAYER

Read the entire label before using this product. Use only according to label instructions.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. If these terms are not acceptable, return at once unopened.


Keep out of reach of children.

CAUTION!

See back panel for Precautionary Statements and Directions for Use.

EPA Reg. No. 524-~~XXXX~~152

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167
U.S.A.



ACTIVE INGREDIENT:


Glyphosate, N-(phosphonomethyl)glycine	60.0%
INERT INGREDIENTS	40.0%
	100.0%

This product is protected by U.S. Patents No. ~~3,799,758~~, No. ~~4,405,531~~ and No. ~~4,840,650~~. Other patents pending. No license granted under any non-U.S. patent(s).

® Trademark of Monsanto Company

© MONSANTO COMPANY 19912

CONTAINS THREE (3 gm) EFFERVESCENT TABLETS (9 gm)

Roundup®**QUICK STIK****Directions for Mixing**

1. Cut open 1/2 packet of Roundup® Quik Stik herbicide. 2. Add an additional 12 oz of clean water to the 12 oz container. 3. Mix thoroughly. 4. Add an additional 4 oz of clean water, seal instructions. 5. Spray on weeds. 6. Do not drink.

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**~~Keep out of reach of children.~~

CAUTION! Wash thoroughly with soap and water after handling. Keep children and pets off treated area until spray is thoroughly dry.

FIRST AID: If it appears that a part of the tablet has been ingested, remove visible particles from mouth. Rinse mouth with water. Have person drink water or milk.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000. *(Picture of telephone receiver)*

ENVIRONMENTAL HAZARDS

~~Do not apply directly to water or wetland (swamps, bogs, marshes or potholes). Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.~~

PHYSICAL OR CHEMICAL HAZARDS

Spray solutions of this product should be mixed, stored or applied **ONLY** in stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers. **DO NOT MIX, STORE OR APPLY SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAYERS.** Use of this product in such containers could result in the formation of an explosive hydrogen gas mixture which could flash or explode if ignited by open flames or any other ignition source.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Roundup® Quik Stik herbicide, when dissolved in water, is a nonselective grass and weed killer which when absorbed by contacted foliage, is carried throughout the stems and roots to give complete kill of labeled tough annual and perennial grasses and broadleaf weeds. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation. It is formulated for "spot" application to kill individual weeds.

BACK PANEL

around trees, shrubs, fences, patios, walks, flower gardens, and for lawn renovation. Yellowing and wilting usually occur within one week with a complete kill in 2 to 4 weeks. For best results, apply to actively growing undesirable plants in warm sunny weather. One application will control most listed weeds. If certain hard-to-control weeds are not completely killed within 4 weeks, repeat application. Treated areas can be reseeded or replanted 7 or more days after application.

MIXING AND SPRAYING

Do not apply this product through any type of irrigation system. Use pump-up type or hand-trigger sprayers. For product identification, apply the Roundup® Quik Stik Grass & Weed Killer sticker (enclosed in the box) to the sprayer. Fill the sprayer with 12 oz. (1½ cups) of clean water and then add one effervescent tablet. DO NOT SHAKE the sprayer to accelerate dissolution. Wait until the tablet has completely dissolved (2-3 minutes) and add an additional 12 oz. of clean water before sealing the sprayer. (One tablet makes 24 oz. of spray solution.) DO NOT SEAL THE SPRAYER UNTIL THE TABLET IS COMPLETELY DISSOLVED. Use of hose-end sprayers or sprinkler devices may result in poor and/or erratic results.

Position sprayer tip approximately 1-2 feet from the weed and apply to completely cover the weed, stopping just before the spray begins to run off.

CLEANING EQUIPMENT

Triple-rinse sprayer and flush all sprayer components with water to remove residues of this product. After thorough cleaning, equipment may be used to apply other products.

WEEDS CONTROLLED: Bahiagrass, Barnyardgrass, Bermudagrass, Blackberry, Thistles, Chickweed, Common Ragweed, Crabgrasses, Dandelion, Kudzu, Fescues, Field Bindweed, Foxtail, Johnsongrass, Kentucky Bluegrass, Lambsquarter, Orchardgrass, Perennial Ryegrass, Poison Ivy, Poison Oak, Quackgrass, Shepherdspurse, Smooth Bromegrass, Sowthistle, White Clover and Yellow Nutsedge and many other annual and perennial grasses, weeds, sedges and brush.

IMPORTANT: This product is a nonselective weed killer which can injure or kill all vegetation contacted. AVOID SPRAY CONTACT ON DESIRABLE PLANTS. APPLY ONLY WHEN THE AIR IS CALM. If spray or drift accidentally contacts desirable vegetation, wash off immediately with water. Rainfall within 6 hours could affect performance. Avoid mowing, cutting or otherwise disturbing treated vegetation for at least 7 days.

For more product information, call toll-free 1-800-225-2883.

(Picture of telephone receiver)

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

BACK PANEL CONTINUED

STORAGE: STORE THIS PRODUCT ONLY IN ITS ORIGINAL CONTAINER AND IN A SECURE STORAGE AREA. Protect product from moisture.
DISPOSAL: To dispose of unused product or solutions of this product, securely wrap original container or container of solution, in several layers of newspaper and discard in trash. Do not reuse inner wrapping or outer container. Discard both in trash.

EPA Est. ~~XXX62259-MN-2~~
~~897.23-000.01A-000.01~~

(bar code)

0 70183 50030 7

(Proof of purchase)

5 2 0 2