

PM-2.5

Reg # 524-454

193

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP RT HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Roundup RT and this supplement.

ROUNDUP® RT
Herbicide by Monsanto

EPA Reg. No. 524-454

ACCEPTED

JUN 28 1995

HOODED SPRAYERS IN CORN

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 524-454

Keep out of the reach of children.

WARNING! AVISO!

In case of emergency involving this product, Call Collect, day or night, 314-694-4000.

® Roundup is a registered trademark of Monsanto Company.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION" and "MIXING" sections of the label booklet for Roundup RT herbicide for essential product performance information.

RECOMMENDATIONS

This product may be used through hooded sprayers for weed control between the rows of corn.

For specific rates of application and instructions for control of various annual and perennial weeds, see the "WEEDS CONTROLLED" section of the label booklet for Roundup RT herbicide.

193

DO NOT APPLY MORE THAN 3 QUARTS OF THIS PRODUCT PER ACRE FOR HOODED SPRAYER APPLICATIONS.

Do not graze or feed corn forage or fodder following applications of this product through hooded sprayers.

A hooded sprayer is a type of shielded applicator. The spray pattern is completely enclosed on the top and all 4 sides by a hood, thereby shielding desirable vegetation from the spray solution.

Hooded sprayers which apply the herbicide solution as a spray band should be calibrated on a broadcast equivalent rate and volume basis. Use the following equation to convert from a broadcast rate per acre to a band rate per acre.

$$\begin{array}{ccccc} \text{Band width} & & \text{Herbicide} & & \text{Herbicide} \\ \text{in inches} & \times & \text{Broadcast} & = & \text{Band RATE} \\ \text{Row width} & & \text{RATE} & & \text{per acre} \\ \text{in inches} & & \text{per acre} & & \end{array}$$

$$\begin{array}{ccccc} \text{Band width} & & \text{Broadcast} & & \text{Band} \\ \text{in inches} & \times & \text{VOLUME of} & = & \text{VOLUME} \\ \text{Row width} & & \text{solution} & & \text{of solution} \\ \text{in inches} & & \text{per acre} & & \text{per acre} \end{array}$$

Use nozzles that provide uniform coverage within the treated area. The herbicide solution should contact the entire weed.

Equipment must be designed, maintained and operated to prevent the herbicide solution from contacting desirable vegetation.

Do not allow treated weeds to come into contact with desirable vegetation.

Droplets, mist, foam, or splatter of the herbicide solution settling on desirable vegetation may result in discoloration, stunting or destruction.

Minimize the potential for spray particles to escape from under the hood by operating the sprayer at appropriate ground speeds, nozzle pressures, and wind speeds. Operation on rough or sloping ground may result in spray particles escaping from the hood.

Contact of this product in any manner to any vegetation to which treatment is not intended may cause damage. Such damage shall be the sole responsibility of the applicator.

Read the "Limit of Warranty and Liability" in the label booklet for Roundup RT herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

© Monsanto Company 1985

MAP

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167

3