

GREEN SWEEP® WEED & FEED 20-0-0

LIQUID LAWN CARE
READY-TO-USE NO MIXING

TREATS (COVERS) 4,250 TO 10,000 SQ FT IN A
MATTER OF MINUTES
Read directions for different grasses.

Gives your lawn a quick boost of important
nutrients while controlling broadleaf weeds.
Attach to a garden hose, turn on water, and spray.
A Quick and Easy Way to a Quality Lawn.

Active Ingredients:
Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid* 2.29%
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid** 2.71%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid*** 2.26%
Inert Ingredients 93.15%

Isomer Specific AOAC Method No. 8.321, Equivalent to:
*2,4-Dichlorophenoxyacetic Acid 1.9%, 18 lb/gal
**2-(2-Methyl-4-Chlorophenoxy)propionic Acid 1.9%, 18 lb/gal
***2-(2,4-Dichlorophenoxy)propionic Acid 1.9%, 18 lb/gal

Keep Out of Reach of Children

CAUTION

See Back Panel for Additional Precautionary Statements
and Statement of Practical Treatment

ACCEPTED
SEP 07 1994
For more information about this product call 1-800-225-2883
GREENSWEEP® is a registered trademark used under license
© MONSANTO Company 1994

NET CONTENTS: 1/2 GAL
(64 fl oz) (1.89mL)
NET WEIGHT: 4.6 LBS

C-7

For Use Only

Controls broadleaf weeds and gives your lawn a quick boost of important nutrients. When used as directed this product will supplement your regular fertilizer program.

Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray on Dichondra, Lippia, nor on grasses where desirable Clovers are present.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

USE PRECAUTIONS

IMPORTANT: If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 85° F. Do not exceed recommended rates because damage to turf may occur. Do not cut grass 1 to 2 days before and after application. Do not reseed or plant stolons for 3 to 4 weeks after use. Do not apply to newly seeded grasses until they have been mowed 3 times.

Spray when weeds are actively growing except for Warm Season Grasses.

4,150 to 6,666 sq ft Coverage for Cool Season Grasses such as Blue Grass, Fescue, Rye grasses and Bentgrass. When applying to Bentgrass, height of grass should be 1 1/2" or more.

8,500 to 10,000 sq ft Coverage for Warm Season Grasses such as Bahia, Common Bermuda, St. Augustine, Centipede, and Zoysia. Some temporary injury may occur with these grasses. In Spring, do not apply until grass has reached full green up. In Fall, exercise care when grass growth is going into dormancy. Note: Some hybrid Bermuda grasses may be sensitive to this product. Contact your local Extension Service weed control specialist.

HOW TO APPLY

- No Mix, No Measure.
- Make sure ON/OFF valve is in OFF position.
- Shake well before applying.
- Connect spray nozzle to hose.
- Turn on the water at the tap.
- When ready to treat, point in direction away from face and body and pull the tab toward the hose-end connection. Turn the ON/OFF valve to the ON position. The water mixes automatically with this product at the proper ratio.
- Walk and spray at a steady pace. Marks on side of bottle indicate the number of sq ft covered in 1,000's.

Weeds will begin curl within a few days. Some hard-to-control broadleaf weeds may require a second treatment in 3 to 4 weeks.

COVERAGES MEASURING GUIDE

Marks on left side panel of bottle indicate sq ft covered.
(Not to Scale)

1666 sq ft	2500 sq ft	1063 sq ft
3333 sq ft	5000 sq ft	2125 sq ft
5000 sq ft	7500 sq ft	3188 sq ft
6666 sq ft	10000 sq ft	4250 sq ft
Cool Season	Warm Season	(Optional)

WEEDS CONTROLLED BY GREENSWEEP WEED & FEED

Alders, Artichoke, Aster, Austrian Fieldcress, Beggar-ticks, Bident, Bindweed, Bitterweed, Bitter Winter Cress, Black Medic, Blessed Thistle, Blue Lettuce, Box Elder, Broomweed, Buckhorn, Bull Thistle, Burdock, Bur Ragweed, Buttercup, Canada Thistle, Carpetweed, Catnip, Chickweed, Chicory, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common Sowthistle, Creeping Jenny, Croton, C-ry Indigo, Dandelion, Dock, Dogbane, Dogfennel, Elderberry, English Daisy, Fleabane, (Daisy), Flaxweed, Florida Pusley, Frenchweed, Galinsoga, Goatsbeard, Goldenrod, Ground Ivy, Gumweed, Hawkweed, Hebe, Heartleaf, Drymary, Hemp, Henbit, Hoary Cress, Honeysuckle, Horsetail, Indiana Mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knotweed, Lambsquarters, Lacweed, Lupines, Mallow, Marshelder, Mexicanweed, Morningglory, Musk Thistle, Mustard, Nettle, Nutgrass, Orange Hawkweed, Oaks, Parsnip, Pennygrass, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison Hemlock, Poison Ivy, Poison Oak, Pokeweed, Pongee, Povertyweed, Pnckly Lettuce, Pnmrose, Puncture Vine, Purslane, Ragweed, Red Clover, Red Sorrel, Rush, Russian Thistle, St. Johnswort, Sheep Sorrel, Shepherdspurse, Smartweed, Sneezeweed, Southern Wild Rose, Sowthistle, Spanishneedles, Spatterdock, Speedwell, Spurge, Spurweed, Sunkweed, Stachwort, Sunac, Sunflower, Sweetclover, Tanweed, Thistle, Toadflax, Tumbleweed, Velvetleaf, Veronica, Vervain, Vetch, Virginia Buttonweed, Virginia Creeper, Wild Aster, Wild Carrot, Wild Garlic, Wild Geranium, Wild Lettuce, Wild Onion, Wild Radish, Wild Rape, Wild Strawberry, Wild Sweet Potato, Willow, Witchweed, Woodsorrel, Wormseed, Yarrow, Yellow Rocket, and (many) other broadleaf weeds.

PM 23 524-470

GUARANTEED ANALYSIS: 20-0-0

Total Nitrogen (N) 20%
20% Urea Nitrogen
1138-1103

Fertilizer content guaranteed by SOLARIS.

(HOSE-END SPRAYER INSTRUCTIONS)

HOW TO APPLY: Use any hose-end sprayer that is designed for use on lawns and makes a minimum of 15 gal of finished spray. Such sprayers are Ortho Lawn & Pest Fertilizer Sprayer, Ortho's and Black Leaf's Lawn Sprayer (dilution ratio of 60 to 1). The following are adjustable/dial sprayers:

MANUFACTURER	SETTING
Super K-Gro	20
Melnor #94 & #95	11
Melnor #96 & #97	13
Gilm. J. J. 52	4
Gilmour #486	12

Special Note: Some adjustable sprayers do not hold 32 oz. The above settings are based on using 64 oz per 4,250 to 6,666 sq ft on Cool Season grasses or 8,500 to 10,000 sq ft for application on Warm Season grasses. The entire contents of this bottle must be used to make the proper recommended application rate.

Determine the area to be sprayed. Apply at a rate of 64 oz (1 1/2 gal) per 4,250 to 6,666 sq ft on Cool Season grasses or 8,500 to 10,000 sq ft for application on Warm Season grasses. Fill sprayer jar with appropriate amount of this product. Do not dilute this product with water when filling sprayer jar. The water will automatically mix this product during spraying. Attach sprayer to garden hose while holding sprayer at waist level. Point in a direction away from face and body. Walk back and forth at a steady pace. Overlap slightly for uniform coverage.

(DISPOSABLE SPRAYER AND BOTTLE INSTRUCTIONS)

HOW TO APPLY: Connect spray nozzle to hose. Remove bottle cap and screw bottle into nozzle. While holding sprayer at waist level, point in direction away from face and body. Turn on water at the tap. Place finger over hole on right side of nozzle for turn ON/OFF (over to the "ON" position) and this product will mix automatically at the proper ratio. Walk back and forth at a steady pace. Overlap slightly for uniform coverage.

STORAGE AND DISPOSAL

STORAGE: Keep from freezing. Store in original container. Place in a locked area inaccessible to children.

PESTICIDE DISPOSAL: Dispose of remaining product by securely wrapping original container in several layers of newspaper and discarding in trash.

CONTAINER DISPOSAL: Do not reuse container except as a hose-end sprayer bottle only when using GREENSWEEP® refill size. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. Wear long pants, long-sleeved shirts, shoes and chemical resistant gloves when handling or applying this product. Wash hands thoroughly with soap and water before eating, drinking, or smoking. Wash thoroughly with soap and water after handling. Do not allow persons or pets on treated areas until sprays have dried.

FIRST AID

IF SWALLOWED: Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. If irritation develops, get medical attention. (In case of emergency involving this product call collect day or night, 314 694-4000.)

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters nor pour the washwaters on the ground; spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

NOTICE: Buyer assumes all responsibility for safety and use not in strict accordance with directions and instructions for use.

(Additional copy for refill size)

For refill only: Use this bottle to refill the quart hose-end sprayer of GREENSWEEP® WEED & FEED. Follow directions for use on hose-end sprayer bottle.

For more information about this product call 1-800-225-2883

GREENSWEEP® is a registered trademark used under license

© MONSANTO Company 1994

The SOLARIS Group of Monsanto Company

P.O. Box 5008 San Ramon CA 94583-0808

Form 5779-A

EPA Reg. No. 524-470

EPA Est. Z39-1A-31, 47427-0H-2

Superscript is first letter of lot number.

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

 PULL HERE TO OPEN LABEL PRESS HERE TO RESEAL.

 In case of emergency involving this product call collect day or night, 314-694-4000

EPA REG. NO. 524-470

Form No. S-779

The SOLARIS Group of
Monsanto Company

P.O. Box 5008

San Ramon, Ca 94583-0808

EPA EST. NO. 47427-OH-1^M, 239-IA-1^I

Superscript is first letter of lot number

Made in USA

COPY D

socks

COPY E

The maximum number of broadcast applications per treatment site is 2 per year.

COPY F:

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pets on treatment area during application Do not enter treatment areas until spray has dried

524470.824

3073

GREEN SWEEP WEED & FEED 20-0-0, EPA REG. No 524-470

COPY A

Fertilizes Your Lawn

Do Not Use on Floratam Lawns

A Quick and Easy Way to a Beautiful Lawn

[READY-SPRAY™ APPLICATOR ONLY] Ready-To-Use concentrate mixes automatically with water through the attached hose-end sprayer

COPY B [READY-SPRAY™ APPLICATOR ONLY]

HOW TO USE

Connect attached spray nozzle to garden hose. Turn water control "ON/OFF" valve on top of sprayer nozzle to "OFF" position. Turn on water at faucet. Extend hose to farthest area to be treated and work back towards faucet so that you do not walk over treated areas. Using a coin or key, rotate the small product control valve located near front of nozzle forward to the "OPEN" position. To BEGIN spraying, point spray nozzle towards lawn and turn water control valve to "ON" position. The sprayer automatically mixes the product into the spray stream. Walk at a steady pace while spraying, using an even sweeping motion, lightly overlapping treated areas. Refer to measuring scale on side of container to guide coverage. To STOP spraying, turn water control "ON/OFF" valve on spray nozzle to "OFF" position. Rotate small product control valve back to closed position. Turn off water at faucet. To relieve pressure, turn water control "on/off" valve to the "on" position before removing nozzle from hose, being careful to point nozzle away from you.