

PM 31 8133-28

1 of 1

PRECAUTIONARY STATEMENTS

DANGER

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive. Causes eye damage and skin irritation. Methanol may cause blindness. Harmful or fatal if swallowed. DO NOT get in eyes, on skin or on clothing. Avoid contact with skin. Avoid contamination of food. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Vapors harmful. Avoid breathing spray mist or vapors. Wear a NIOSH/MSHA respirator approved for formaldehyde exposure, chemical resistant boots or shoe covers, chemical resistant gloves and goggles (if a full face respirator is not used) when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. DO NOT discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. DO NOT discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flames.

IN CASE OF FIRE: Use CO2 or dry chemical for small fires, alcohol type aqueous film forming foam or water spray for large fires. Use water spray to cool fire exposed containers. Wear self-contained breathing apparatus and complete personal protective equipment when potential for exposure to vapors or products of combustion exists.

IN CASE OF SPILL: Clean up immediately. Place leaking containers in well ventilated area. Eliminate ignition sources. To clean up spills, flush area sparingly with water or use absorbent. Avoid run-off to storm sewers and ditches leading to natural waterways. Neutralize with ammonium hydroxide or sodium hydroxide

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or disposal. Should be restored apart from other combustibles, acids or oxidizing agents. Storage facilities should be non-combustible.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by using according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazard Waste representative at nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty drum, then dispose of empty drum in accordance with Federal, State or Local regulations.

SPILL, CLEAN-UP REQUIREMENTS: Should a spill occur, contaminated soil and other clean-up debris is a hazardous waste. If a reportable quantity is exceeded, report spill/leak to the National Response Center (800-424-8802). Reportable quantity (RQ) for formaldehyde is 100 pounds.

#1505 (08/95)

BACTRON K-55W MICROBIOCIDAL

FOR USE IN CONTROLLING SULFATE-REDUCING BACTERIA IN OIL WELL DRILLING AND OIL FIELD PROCESSING, AND WATER FLOODING APPLICATIONS.

Active Ingredients:	
Formaldehyde . . . . .	37.0%
Inert Ingredients . . . . .	63.0%
TOTAL	100.0%

(Contains Methanol)

KEEP OUT OF REACH OF CHILDREN



POTENTIAL CANCER HAZARD based on animal data and limited epidemiological evidence. May cause allergic skin reaction, reproductive disorders, lung damage, liver damage, kidney damage, brain and nervous system damage.

STATEMENT OF PRACTICAL TREATMENT

IN INHALED: Remove to fresh air. If breathing has stopped, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF CONTACT: Immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. Wash clothing before re-use. Discard contaminated leather clothing.

IF SWALLOWED: Drink large quantities of water. Avoid alcohol. Call a physician immediately.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

480 lbs. Net Weight

55 U.S. gals Net Contents


Manufactured For:



3355 W. Alabama Ste. 400 Houston, TX 77098

EPA EST. No. EPA REG. No.

08785-WA-001 8133-28



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ENHANCED OIL RECOVERY: Inject BACTRON K-55W full strength to control bacteria in conjunction with the injection of miscible solvent, oil displacement fluids, including produced water, or carbon dioxide. Dosage in the target area may be 25-500J ppm of active ingredients in either continuous treatment or slug applications.

For repressuring depleted oil or gas zones continuous injection of BACTRON K-55W at 25-100 ppm into fresh or salt water should be adequate.

For preserving drilling fluids, work-over fluids or water based packer fluids 100-500 ppm of BACTRON K-55W will be adequate.

For batch treating the annulus of producing oil wells, 1-5 gallons of BACTRON K-55W can be flushed down the annulus weekly with produced fluids.

For treatment of injection water, BACTRON K-55W full strength to attain concentrations of 200-500 ppm of active ingredient in target areas on a continuous basis or in slug treatment.

USE AS HYDROGEN SULFIDE SCAVENGER (NON-BIOCIDAL): This product may also be used as a hydrogen sulfide scavenger in oilfield processing and refining operations. For hydrogen sulfide scavenging applications, inject BACTRON K-55W full strength to attain concentrations of up to 500 ppm of active ingredient in target areas on a continuous basis or in slug treatment.

PHYSICAL PROPERTIES

Specific Gravity . . . . .	1.05	Solubility in Water @ 20°C	Complete
Pounds per Gallon . . . . .	8.74	Flash Point . . . . .	122°F
Vapor Pressure . . . . .	40mm Hg	Freezing Point . . . . .	-40°F
pH . . . . .	3.0-4.0		

CHEMICAL EMERGENCY CALL CHAMPION TECHNOLOGIES AT 713-431-2561 OR CHEMTREC AT 1-800-424-9300 BEFORE USING CONSULT MATERIAL SAFETY DATA SHEET

To request a Material Safety Data Sheet, please call (713) 431-2561 or write Champion Technologies, Inc., P.O. Box 450499, Houston, TX 77245-0499.

Champion Technologies, Inc. assumes no responsibility when this product is not used in accordance with the instructions contained on this label.

HEALTH	3
FIRE	2
REACTIVITY	1
PERSONAL PROTECTION	-

Shipping: Formaldehyde Solution, Flammable, 3, UN1198, PGIII, R Q