

PM 25 524-475

1046

SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABEL FOR ROUNDUP PRO® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING

"Label" as used in this supplemental labeling refers to the label booklet for Roundup Pro herbicide and this supplement.

ROUNDUP® PRO

HERBICIDE BY MONSANTO

EPA Reg. No. 524-475

ROUNDUP PRO HERBICIDE FOR USE IN EUCALYPTUS (Eucalyptus spp.) PRODUCTION

Keep out of reach of children.

CAUTION!

In case of emergency involving this product, Call Collect, day or night, 314-694-4000.

Roundup® is a registered trademark of Monsanto Company.


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

See the Roundup Pro herbicide label booklet for essential product performance information.

PREPLANT



20/6

This product is recommended for use prior to planting eucalyptus species.

GROUND BROADCAST SPRAYS:

Use the recommended rates of this product in 3 to 40 gallons of water per acre as a broadcast spray unless otherwise specified.

See the Roundup Pro herbicide label booklet for specific rates for the weeds being controlled.

IN ESTABLISHED EUCALYPTUS

This product can be used around established eucalyptus trees to control undesirable vegetation.

DIRECTED SPRAYS (Spray-to-wet applications)

Use a 1 to 2 percent spray solution to control herbaceous weeds in eucalyptus farms. Use a 2 percent spray solution for control of undesirable woody brush and trees. For 'hard-to-control' weeds, use a 5 to 10 percent spray solution. Avoid contact of spray, drift, or mist with foliage, green bark or non-woody surface roots of eucalyptus plants.

WIPERS

This product may be used through wick or other suitable wiper applicators for control or partial control of grass and broadleaf weeds listed on the product label.

For wick applicators, mix 1 gallon of this product with 2 gallons water to make a 33% solution. For wiper systems that can handle thicker solutions, such as force-fed systems, a 33 to 100% Roundup Pro solution may be used.

For best results ensure that the herbicide solution is allowed to contact the maximum amount of leaf surface. As weed densities increase, decrease equipment speed to allow sufficient herbicide flow to wet all weed surfaces contacted. Weeds not contacted will be unaffected.

3066

AVOID HERBICIDE CONTACT WITH DESIRABLE VEGETATION. Desirable vegetation contacted by the herbicide solution may be injured or controlled. This includes foliage, fruit, or green stems.

Read "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Roundup Pro before using this product. Those terms apply to this supplemental labeling and, if those terms are not acceptable, return the product unopened at once.

©Monsanto Company, 1997

Monsanto
St. Louis, Missouri 63167

4046

SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABEL FOR ROUNDUP ULTRA® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Roundup Ultra herbicide and this supplement.

ROUNDUP® ULTRA

HERBICIDE BY MONSANTO

EPA Reg. No. 524-475

ROUNDUP ULTRA HERBICIDE FOR USE IN EUCALYPTUS (Eucalyptus spp.)
PRODUCTION

Keep out of reach of children.

CAUTION!

In case of emergency involving this product, Call Collect, day or night, 314-694-4000.

Roundup® is a registered trademark of Monsanto Company.


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

See the Roundup Ultra herbicide label booklet for essential product performance information.

PREPLANT



This product is recommended for use prior to planting eucalyptus species.

GROUND BROADCAST SPRAYS:

Use the recommended rates of this product in 3 to 40 gallons of water per acre as a broadcast spray unless otherwise specified.

See the Roundup Ultra herbicide label booklet for specific rates for the weeds being controlled.

IN ESTABLISHED EUCALYPTUS

This product can be used around established eucalyptus trees to control undesirable vegetation.

DIRECTED SPRAYS (Spray-to-wet applications)

Use a 1 to 2 percent spray solution to control herbaceous weeds in eucalyptus farms. Use a 2 percent spray solution for control of undesirable woody brush and trees. For 'hard-to-control' weeds, use a 5 to 10 percent spray solution. Avoid contact of spray, drift, or mist with foliage, green bark or non-woody surface roots of eucalyptus plants.

WIPERS

This product may be used through wick or other suitable wiper applicators for control or partial control of grass and broadleaf weeds listed on the product label.

For wick applicators, mix 1 gallon of this product with 2 gallons water to make a 33% solution. For wiper systems that can handle thicker solutions, such as force fed systems, a 33 to 100% Roundup Ultra solution may be used.

For best results ensure that the herbicide solution is allowed to contact the maximum amount of leaf surface. As weed densities increase, decrease equipment speed to allow sufficient herbicide flow to wet all weed surfaces contacted. Weeds not contacted will be unaffected.

6076

AVOID HERBICIDE CONTACT WITH DESIRABLE VEGETATION. Desirable vegetation contacted by the herbicide solution may be injured or controlled. This includes foliage, fruit, or green stems.

Read "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Roundup Ultra before using this product. Those terms apply to this supplemental labeling and, if those terms are not acceptable, return the product unopened at once.

©Monsanto Company, 1997

Monsanto
St. Louis, Missouri 63167