

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP® ULTRA RT HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Roundup® Ultra RT herbicide and this supplement.

Roundup Ultra™ RT

Herbicide by Monsanto

EPA Reg. No. 524-475

FOR WEED CONTROL PRIOR TO THE EMERGENCE OF CANOLA

Keep out of reach of children.

CAUTION!

In case of an emergency involving this product, Call Collect, day or night, (314)694-4000.

Roundup Ultra RT is a trademark and Roundup Ready is a registered trademark of Monsanto Company.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION" and "MIXING" sections of the label booklet for Roundup Ultra RT Herbicide for essential product performance information.

RECOMMENDATIONS


This product controls annual and perennial weeds listed on this label when applied preplant or preemergence to canola, including canola which contains the Roundup Ready® gene.

Apply up to 2 quarts of this product per acre per year before, during or after planting, but prior to canola emergence.

Read the "Limit of Warranty and Liability" in the label booklet for Roundup Ultra RT herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

© Monsanto Company 1999

Monsanto Company
St. Louis, Missouri 63167



2 7 8

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP® ULTRA HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Roundup® Ultra herbicide and this supplement.

Roundup Ultra™
Herbicide by Monsanto

EPA Reg. No. 524-475

FOR WEED CONTROL PRIOR TO THE EMERGENCE OF CANOLA

Keep out of reach of children.

CAUTION!

In case of an emergency involving this product, Call Collect, day or night, (314)694-4000.

Roundup Ultra is a trademark and Roundup Ready is a registered trademark of Monsanto Company.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION" and "MIXING" sections of the label booklet for Roundup Ultra Herbicide for essential product performance information.

RECOMMENDATIONS

This product controls annual and perennial weeds listed on this label when applied preplant or preemergence to canola, including canola which contains the Roundup Ready® gene.

Apply up to 2 quarts of this product per acre per year before, during or after planting, but prior to canola emergence.

Read the "Limit of Warranty and Liability" in the label booklet for Roundup Ultra herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

© Monsanto Company 1999

Monsanto Company
St. Louis, Missouri 63167

ACCEPTED
JUN - 8 1999
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. **524-475**

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP ® ULTRA HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Roundup Ultra and this supplement.

ROUNDUP ® ULTRA
Herbicide by Monsanto

EPA Reg. No. 524-475

SPOT-TREATMENT OF WEEDS IN DRY DITCHES IN CRANBERRY PRODUCTION AREAS

Keep out of reach of children.

CAUTION!

In case of an emergency involving this product, Call Collect, day or night, 314-694-4000.

® Roundup Ultra is a registered trademark of Monsanto Company.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of herbicide application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS (EXCEPT AS SPECIFIED FOR INDIVIDUAL ROUNDUP READY® CROPS), DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION" and "MIXING" sections of the label booklet for Roundup Ultra herbicide for essential product performance information.

A C C E P T E D
JUN - 8 1999
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 524-475

DIRECTIONS FOR USE

USE INSTRUCTIONS:

Directed sprays may be used to control weeds growing in the interior and perimeter ditch areas of cranberry production areas. Hand-held sprayers or other appropriate application equipment listed under "APPLICATION EQUIPMENT AND TECHNIQUES" in the Roundup Ultra herbicide label booklet may be used. Drop water level to remove standing water in ditches prior to application. In hand-held sprayers, use 1-2% solution of Roundup Ultra herbicide on a volume-to-volume basis with water. Spray to wet vegetation, not to run-off.


PRECAUTIONS, RESTRICTIONS:

For treatments after drawdown of water in dry ditches, allow 7 or more days after treatment before reintroduction of water to achieve maximum weed control. Apply this product within 1 day after drawdown to ensure application to actively growing weeds. Allow a minimum of 30 days between last application and harvest of cranberries. Do not apply this material through the irrigation system. Do not make applications by air. Do not apply directly to water.

Contact of the herbicide solution with desirable vegetation may result in damage or severe plant injury. Use nozzles that emit medium to large-sized droplets to minimize drift. The likelihood of crop injury occurring from the use of this product increases when winds are gusty, as wind velocity increases, when wind direction is constantly changing, or when there are other meteorological conditions that favor spray drift. Avoid drift. Extreme care must be used when applying this product to avoid injury to desirable plants and crops.

Read the "Limit of Warranty and Liability" in the label booklet for Roundup Ultra herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

© Monsanto Company 1999
MONSANTO COMPANY
ST. LOUIS, MISSOURI 63167



5 7 8

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP ULTRA® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Roundup Ultra herbicide and this supplement.



NOT REVIEWED
In Accordance with FR Notice 82-2.
Based on Draft Labeling Dated 6/8/99

EPA Reg. No. 524-475

Roundup Ultra and Roundup Ready are registered trademarks of Monsanto Company.

SPOT-TREATMENT OF WEEDS IN DRY DITCHES IN CRANBERRY PRODUCTION AREAS

Keep out of reach of children.

CAUTION!

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of herbicide application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS (EXCEPT AS SPECIFIED FOR INDIVIDUAL ROUNDUP READY® CROPS), DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION" and "MIXING" sections of the label booklet for Roundup Ultra herbicide for essential product performance information.

USE INSTRUCTIONS:

Directed sprays may be used to control weeds growing in the interior and perimeter ditch areas of cranberry production areas. Hand-held sprayers or other appropriate application equipment listed under "APPLICATION EQUIPMENT AND TECHNIQUES" in the Roundup Ultra herbicide label booklet may be used. Drop water level to remove standing water in ditches prior to application. In hand-held sprayers,

use 1-2 percent solution of Roundup Ultra herbicide on a volume-to-volume basis with water. Spray to wet vegetation, not to run-off.

PRECAUTIONS, RESTRICTIONS:

For treatments after drawdown of water in dry ditches, allow 7 or more days after treatment before re-introduction of water to achieve maximum weed control. Apply this product within 1 day after drawdown to ensure application to actively growing weeds. Allow a minimum of 30 days between last application and harvest of cranberries. Do not apply this material through the irrigation system. Do not make applications by air. Do not apply directly to water.

6 7 8


Contact of the herbicide solution with desirable vegetation may result in damage or severe plant injury. Use nozzles that emit medium to large-sized droplets to minimize drift. The likelihood of crop injury occurring from the use of this product increases when winds are gusty, as wind velocity increases, when wind direction is constantly changing, or when there are other meteorological conditions that favor spray drift. Avoid drift. Extreme care must be used when applying this product to avoid injury to desirable plants and crops.

Read the "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Roundup Ultra herbicide before using this product. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

©1999 MONSANTO COMPANY
ST. LOUIS, MISSOURI 63167

21137X1-61

6/8/99



7 7 8

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP ULTRA® RT HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Roundup Ultra RT herbicide and this supplement.



Herbicide

SEE REVISIONS
In Accordance with FR Notice 30-2,
Federal Insecticide, Fungicide, and Rodenticide Act 6/18/99

EPA Reg. No. 524-475

Roundup Ultra and Roundup Ready are registered trademarks of Monsanto Company.

FOR WEED CONTROL PRIOR TO THE EMERGENCE OF CANOLA

Keep out of reach of children.

CAUTION!

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of herbicide application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION" and "MIXING" sections of the label booklet for Roundup Ultra RT herbicide for essential product performance information.

RECOMMENDATIONS

This product controls annual and perennial weeds listed on this label when applied preplant or pre-emergence to canola, including canola which contains the Roundup Ready® gene.

Apply up to 2 quarts of this product per acre per year before, during or after planting, but prior to canola emergence.

Read the "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Roundup Ultra RT herbicide before using this product. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

©1999 MONSANTO COMPANY
ST. LOUIS, MISSOURI 63107

21138X1-20

6/18/99



SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP ULTRA® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Roundup Ultra herbicide and this supplement.



NOT REVIEWED
In accordance with FR Notice 82-2,
Based on Draft Labeling Dated **6/8/99**

EPA Reg. No. 524-475

Roundup Ultra and Roundup Ready are registered trademarks of Monsanto Company.

FOR WEED CONTROL PRIOR TO THE EMERGENCE OF CANOLA

Keep out of reach of children.

CAUTION!

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of herbicide application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION" and "MIXING" sections of the label booklet for Roundup Ultra herbicide for essential product performance information.

RECOMMENDATIONS

This product controls annual and perennial weeds listed on this label when applied preplant or pre-emergence to canola, including canola which contains the Roundup Ready® gene.

Apply up to 2 quarts of this product per acre per year before, during or after planting, but prior to canola emergence.

Read the "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Roundup Ultra herbicide before using this product. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened, at once.

©1999 MONSANTO COMPANY
ST. LOUIS, MISSOURI 63167

21137X1-62

6/8/99