

524-475

03/08/2006

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
TOXIC SUBSTANCES

AND

MAR 8 2006

Ms. Dawn Fee-White
Monsanto Company
1300 I (Eye) Street, NW, Suite 450 East
Washington, DC 20005

Dear Ms. Dawn Fee-White:

Subject: Roundup Pro Herbicide (Supplemental for Tank-Mixes In Non-Crop Areas)
EPA Registration No. 524-475
Application Dated December 16, 2005

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable, provided you make the following change before you release the product for shipment.

--Delete the phrase "and similar sites" and replace with a specific list of use sites.--

Submit one (1) copy of your final printed labeling incorporating the above change before you release the product for shipment. A stamped copy of labeling is enclosed for your records.

Supplemental labeling must be incorporated into a master label and copies of master labeling submitted to the Agency for our files at your next printing or within two years from the date of acceptance of supplemental labeling, whichever comes first. The Agency will consider a convincing argument as to why a supplemental label should not appear on a master label on a case by case basis.

Sincerely,

James A. Tompkins
James A. Tompkins
Product Manager 25
Herbicide Branch
Registration Division (7505C)

2/3

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using Roundup PRO as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions on the label booklet provided with the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.

ROUNDUP PRO®

Herbicide by Monsanto

TANK MIXTURES FOR NON-CROP AREAS, INCLUDING RAILROAD RIGHTS-OF-WAY, SUBSTATIONS, AIRPORTS, INDUSTRIAL PLANTS, ROADSIDES, STORAGE AREAS AND SIMILAR SITES

ACCEPTED
with COMMENTS
In EPA Letter Dated:

MAR - 8 2006

EPA Reg. No. 524-475

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
524-475

Keep out of reach of children.

CAUTION!

In case of an emergency involving this product, Call Collect, day or night, 314-694-4000.

Roundup PRO is a registered trademark of Monsanto Technology LLC.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of herbicide application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION" and "MIXING" sections of the label booklet for Roundup PRO for essential product performance information.

Do not allow spray mixtures of this herbicide to mist, drip, drift or splash onto desirable vegetation since injury or destruction may occur. Do not apply when wind or other conditions favor drift.

See the "WEEDS CONTROLLED" section of the Roundup PRO label booklet for rate recommendations. For tough-to-control species, where dense stands occur, or where conditions for control are not ideal, up to 4 quarts per acre of this product may be used on annual weeds and up to 5 quarts per acre of this product may be used on perennial weeds for improved results.

TANK MIXTURES

This product provides control of the emerged weeds listed in the label booklet. When applied as a tank mixture, the following herbicides will provide preemergence and/or postemergence control of the weeds listed in the individual product labels.

This product may be tank mixed with the following products provided that the specific product is registered for use on the target site. Refer to these product labels for approved sites and application rates. Read and carefully observe the cautionary statements and all other information appearing on the labels of all herbicides used. Use according to the most restrictive precautionary statements for each product in the mixture.

- | | |
|-----------------------|----------------------------|
| 2,4-D ¹ | Milestone |
| Arsenal | Oust |
| atrazine ¹ | Oust XP |
| Barricade 65WG | Outrider |
| Crossbow L | Overdrive |
| dicamba ¹ | pendimethalin ¹ |
| diuron ¹ | Plateau |
| Endurance | Plateau DG |
| Escort | Poast |
| Escort XP | Quicksilver |
| Gallery 75 DF | Ronstar 50 WSP |
| Garlon 3A | Sahara DG |
| Garlon 4 | simazine ¹ |
| Goal 2XL | Spike 80DF |
| Hyvar X | Surflan AS |
| Hyvar X-L | Surflan WDG |
| Krenite | Telar DF |
| Krovar I DF | Transline |
| Landmark II MP | Velpar DF |
| Landmark MP | Velpar L |
| Landmark XP | |

Maintain good agitation at all times during the mixing process. Ensure that the tank-mix products are well mixed with the spray solution before adding this product.

Mix only the quantity of spray solution that can be used during the same day. Tank mixtures allowed to stand overnight may result in reduced weed control.

Maintain good agitation at all times until the contents of the tank are sprayed. If the spray mixture is allowed to settle, thorough agitation is required to resuspend the mixture before spraying is resumed.

When used in combination as recommended by Monsanto Company, the liability of Monsanto shall in no manner extend to any damage, loss or injury not solely and directly caused by the inclusion of the Monsanto product in such combination use.

Read "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Roundup PRO herbicide before using this product. Those terms apply to this supplemental labeling and, if those terms are not acceptable, return the product unopened at once.