


## SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR MAVERICK® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Maverick herbicide and this supplemental.



EPA Reg. No. 524-500

Maverick is a registered trademark of Monsanto Company.

## ROTATION CROP RECOMMENDATIONS

Keep out of reach of children  
**CAUTION!**

In case of emergency involving this product, Call Collect, day or night, (314) 694-4000.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

See "DIRECTIONS FOR USE" and "MIXING INSTRUCTIONS" sections of the label booklet for Maverick® herbicide for essential product performance information.

### Environmental Hazards

This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

This pesticide is highly toxic to non-target plants. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to plants in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

The use of any pesticide in a manner that may kill or otherwise harm an endangered species or adversely modify their habitat is a violation of Federal Laws.

Monsanto will not be liable for rotational crop injury which results from spray overlaps during Maverick herbicide applications.

Read the "LIMIT OF WARRANTY AND LIABILITY" statement in the label booklet for Maverick herbicide before using. These terms apply to this SUPPLEMENTAL LABELING, and if these terms are not acceptable return the product unopened at once.

## ROTATIONAL CROP INFORMATION

### Crop Rotation Restrictions

#### Wheat

No restrictions.

**Table 1 - OK, KS, NE, TX**

Crop	Soil pH	Cumulative Precipitation (Inches)	Rotation Interval (Months)
Millet	< 7.5	18	3
Corn - IR	< 7.5	18	3
Soybean -STS™	< 7.5	18	3
Corn - normal	< 7.5	30	12
Cotton	< 7.5	30	12
Soybean	< 7.5	30	12
Sorghum (grain)	6.0 - 7.5	30	22
Sunflower	< 6.0	30	17

Areas with pH higher than those listed above or with accumulated precipitation less than above must conduct field bioassay as indicated in the **Field Bioassay** section.

**Table 2 - WA, OR, ID**

Crop	Soil pH	Cumulative Precipitation (Inches)	Rotation Interval (Months)
Millet	< 7.5	18	3
CLEARFIELD™ Canola	< 7.5	18	3
Corn - IR	< 7.5	18	3
Soybean -STS™	< 7.5	18	3
Potato	< 7.5	18	12
Barley	< 7.5	24	22
Canola	< 7.5	24	22
Corn - normal	< 7.5	24	22
Lentils	< 7.5	24	22
Peas* - all classes (including chickpeas)	> 6.5 < 6.5	24 30	22 17
Soybean	< 7.5	24	22

Areas with pH higher than those listed above or with accumulated precipitation less than above must conduct field bioassay as indicated in the **Field Bioassay** section.

\*Peas should not be planted on clay or eroded hillsides following a Maverick application without conducting a field bioassay as indicated in the **Field Bioassay** section.

**Table 3 - CO, SD, WY**

Crop	Soil pH	Cumulative Precipitation (Inches)	Rotation Interval (Months)
Millet	< 7.5	18	3
Corn - IR	< 7.5	18	3
Soybean -STS™	< 7.5	18	3
Corn - normal	< 7.5	24	22
Soybean	< 7.5	24	22
Sorghum (grain)	6.5 - 7.5	45	34
Sunflower	< 6.5	35	22

Areas with pH higher than those listed above or with accumulated precipitation less than above must conduct field bioassay as indicated in the **Field Bioassay** section.

**Table 4 - MT, ND**

Crop	Soil pH	Cumulative Precipitation (Inches)	Rotation Interval (Months)
CLEARFIELD™ Canola	< 7.5	12	12

Areas with pH higher than those listed above or with accumulated precipitation less than above must conduct field bioassay as indicated in **Field Bioassay** section.

**Table 5 - All Other Regions**

Crop	Soil pH	Cumulative Precipitation (Inches)	Rotation Interval (Months)
Soybean -STS™	<6.5	30	3
Soybean	<6.5 <7.5	30 24	5 12

Areas with pH higher than those listed above or with accumulated precipitation less than above must conduct field bioassay as indicated in the **Field Bioassay** section.

**Other Crops**

All crops other than those listed above may be seeded only after the completion of a successful field bioassay and no sooner than 3 months after Maverick herbicide application. Refer to the **Field Bioassay** section.

**FIELD BIOASSAY**

A field bioassay must be completed before rotating to crops other than those specified in this supplemental label or when rotating to shorter intervals than those listed in the **Crop Rotation Restrictions** section. NO CROP except wheat may be planted sooner than 3 months after application.

To conduct an effective field bioassay, grow strips of the crop you intend to grow the following season in fields previously treated with Maverick herbicide. Crop response to the bioassay will determine if the crop(s) grown in the test strips can be grown safely in areas previously treated with Maverick herbicide.

Clearfield is a trademark of BASF Corporation.

STS is a trademark of E.I. duPont de Nemours and Company, Inc.