


**SUPPLEMENTAL LABELING**

READ THE ENTIRE LABEL FOR ROUNDUP ULTRAMAX HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using Roundup UltraMAX herbicide as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions on the label booklet provided with the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.



**Roundup UltraMAX™**  
Herbicide

EPA Reg. No. 524-512

**FOR COTTON WITH THE ROUNDUP READY® FLEX GENE**

Keep out of reach of children.

**CAUTION!**

In case of an emergency involving this product, Call Collect, day or night, 314-694-4000.

Roundup UltraMAX and Roundup Ready are trademarks of Monsanto Technology LLC

---

**DIRECTIONS FOR USE**

---

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of herbicide application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS (EXCEPT AS SPECIFIED FOR INDIVIDUAL ROUNDUP READY CROPS), DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

**The use of the over-the-top applications described in this supplemental label on *other than Roundup Ready Flex cotton will cause crop injury and reduced yields.***

See "GENERAL INFORMATION" and "MIXING" sections of the label booklet for Roundup UltraMAX herbicide for essential product performance information.

**Note:** The instructions provided in this supplemental label are specific to, and should only be used with, **Roundup Ready Flex cotton** varieties. **Do Not** combine the instructions in this supplemental label with those in the "Cotton With The Roundup Ready Gene" section of the

Roundup UltraMAX label booklet, or with any other Roundup Ready cotton instructions on labeling for this or other glyphosate-containing product. See "Annual Maximum Use Rate" in the "GENERAL INFORMATION" section of the Roundup UltraMAX label booklet, for additional information.

TYPES OF APPLICATIONS: Preplant, At-planting, Preemergence, Postemergence, Preharvest.

<b>Maximum Allowable Combined Application Quantities Per Season</b>	
Combined total per year for all applications	6.5 quarts per acre
<b>Calculate the combined rate to be used for all <i>preplant, in-crop and preharvest</i> applications, to ensure that the total does not exceed the maximum allowed rate per acre per year.</b>	
Preplant, At-planting, Preemergence applications	4 quarts per acre
Total in-crop applications from ground cracking to 60% open bolls <ul style="list-style-type: none"> <li>▪ <b>Maximum allowed rate from cracking through the 8-node stage</b></li> <li>▪ <b>Maximum allowed rate from 8 nodes through 60% open bolls</b></li> </ul>	4 quarts per acre <ul style="list-style-type: none"> <li>▪ <b>2.4 quarts per acre</b></li> <li>▪ <b>52 fluid ounces per acre</b></li> </ul>
Maximum allowed rate from 60% bolls open to 14 days prior to harvest	52 fluid ounces per acre

PRECAUTIONS, RESTRICTIONS: See the "ROUNDUP READY CROPS" section of the label booklet provided with the product container for general precautionary instructions for use in Roundup Ready crops.

**Preplant, Preemergence, At-Planting**

USE INSTRUCTIONS: This product may be applied before, during or after planting cotton. Always plant into a weed free seedbed. In no-till and stale seedbed systems, always burn down existing weeds before cotton emerges.

**Postemergence**

USE INSTRUCTIONS: When applied as directed, this product will control labeled annual grasses and broadleaf weeds in Roundup Ready Flex cotton. To maximize yield potential spray cotton early to eliminate competing weeds. Many perennial weeds will be controlled or suppressed with one or more applications of this product. In general, an initial application of 26 fluid ounces per acre on 1 to 3 inch tall weeds is recommended. This product may be applied by aerial or ground application equipment at rates up to 52 fluid ounces per acre per application postemergence to Roundup Ready Flex cotton.

**NOTE:** For specific rates of application and instructions, refer to the "ANNUAL WEEDS" and "PERENNIAL WEEDS RATE TABLES" in the label booklet for Roundup UltraMAX herbicide.

**PRECAUTIONS, RESTRICTIONS:** After cotton begins to bloom, allow a minimum of 14 days between sequential in-crop applications of this product. The combined total application from crop emergence through 60% open bolls must not exceed 4 quarts per acre.

#### **Preharvest**

**USE INSTRUCTIONS:** This product may be applied for preharvest annual and perennial weed control as a broadcast treatment to Roundup Ready Flex cotton after 60% boll crack. Up to 52 fluid ounces of this product may be applied using either aerial or ground spray equipment. **NOTE:** This product will not enhance the performance of harvest aids when applied to Roundup Ready Flex cotton.

**PRECAUTIONS, RESTRICTIONS:** Allow a minimum of 14 days between application and harvest of cotton. Do not apply this product as a preharvest application to cotton grown for seed, as a reduction in germination or vigor may occur.

#### **Ground Broadcast Equipment**

Use the recommended rates of Roundup UltraMAX in 5 to 20 gallons of spray solution per acre. As density of weeds increases, spray volume should be increased within the recommended range to ensure complete and uniform coverage of the target. Carefully select proper nozzle and spray pressure to avoid spraying a fine mist. Check for even distribution of spray droplets.

#### **Aerial Equipment**

Apply this product in 3 to 15 gallons of water per acre. **DO NOT EXCEED A MAXIMUM RATE OF 52 FLUID OUNCES PER ACRE OF THIS PRODUCT WHEN MAKING APPLICATIONS BY AIR. EXTREME CARE MUST BE USED WHEN APPLYING THIS PRODUCT TO PREVENT INJURY TO DESIRABLE PLANTS AND CROPS WHICH DO NOT CONTAIN THE ROUNDUP READY OR ROUNDUP READY FLEX GENE.** Drift may cause damage to any vegetation contacted to which treatment is not intended.

**PRECAUTIONS, RESTRICTIONS:** See the "AERIAL EQUIPMENT" part of the "APPLICATION EQUIPMENT AND TECHNIQUES" section of the Roundup UltraMAX herbicide label booklet for information on proper use and calibration of this equipment.

#### **Sprayer Preparation**

Cotton is very sensitive to many herbicides at extremely low concentrations and care should be taken to thoroughly clean all equipment prior to use. It is important that the sprayer, including tank and hoses, and mixing equipment be clean and free of pesticide

residue before making applications of this product to Roundup Ready Flex cotton. Follow the cleaning procedures specified on the label of the product(s) previously used.

---

***ATTENTION: USE OF THIS PRODUCT IN ACCORDANCE WITH LABEL DIRECTIONS IS EXPECTED TO RESULT IN NORMAL GROWTH OF ROUNDUP READY FLEX COTTON, HOWEVER, VARIOUS ENVIRONMENTAL CONDITIONS, AGRONOMIC PRACTICES AND OTHER FACTORS MAKE IT IMPOSSIBLE TO ELIMINATE ALL RISKS ASSOCIATED WITH THIS PRODUCT, EVEN WHEN APPLICATIONS ARE MADE IN CONFORMANCE WITH THE LABEL SPECIFICATIONS. IN SOME CASES, THESE FACTORS CAN RESULT IN BOLL LOSS, DELAYED MATURITY AND/OR YIELD LOSS.***

---

**Read the "Limit of Warranty and Liability" in the label booklet for Roundup UltraMAX herbicide before using. For over-the-top uses on Roundup Ready crop varieties crop safety and weed control performance are not warranted by Monsanto when this product is used in conjunction with "brown bag" or "bin run" seed saved from previous year's production and replanted. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.**

---

©2003 MONSANTO COMPANY  
ST. LOUIS, MISSOURI 63167