

## **PLEASE NOTE**

**This image contains more than one label approved for this product on this date.**

# SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR FIRE POWER™ HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Fire Power herbicide and this supplement.

## Fire Power™ Herbicide

EPA Reg. No. 524-520

Fire Power is a trademark of Monsanto Company

---

### FOR WEED MANAGEMENT IN NON-DORMANT GRAPES IN THE STATE OF CALIFORNIA ONLY

---

Keep out of reach of children.

#### CAUTION!

In case of an emergency involving this product, Call Collect, day or night, 314-694-4000.

---

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION", "MIXING", AND "APPLICATION EQUIPMENT AND TECHNIQUES" sections of the label booklet for Fire Power herbicide for essential product performance information.

---

#### RECOMMENDATIONS

---

##### General Information

Fire Power herbicide may be applied in middles, strips and for general weed control in all grapes (raisin, table, wine) when applied as a dormant application as described in the main label booklet. This supplemental label allows for the application of Fire Power herbicide to non-dormant grapes (raisin and Wine grapes only) when applied as a directed ground spray application.

##### Application Information

**ACCEPTED**  
AUG - 2 2001  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 524-520

Apply up to 4 quarts of Fire Power Herbicide per single application. Repeat application may be made up to a maximum of 8 quarts per acre. For rate recommendations refer to the Fire Power Herbicide label booklet. For best results, apply this product after most weeds have germinated but before weeds exceed the maximum size recommended.

Fire Power herbicide may be tank mixed with residual herbicides as specified in the 'Tank Mixing' section of the main label.

Applications may be made with ground broadcast equipment, CDA, shielded sprayers, hand-held and high volume wands, lances, orchard guns or with wiper applicator equipment. Applications should not be made when green shoots, canes or foliage are in the spray zone. **After cane drop, Fire Power Herbicide should only be applied through shielded or hooded ground application equipment.**

**DO NOT** apply this product through any type of irrigation or chemigation system.

Nonionic surfactant is recommended. Use 2 quarts per 100 gallons of spray solution (0.5%) when using surfactants with at least 70% active ingredient. Use 4 quarts per 100 gallons of spray solution (1%) when using surfactants containing less than 70% active ingredient.

### Crop Tolerance Information

Extreme care must be exercised to avoid contact of herbicide solution, spray, drift or mist with foliage, fruit, or green bark of trunks, branches or suckers. Contact of this product with other than matured brown bark can result in serious crop damage.

### USE RESTRICTIONS — FIRE POWER HERBICIDE

The following use restrictions must be observed when Fire Power Herbicide is used alone or in any spray combination recommended on this label.

- Follow the 'General Application Precautions and Restrictions' listed on the main label booklet for this product. Read and observe all label directions before using. When tank mixing, always read all individual manufacturer's labels. In interpreting all labels for the tank mixture, the most restrictive situations must apply.
- **WHEN APPLIED AS A NON-DORMANT TREATMENT, FIRE POWER HERBICIDE MAY ONLY BE APPLIED TO GRAPE PLANTINGS**

.....  
 .....  
 .....  
 .....  
 .....

**BETWEEN THE COMPLETION OF BLOOM AND 14 DAYS PRIOR TO HARVEST.**


- The maximum amount of Fire Power herbicide applied during one season (from completion of final harvest through dormancy to non-dormant use covered by this label) must not exceed 8 quarts per acre.
- DO NOT apply Fire Power Herbicide within 14 days of harvest.
- DO NOT initiate Fire Power Herbicide applications in non-dormant grapes until the completion of bloom.
- DO NOT apply to grapes established less than 3 years unless vines are either on a trellis wire with a minimum of 3 feet above the soil surface, or protected by grow tubes.
- Direct spray toward the soil and the base of vines. Avoid direct herbicide contact with foliage, green bark of trunk, branches or suckers, or fruit. After cane drop use only shielded or hooded ground spray equipment.

---

Read the "Limit of Warranty and Liability" in the label booklet for Fire Power herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

---

©2001 Monsanto Company  
 ST. LOUIS, MISSOURI 63167



**NEXT**

**LABEL**

## SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR FIRE POWER™ HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Fire Power herbicide and this supplement.

### Fire Power™ Herbicide

EPA Reg. No. 524-520

Fire Power is a trademark of Monsanto Company

---

#### FOR WEED MANAGEMENT FOR NON-CROP USE IN THE STATE OF CALIFORNIA ONLY

---

Keep out of reach of children.

#### \* CAUTION!

In case of an emergency involving this product, Call Collect, day or night, 314-694-4000.

---

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION", "MIXING", AND "APPLICATION EQUIPMENT AND TECHNIQUES" sections of the label booklet for Fire Power herbicide for essential product performance information.

---

#### RECOMMENDATIONS

---

##### General Information

Fire Power herbicide provides postemergence control of many susceptible weeds on non-crop areas including fence rows, storage yards, levee banks (use only on the side of levee away from water channels), roadsides, farmsteads, and other similar non-crop locations.

##### Application Information

For annual weeds, use 1 quart per acre of this product when weeds are less than 6 inches tall and 1.5 quart per acre when weeds are greater than 6 inches tall.

For perennial weeds, apply 2 to 5 quarts per acre. Repeat application may be made up to a maximum of 8 quarts per acre. For rate recommendations refer to the Fire Power herbicide label booklet. For best results, apply this product after most weeds have germinated but before weeds exceed the maximum size recommended.

Fire Power herbicide may be tank mixed with residual herbicides. Refer to the 'Tank Mixes' section of the main label for specific directions.

Applications may be made with ground broadcast equipment, CDA, shielded sprayers, hand-held and high volume wands, lances, orchard guns or with wiper applicator equipment.

**DO NOT** apply this product through any type of irrigation or chemigation system.

Nonionic surfactant is recommended. Use 2 quarts per 100 gallons of spray solution (0.5%) when using surfactants with at least 70% active ingredient. Use 4 quarts per 100 gallons of spray solution (1%) when using surfactants containing less than 70% active ingredient.



**USE RESTRICTIONS — FIRE POWER HERBICIDE**

The following use restrictions must be observed when Fire Power herbicide is used alone or in any spray combination recommended on this label.

- Follow the 'General Application Precautions and Restrictions' listed on the main label booklet for this product. Read and observe all label directions before using. When tank mixing, always read all individual manufacturer' labels. In interpreting all labels for the tank mixture, the most restrictive situations must apply.
- The maximum amount of Fire Power herbicide applied during one season cannot exceed 8 quarts per acre.

Read the "Limit of Warranty and Liability" in the label booklet for Fire Power herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

©2001 Monsanto Company  
ST. LOUIS, MISSOURI 63167



**NEXT**

**LABEL**



# SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR FIRE POWER™ HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Fire Power herbicide and this supplement.

## Fire Power™ Herbicide

EPA Reg. No. 524-520

Fire Power is a trademark of Monsanto Company

---

### FOR WEED MANAGEMENT IN NON-DORMANT ALMONDS AND WALNUTS IN CALIFORNIA ONLY

---

Keep out of reach of children.

• **CAUTION!**

In case of an emergency involving this product, Call Collect, day or night, 314-694-4000.

---

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION", "MIXING", AND "APPLICATION EQUIPMENT AND TECHNIQUES" sections of the label booklet for Fire Power herbicide for essential product performance information.

---

#### RECOMMENDATIONS


---

##### General Information

Fire Power herbicide may be applied in middles, strips and for general weed control in established almond and walnut groves.

##### Application Information

Apply up to 4 quarts of Fire Power herbicide per single application. Repeat application may be made up to a maximum of 8 quarts per acre. For rate recommendations refer to the Fire Power herbicide label booklet. For best results, apply this product after most weeds have germinated but before weeds exceed the maximum size recommended.



Fire Power herbicide may be tank mixed with residual herbicides as specified on the main label.

Applications may be made with ground broadcast equipment, CDA, shielded sprayers, hand-held and high volume wands, lances, orchard guns or with wiper applicator equipment.

**DO NOT** apply this product through any type of irrigation or chemigation system.

Nonionic surfactant is recommended. Use 2 qts per 100 gallons of spray solution (0.5%) when using surfactants with at least 70% active ingredient. Use 4 qts per 100 gallons of spray solution (1%) when using surfactants containing less than 70% active ingredient.

**USE RESTRICTIONS — FIRE POWER HERBICIDE**

The following use restrictions must be observed when Fire Power herbicide is used alone or in any spray combination recommended on this label.

- Follow the 'General Application Precautions and Restrictions' listed on the main label booklet for this product. Read and observe all label directions before using. When tank mixing, always read all individual manufacturer' labels. In interpreting all labels for the tank mixture, the most restrictive situations must apply.
- **WHEN APPLIED AS A NON-DORMANT TREATMENT, FIRE POWER HERBICIDE MUST ONLY BE APPLIED TO ALMOND PLANTINGS BETWEEN APRIL 1 AND SEPTEMBER 30 AND TO WALNUT PLANTINGS BETWEEN MAY 1 AND SEPTEMBER 30.**
- The maximum amount of Fire Power herbicide applied must not exceed 8 quarts per acre per year.
- **DO NOT** apply Fire Power herbicide within 30 days of harvest of almond trees.
- **DO NOT** apply Fire Power herbicide within 7 days of harvest of walnut trees.
- Fire Power herbicide should be applied only around healthy growing trees.
- Direct spray toward the base of tree. Avoid direct herbicide contact with foliage or nuts.


Read the "Limit of Warranty and Liability" in the label booklet for Fire Power herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

©2001 Monsanto Company  
ST. LOUIS, MISSOURI 63167

**A C C E P T E D**

AUG - 2 2001

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No 524-520



**NEXT**

**LABEL**

## SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR FIRE POWER™ HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Fire Power herbicide and this supplement.

### Fire Power™ Herbicide

EPA Reg. No. 524-520

Fire Power is a trademark of Monsanto Company

---

#### FOR WEED MANAGEMENT IN NON-DORMANT PISTACHIOS IN STATE OF CALIFORNIA ONLY

---

Keep out of reach of children.

#### \* CAUTION!

In case of an emergency involving this product, Call Collect, day or night, 314-694-4000.

---

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION", "MIXING", AND "APPLICATION EQUIPMENT AND TECHNIQUES" sections of the label booklet for Fire Power herbicide for essential product performance information.

---

#### RECOMMENDATIONS

---

##### General Information

Fire Power herbicide may be applied in middles, strips and for general weed control in established pistachio groves.

##### Application Information

Apply up to 4 quarts of Fire Power herbicide per single application. Repeat application may be made up to a maximum of 8 quarts per acre. For rate recommendations refer to the Fire Power herbicide label booklet. For best results, apply this product after most weeds have germinated but before weeds exceed the maximum size recommended. Fire Power herbicide should be applied

only around healthy growing trees. Direct spray toward the base of tree. Avoid direct herbicide contact with foliage or nuts.

Fire Power herbicide may be tank mixed with residual herbicides as specified on the main label.

Applications may be made with ground broadcast equipment, CDA, shielded sprayers, hand-held and high volume wands, lances, orchard guns or with wiper applicator equipment.

**DO NOT** apply this product through any type of irrigation or chemigation system.

Nonionic surfactant is recommended. Use 2 quarts per 100 gallons of spray solution (0.5%) when using surfactants with at least 70% active ingredient. Use 4 qts per 100 gallons of spray solution (1%) when using surfactants containing less than 70% active ingredient.

**USE RESTRICTIONS — FIRE POWER HERBICIDE**

The following use restrictions must be observed when Fire Power herbicide is used alone or in any spray combination recommended on this label.

- Follow the 'General Application Precautions and Restrictions' listed on the main label booklet for this product. Read and observe all label directions before using. When tank mixing, always read all individual manufacturer' labels. In interpreting all labels for the tank mixture, the most restrictive situations must apply.
- **WHEN APPLIED AS A NON-DORMANT TREATMENT, FIRE POWER HERBICIDE MAY ONLY BE APPLIED TO PISTACHIO PLANTINGS BETWEEN MAY 1st AND 7 DAYS PRIOR TO HARVEST.**
- The maximum amount of Fire Power herbicide applied must not exceed 8 quarts per acre per year.
- **DO NOT** apply Fire Power herbicide within 7 days of harvest of pistachio trees.

Read the "Limit of Warranty and Liability" in the label booklet for Fire Power herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

©2001 Monsanto Company  
ST. LOUIS, MISSOURI 63167

**A C C E P T E D**

AUG - 2 2001

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No 524-520

