

PLEASE NOTE

This image contains more than one label approved for this product on this date.

524-537

09/08/2004

1/4



Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

EPA	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
------------	---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number Monsanto Co. / 524-537	2. EPA Product Manager Mr. James A Tompkins	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Roundup UltraMAX II Herbicide	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) Monsanto Co. 1300 "I" Street, NW Suite 450 East Washington, DC 2005 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical to the composition and labeling to: NOTIFICATION! EPA Reg. No. _____ SEP - 8 2004 Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated <u>20-May-2004</u>
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Final Printed Labels for Roundup UltraMAX II application in Dry Peas, Lentils, Chickpeas

Addtl Brand Name

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Dr. Russell P Schneider	Title Director, Regulatory Affairs	Telephone No. (include Area Code) (202) 783-2460
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Stephen J. Wratten</i>	3. Title Manager, Registrations	
4. Typed Name Stephen J. Wratten	5. Date 4-Aug-2004	

2/4

NOTIFICATION
SEP - 8 2004

SUPPLEMENTAL LABELING

For distribution and use only in the States of Idaho, Minnesota, Montana, Nebraska, North Dakota, Oregon, South Dakota, and Washington.

READ THE ENTIRE LABEL FOR ROUNDUP ULTRAMAX II® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using Roundup UltraMAX II herbicide as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions on the label booklet provided with the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.



EPA Reg. No. 524-537

Roundup UltraMAX II and TranSorb are registered trademarks of Monsanto Technology LLC.

PREHARVEST AND SPOT-TREATMENTS OF WEEDS IN DRY PEAS, LENTILS, AND CHICKPEAS

Keep out of reach of children.

CAUTION!

In case of an emergency involving this product, Call Collect, day or night, 314-694-4000.

See "GENERAL INFORMATION" and "MIXING" sections of the label booklet for Roundup UltraMAX II herbicide for essential product performance information.

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of herbicide application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION" and "MIXING" sections of the label booklet for Roundup UltraMAX II herbicide for essential product performance information.

DIRECTIONS FOR USE

See the "APPLICATION EQUIPMENT AND TECHNIQUES" Section of the Roundup UltraMAX II herbicide label booklet for more information.

To minimize drift, use nozzles that emit medium-to large-sized droplets. The likelihood of drift occurring from the use of this product increases when winds are gusty, as wind velocity increases, when wind direction is constantly changing, or when there are other meteorological conditions that favor spray drift. Extreme care must be used when applying this product to avoid injury to desirable plants and crops.

BROADCAST SPRAY

USE INSTRUCTIONS: This product may be applied as an over-the-top broadcast spray to control labeled weeds prior to the harvest of dry peas, lentils, and chickpeas. Apply up to 17 fluid ounces in 3 to 20 gallons of water per acre at the hard dough stage of the legume seed (30 percent grain moisture or

less). Either ground broadcast or aerial applications may be made.

PRECAUTIONS, RESTRICTIONS:

- Apply at least 14 days before harvest.
- Only one application per year may be made; do not combine a preharvest spray with a spot treatment on the same crop area.
- Employ at least a 30-day plant-back interval between treatment and replanting for any crop not listed in the Roundup UltraMAX II herbicide label.
- Preharvest application is not recommended for peas, lentils, or chickpeas grown for seed, as a reduction in germination or vigor may occur.
- Do not feed treated vines and hay from these crops to livestock. Do not apply this product through any type of irrigation system.
- Do not treat field (feed) peas, since these are considered to be grown as livestock feed.

SPOT TREATMENTS

USE INSTRUCTIONS: This product may be applied as a spot treatment to control troublesome weeds such as Canada thistle, quackgrass, mayweed (dog fennel), and milkweed in peas, lentils, and chickpeas. Apply up to 17 fluid ounces in 10 to 20 gallons of water through ground spray equipment or use a 2 percent solution in a hand-held sprayer. For best results, applications should be made at or beyond the bud stage of growth. The crop receiving spray in treated areas will be killed.

PRECAUTIONS, RESTRICTIONS:


- Apply at least 14 days before harvest.
- Only one application per year may be made; do not combine spot treatments with a preharvest broadcast spray on the same crop area.
- Employ at least a 30-day plant-back interval between treatment and replanting for any crop not listed in the Roundup UltraMAX II herbicide label.
- Do not feed treated vines and hay from these crops to livestock.
- Do not treat field (feed) peas, since these are considered to be grown as livestock feed.

Read the "Limit of Warranty and Liability" in the label booklet for Roundup UltraMAX II herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

©2004 MONSANTO COMPANY
ST. LOUIS, MISSOURI 63167

6/23/2003

63006C1-18



MONSANTO



4/4

MONSANTO COMPANY
1300 I (EYE) STREET, NW
SUITE 450 EAST
WASHINGTON, D.C. 20005
PHONE (202) 383-2866
FAX (202) 789-1748
<http://www.monsanto.com>

August 4, 2004

Document Processing Center (NOTIF)
Office of Pesticide Programs (7504C)
U. S. Environmental Protection Agency
Room 266A, Crystal Mall #2
1921 Jefferson Davis Highway
Arlington, VA 22202-4501

Attention: Mr. James A. Tompkins
Team Leader (25)

Subject: Roundup UltraMAX II Herbicide (EPA Reg. No. 524-537)
Final Printed Labeling – Use in Dry Peas, Lentils, and Chickpeas

Dear Mr. Tompkins:

On 20-May-2004, EPA approved supplemental labeling for Roundup WeatherMAX Herbicide (EPA Reg. No. 524-537) to allow application at a preharvest timing in the named dry legumes. On 8-Jun-2004, Monsanto provided the Agency with copies of final printed labeling derived from that approval.

At this time, we wish to extend the use to a second brand-named product on the same registration number, Roundup UltraMAX II Herbicide. The text is identical to that approved and communicated earlier for Roundup WeatherMAX Herbicide. I enclosed three (3) copies of the new label, identified by Print Plate 63006C1-18 for your records.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR§ 152.46, and no other changes (beside those outlined herein) have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statements to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement actions and penalties under sections 12 and 14 of FIFRA.

If you have any questions on this matter please feel free to contact me through Dr. Russell P. Schneider (202-383-2866) or by direct phone (314-694-1582), fax (314-694-4028), or electronic mail at stephen.j.wratten@monsanto.com.

Sincerely,

Stephen J. Wratten
Manager, Registrations

cc: R. P. Schneider

UMAX II Dry Peas FPL.doc

NEXT

LABEL

524-537

09/08/2004

1/4

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
--	--	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number Monsanto Co. / 524-537	2. EPA Product Manager Mr. James A Tompkins	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Roundup UltraMAX II Herbicide	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) Monsanto Co. 1300 "I" Street, NW Suite 450 East Washington, DC 2005 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>NOTIFICATION</u> Product Name <u>SEP - 8 2004</u>	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated <u>20-May-2004</u>
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Final Printed Labels for Roundup UltraMAX II application in Dry Beans

Add'l Brand Name

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Dr. Russell P Schneider	Title Director, Regulatory Affairs	Telephone No. (Include Area Code) (202) 783-2460
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Stephen J. Wratten</i>	3. Title Manager, Registrations	
4. Typed Name Stephen J. Wratten	5. Date 4-Aug-2004	

2/4

NOTIFICATION
SEP - 8 2004

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP ULTRAMAX II® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using Roundup UltraMAX II herbicide as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions on the label booklet provided with the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.



EPA Reg. No. 524-537

Roundup UltraMAX II and TranSorb are registered trademarks of Monsanto Technology LLC.

PREHARVEST AND SPOT-TREATMENTS OF WEEDS IN DRY BEANS

Keep out of reach of children.

CAUTION!

In case of an emergency involving this product, Call Collect, day or night, 314-694-4000.

See "GENERAL INFORMATION" and "MIXING" sections of the label booklet for Roundup UltraMAX II herbicide for essential product performance information.

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of herbicide application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION" and "MIXING" sections of the label booklet for Roundup UltraMAX II herbicide for essential product performance information.

DIRECTIONS FOR USE

See the "APPLICATION EQUIPMENT AND TECHNIQUES" Section of the Roundup UltraMAX II herbicide label booklet for more information.

To minimize drift, use nozzles that emit medium to large-sized droplets. The likelihood of drift occurring from the use of this product increases when winds are gusty, as wind velocity increases, when wind direction is constantly changing, or when there are other meteorological conditions that favor spray drift. Extreme care must be used when applying this product to avoid injury to desirable plants and crops.

BROADCAST SPRAY

USE INSTRUCTIONS: This product may be applied as an over-the-top broadcast spray to control labeled weeds prior to the harvest of dry beans. Apply up to 22 fluid ounces in 3 to 20 gallons of water per acre at the hard dough stage of the legume seed (30 percent grain moisture or less). Either ground broadcast or aerial applications may be made.

PRECAUTIONS, RESTRICTIONS:

- Apply at least 7 days before harvest.
- Only one application per year may be made; do not combine a preharvest spray with a spot treatment on the same crop area.
- Employ at least a 30-day plant-back interval between treatment and replanting for any crop not listed in the Roundup UltraMAX II herbicide label.
- Preharvest application is not recommended for dry beans grown for seed, as a reduction in germination or vigor may occur.
- Do not feed treated vines and hay from these crops to livestock. Do not apply this product through any type of irrigation system.
- Do not treat cowpeas, since this crop is considered to be grown as livestock feed.

SPOT TREATMENTS

USE INSTRUCTIONS: This product may be applied as a spot treatment to control troublesome weeds such as Canada thistle, quackgrass, mayweed (dog fennel), and milkweed in dry beans. Apply up to 22 fluid ounces in 10 to 20 gallons of water through ground spray equipment or use a 2 percent solution in a hand-held sprayer. For best results, applications should be made at or beyond the bud stage of growth. The crop receiving spray in treated areas will be killed.

PRECAUTIONS, RESTRICTIONS:


- Apply at least 7 days before harvest.
- Only one application per year may be made; do not combine spot treatments with a preharvest broadcast spray on the same crop area.
- Employ at least a 30-day plant-back interval between treatment and replanting for any crop not listed in the Roundup UltraMAX II herbicide label.
- Do not feed treated vines and hay from these crops to livestock.
- Do not treat cowpeas, since this crop is considered to be grown as livestock feed.

Read the "Limit of Warranty and Liability" in the label booklet for Roundup UltraMAX II herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

©2004 MONSANTO COMPANY
ST. LOUIS, MISSOURI 63167

06/23/2003

63006C1-19



MONSANTO



4/4

MONSANTO COMPANY
1300 I (EYE) STREET, NW
SUITE 450 EAST
WASHINGTON, D.C. 20005
PHONE (202) 383-2866
FAX (202) 789-1748
<http://www.monsanto.com>

August 4, 2004

Document Processing Center (NOTIF)
Office of Pesticide Programs (7504C)
U. S. Environmental Protection Agency
Room 266A, Crystal Mall #2
1921 Jefferson Davis Highway
Arlington, VA 22202-4501

Attention: Mr. James A. Tompkins
Team Leader (25)

Subject: Roundup UltraMAX II Herbicide (EPA Reg. No. 524-537)
Final Printed Labeling – Use in Dry Beans

Dear Mr. Tompkins:

On 20-May-2004, EPA approved supplemental labeling for Roundup WeatherMAX Herbicide (EPA Reg. No. 524-537) to allow application at a preharvest timing in dry beans. On 8-Jun-2004, Monsanto provided the Agency with copies of final printed labeling derived from that approval.

At this time, we wish to extend the use to a second brand named product on the same registration number, Roundup UltraMAX II Herbicide. The text is identical to that approved and communicated earlier for Roundup WeatherMAX Herbicide. I enclosed three (3) copies of the new label, identified by Print Plate 63006C1-19 for your records.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR§ 152.46, and no other changes (beside those outlined herein) have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statements to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement actions and penalties under sections 12 and 14 of FIFRA.

If you have any questions on this matter please feel free to contact me through Dr. Russell P. Schneider (202-383-2866) or by direct phone (314-694-1582), fax (314-694-4028), or electronic mail at stephen.j.wratten@monsanto.com.

Sincerely,

Stephen J. Wratten
Manager, Registrations

cc: R. P. Schneider

UMAX II Dry Beans FPL.doc