

S24-537

07/24/2008

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

JUL 24 2008

Mr. Stephen A. Adams
Monsanto Company
1300 I (Eye) Street, NW, Suite 450 East
Washington, DC 20005

Dear Mr. Adams:

Subject: Roundup WeatherMAX Herbicide (Control and Management of Glyphosate-Resistant
Johnsongrass in Corn, Cotton, and Soybeans)
EPA Registration No. 524-537
Application Dated June 2, 2008

The labeling referred to above, submitted in connection with registration under the Federal
Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable. A stamped copy of
labeling is enclosed for your records.

Supplemental labeling must be incorporated into master labeling and copies of master labeling
submitted to the Agency for our files at your next printing or within two years from the date of
acceptance of supplemental labeling, whichever comes first. The Agency will consider a
convincing argument as to why a supplemental label should not appear on a master label on a
case by case basis.

Sincerely,

Vickie K. Walters for
James A. Tompkins
Product Manager 25
Herbicide Branch
Registration Division (7505P)

2/3

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP WEATHERMAX® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using Roundup WeatherMAX Herbicide as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions on the label booklet provided with the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.

Roundup WeatherMAX® Herbicide

EPA Reg. No. 524-537

Roundup WeatherMAX and Roundup Ready are trademarks of Monsanto Technology LLC

CONTROL AND MANAGEMENT OF GLYPHOSATE-RESISTANT JOHNSONGRASS IN CORN, COTTON AND SOYBEAN

Keep out of reach of children

CAUTION!

In case of an emergency involving this product, call collect, day or night (314) 694-4000. JUL 24 2008

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in any manner inconsistent with its labeling

This label must be in the possession of the user at the time of herbicide application.

AVOID CONTACT OF THIS HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS (EXCEPT AS SPECIFIED FOR INDIVIDUAL ROUNDUP READY CROPS), DESIRABLE PLANTS AND TREES, AS SEVERE PLANT INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION" and "MIXING" sections of the label booklet for Roundup WeatherMAX herbicide for essential product information.

A naturally occurring glyphosate-resistant biotype of johnsongrass can be controlled in corn, cotton and soybean cropping systems by using this product along with an herbicide with a different mode of action labeled for preemergence and/or postemergence control of johnsongrass in combination with appropriate cultural weed control practices (e.g. crop rotation). Application of an herbicide with a different mode of action can be made either in a single tank-mix application with this product or in sequential applications.



CORN

Preplant, At-Planting, Preemergence to Corn

A burndown application to control emerged weeds is recommended prior to planting or the emergence of corn. For burndown, apply this product before, during or after planting, but prior to crop emergence, to control a broad spectrum of emerged weeds, along with Harness® Xtra, Harness Xtra 5.6L or Degree Xtra® for additional weed control and suppression of emerged johnsongrass.

Postemergence in Corn with Roundup Ready 2 Technology (In-crop)

Apply this product to control emerged weeds and in a tank-mix with Accent (nicosulfuron), Equip (foramsulfuron and iodosulfuron), or Option (foramsulfuron) for additional weed control and suppression of emerged johnsongrass.

COTTON

Preplant, At-Planting, Preemergence to Cotton

A burndown application to control emerged weeds is recommended prior to planting or the emergence of cotton. For burndown, this product can be applied before, during or after planting cotton, but prior to crop

emergence, to control a broad spectrum of emerged weeds. For additional control or suppression of rhizome johnsongrass prior to planting cotton, apply this product along with a product containing pendimethalin or trifluralin. For additional control of emerged johnsongrass, apply this product in a tank-mix with SelectMAX (clethodim), Assure II (quizalofop) or Poast Plus (sethoxydim).

Postemergence to Roundup Ready Flex Cotton and Roundup Cotton (In-crop)

Apply this product to control emerged weeds and in a tank-mix with SelectMAX (clethodim), Assure II (quizalofop) or Poast Plus (sethoxydim) for the suppression of emerged johnsongrass.

SOYBEAN

Preplant, At-Planting, Preemergence to Soybean

A burndown application to control emerged weeds is recommended prior to planting or the emergence of soybean. For burndown, apply this product before, during or after planting, but prior to crop emergence, to control a broad spectrum of emerged weeds. For control or suppression of rhizome johnsongrass, apply this product in a tank-mix with a product containing one of the following active ingredients: alachlor, metolachlor, pendimethalin, or trifluralin. For suppression of emerged johnsongrass, apply this product in a tank-mix with SelectMAX (clethodim), Assure II (quizalofop) or Poast Plus (sethoxydim).

Postemergence to Roundup Ready Soybean (In-crop)

Apply this product to control emerged weeds and in a tank-mix with SelectMAX (clethodim), Assure II (quizalofop) or Poast Plus (sethoxydim) for the suppression of emerged johnsongrass.

PRECAUTIONS/RESTRICTIONS: Always read and follow all label directions for all products in the tank mixture. Some products have the potential to cause crop injury under certain conditions, growth stage and/or other circumstances. Read the label of all products used in the tank-mix prior to use to determine the potential for injury. Tank mixtures of this product with other herbicides may cause incompatibility, antagonism, or a reduction in product efficacy. Monsanto has not tested all product formulations for compatibility, performance, and crop safety.

Not all herbicides are registered in every state or for all sites and crops for the management of johnsongrass species. When a tank-mix with a generic active ingredient, such as alachlor, metolachlor, pendimethalin or trifluralin is recommended on this label, the user is responsible for ensuring that the specific application being made is included on the label of the product being used in the tank mixture.

Always predetermine the compatibility of all tank-mix products together in the carrier by mixing small proportional quantities prior to mixing in the spray tank.

Refer to individual product labels for precautions and restrictions; use according to the most restrictive precautionary statements for each product in the tank mixture.

Read the "Limit of Warranty and Liability" in the label booklet for Roundup WeatherMAX herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

Degree Xtra, Harness, Roundup WeatherMAX and Roundup Ready are trademarks of Monsanto Technology LLC. All other trademarks are the property of their respective owners.

© 2008

MONSANTO COMPANY
800 N LINDBERGH BLVD
ST. LOUIS, MISSOURI 63167 USA

[INSERT PRINT PLATE NUMBER]

[INSERT DATE]

