

524-541

05/05/2003

1/15



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg.
Number:

524-541

Date of Issuance:

MAY - 5 2003

Term of Issuance:

Conditional

Name of Pesticide Product:

MON 78736 Herbicide

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Monsanto Company
600 13 th Street, N.W. Suite 660
Washington, DC 20005

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 524-541" before you release the product for shipment.
3. Submit three (3) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of this product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Date:

Dickie K. Waller for James A. Tompkins

5/5/03

[Editorial Notes: Bracketed text [] is for internal use or serves as a 'place holder' for graphics. Parenthetical text () denotes optional wording.]

[Refer to APPENDIX 1 for consolidated list of label claims.]


MON 78736 herbicide

Active Ingredients

Glyphosate, isopropylamine salt 18.0%

Triclopyr, triethylamine salt..... 2.0%

Other Ingredients 80.0%



KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel booklet for additional precautionary statements.

(Read precautions and directions on back label.)

NET ___ fl. oz: [6.5, 8, 9, 12, 13, 16, 24, 30, 32, 40, 54 (0.42 gallon), 59 (0.46 gallon), 64 (0.5 gallon), 128 (1 gallon)]

PEEL HERE (PRESS TO RESEAL)

Open Resealable Label for Directions & Precautions

Product Facts	Treats up to _____ sq ft (approx. size of ____ tennis courts) [When calculating coverage, one gallon treats 300 sq ft and a tennis court is 2,106 sq ft]
KILLS WEEDS	[Illustration of grassy, broadleaf and woody weeds] ALL TYPES OF WEEDS & GRASSES including: <ul style="list-style-type: none"> • Poison Ivy • Poison Oak • Wild Blackberries • Kudzu • Ragweed • Bamboo (OR) Kills Woody Brush & Vines Including: <ul style="list-style-type: none"> • poison oak • poison ivy • wild blackberries • kudzu • bamboo • ragweed Plus over 100 Unwanted Plants, Weeds & Grasses
WHERE TO USE	<ul style="list-style-type: none"> • In recreational areas, parks, and sports facilities • Around homes, buildings, cabins, lodges, and camp sites • On wooded and vacant lots • Dense fields and trails • Around shrubs & trees • Along fences & paths • Sidewalks and driveways Plus other areas where tough weeds are invading your yard
AMOUNT TO USE	6 fl oz (12 Tbs) per gallon of water
[telephone icon]	Questions, Comments, or Medical Information Call [insert contact telephone number] www.roundup.com [internet icon]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Mixing Instructions	
[OPTIONAL SPRAYER ILLUSTRATION]	
Tank Sprayer (plastic, aluminum, fiberglass, plastic-lined steel, or stainless steel)	
<ul style="list-style-type: none"> • Add 6 fl oz (12 Tbs) to 1 gallon of water. • Spot treat or spray evenly over 300 sq ft 	
[OPTIONAL DNS ILLUSTRATION]	
Hose-End Sprayer	
For large areas consider using the Ortho Dial'n Spray®	

- Set dial to 6 oz.
- To sprayer jar add 6 oz. (12 Tbs) for each 300 sq ft. **DO NOT** add water.
- Spray evenly over measured area.
- After spraying, unused product can be poured back into its original container.

1 Tablespoon (Tbs) = 3 teaspoon (tsp)

1 fl oz = 2 Tbs

[OR]

APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT
	Tough Weed Control Perennials or Brush	
[OPTIONAL SPRAYER ILLUSTRATION] Tank Sprayer	Use 6 oz (12 Tbs) in 1 gallon of water.	300 sq ft (30 ft x 10 ft)
[OPTIONAL DNS ILLUSTRATION] ORTHO DIAL 'n SPRAY® Hose-End sprayer	<ul style="list-style-type: none"> • Add 6 oz (12 Tbs) to sprayer jar. DO NOT ADD WATER. • Set dial to 6 oz. and spray. 	300 sq ft
[OPTIONAL SPRAY- ETTE ILLUSTRATION] ORTHO SPRAY-ETTE®	Add 24 oz to sprayer jar. Fill to the 4-gallon mark and spray.	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers	Use 2 Tbs (1 oz) in 24 oz of water.	Use for spot treatments or single weeds

[OR]

Measuring Cap: To open, squeeze sides at the points indicated while unscrewing. The measure cap has (#) levels indicated inside. The following table and the measuring cap should be used to determine the amount of [or insert brand name] you need. Close the cap tightly after use. No need to rinse.
Level (#) – (#) teaspoons or tablespoons.

APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT
[OPTIONAL SPRAYER ILLUSTRATION] Tank Sprayer	Fill cap to Level (#) (x) times [total = 6 oz]. Add to 1 gallon of water.	300 sq ft (30 ft x 10 ft)
[OPTIONAL DNS ILLUSTRATION] ORTHO DIAL 'n SPRAY® Hose-End sprayer	Fill cap to Level (#) (x) times [total = 6 oz]. DO NOT ADD WATER. Set dial to 6 oz. and spray.	300 sq ft
[OPTIONAL SPRAY-	Fill cap to Level (#) (x)	1200 sq ft

ETTE ILLUSTRATION] ORTHO SPRAY-ETTE®	times [total = 24 oz] and add to sprayer jar. Fill to the 4-gallon mark and spray.	(30 ft x 40 ft)
Hand trigger sprayers	Fill cap to Level (#) (x) times [total = 1 oz]. Add 24 oz. of water.	Use for spot treatments or single weeds

Do not (mix, store or) apply with (in) a galvanized or unlined steel sprayer (except stainless steel); or through any irrigation system (or with sprinkling can).

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

HOW TO APPLY [optional illustration]

- Use coarse spray pattern to reduce drift to desirable plants
- Spray the weed or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

Important: Do not spray plants or grasses you like - they may die too. Not recommended for spot weed control in lawns since [insert brand name] kills lawn grasses.

WHEN TO APPLY [optional illustration]

- Apply when weeds are actively growing.
- For best results apply during warm sunny weather (above 60° F) to accelerate systemic movement from foliage to roots.
- Apply when air is calm to prevent drift to desirable plants.
- (RAIN-PROOF) - Rain or watering 2 hours (30, 45, 60, or 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) after application will not wash away effectiveness.
- [Optional text] Apply when weeds are small and before seeds form.
- [Optional text] Established (hard to kill) weeds may require a repeat application.
- [Optional text] Note: Brush (sprayed in the Fall) may not be controlled until the following season. In the Spring spray regrowth if it occurs.
- [Optional text] Weeds usually yellow and wilt within 2-4 days (hours) with complete kill in 1 to 2 weeks for annual weeds. Perennial weeds such as poison ivy may take 4 or more weeks for complete kill.
- [Optional text] Established (Perennial) weeds may require a repeat application.
- [Optional text] Plants such as ornamental flowers, trees, and shrubs may be planted 30 days after application.

Important: Do not use on or around edible feed or food crops.

[Advisory statement #1: include if no lawn or plot preparation uses are included in final printed label] **Note:** Do not use for lawn renovation (flower bed and vegetable garden preparation preparation); instead use Roundup Concentrate or Roundup Super Concentrate.

To Kill Vines

- If vines are growing up poles, fences or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vine thoroughly.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray its regrowth. If spraying regrowth, shield shrubs and green bark from spray drift with a sheet (piece) of cardboard or plastic.

To Kill Stumps: This treatment will control or suppress many types of woody brush and trees, such as alder, bluegum eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak.

- Cut living stump close to ground.
- Drive (drill) 4 to 5 holes into freshly cut stump.
- Immediately pour undiluted product into holes.

To Kill Bamboo:

- Cut canes close to ground.
- Make cut just below a stem joint to create a hollow stem reservoir.
- Pour 2 Tbs of undiluted product into the hollow stem reservoir.
- Browning of the canes will occur in 7-14 days.
- Spray foliage if regrowth occurs.

For Lawn Replacement (Renovation) : *[remove advisory statement #1 if renovation use is included in final printed label]*

Use [insert brand name] to kill a (an old) (an unwanted) lawn and (its) weeds before planting (a) new lawn (OR prior to laying a patio, sidewalk, or driveway).

[Alternate text] For lawn replacement use [insert brand name] to kill lawn and weeds before planting new lawn.

- Skip one mowing before spraying.
- If soil is dry, water before application and (&) 2 to 3 days after application.
- Wait 7 days after last application to rake, till or replant with seed or sod.

[Alternate text]

- Wait 7 days for weeds and lawn to die. Repeat if necessary.
- Rake or till to prepare area for planting seed or sod.
- (If green patches remain after 7 days, reapply.)

[Alternate section]

- (Great) ([insert brand name]) Project: Lawn Renovation
Use [insert brand name] to kill sections of a weed-infested lawn before reseeding.
 - Apply [insert brand name] to lawn weeds and grasses at a rate of 6 fl oz (12 Tbs) per gallon of water (covers 300 sq ft.)
 - Wait 7 days after application to rake, till or replant with seed or sod.
 - Work (1" of) Scotts Lawn Soil with Starter Fertilizer into existing soil, mixing well.
 - For thick, green grass – guaranteed -- spread Scotts Pure Premium (or other Scotts grass seed) and water regularly (daily) to keep area moist (follow package instructions).

For best results, add a thin layer of Scotts Miracle-Gro Sphagnum Peat Moss or Scotts Lawn Soil over the area to help seeded area stay moist throughout germination

For Flowerbed (Ornamental Plot) Preparation *[remove advisory statement #1 if renovation use is included in final printed label]*

Use [insert brand name] to kill weeds, grasses and brush before planting flowers, trees or shrubs.

- If soil is dry, water before application and 2 to 3 days after application.
- Apply evenly over treatment area.
- (Wait 4 to 6 days for [insert brand name] to kill plants then cleanup plant refuse and till soil.)
- Wait (at least) 1 day before planting flowers and 30 days before planting trees and shrubs.

[Alternate section]

- (Great) ([insert brand name]) Project: Flower Garden Preparation
Use [insert brand name] to kill unwanted weeds and grasses before planting flowers, trees or shrubs.
 - Apply [insert brand name] to vegetation in planting bed at a rate of 6 fl oz (12 Tbs) per gallon of water (covers 300 sq ft.)
 - (Wait 4 to 6 days for [insert brand name] to kill plants then cleanup plant refuse and till soil.)
 - Wait (at least) 1 day after application before planting flowers and 30 days before planting trees and shrubs.
 - For best results, add 3" of Miracle-Gro Garden Soil to your garden. Rototill or spade to a depth of 6", mixing well.
 - Feed flowering (new) plants every 2 weeks with Miracle-Gro Plant Food (follow package instructions).

MON 78736 herbicide

Wild Blackberry

Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication may be necessary to kill deep roots.

Poison Ivy & Poison Oak

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the Fall. Reapply if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

For Wildlife Areas

Use to prepare areas for planting wildlife food. Undesirable (or exotic) plants can be controlled to allow for planting or recovery of native plant species. Spot treatments can be made to selectively remove unwanted plants. If desirable plants are accidentally sprayed, rinse off immediately.

(For special ornamental plants call [insert contact telephone #] for specific information)

[OPTIONAL REPLANT SECTION]

WHEN TO REPLANT [optional illustration]

- Ornamental flowers may be planted **1 day** after application:
- Lawn grasses may be planted **7 days** after application.
- Non-conifer trees and shrubs may be planted **14 days** after application.
- Conifer trees and shrubs may be planted **30 days** after application.

[OR alternate text]

Plants such as ornamental flowers, trees, and shrubs may be planted 30 days after application.

HOW IT WORKS [optional illustration]

[insert brand name] enters plants through foliage and moves systemically to the roots, killing weeds by altering the production of certain substances found in plants. Weeds usually yellow and wilt within 2 to 4 days (hours) with complete kill in 1 to 2 weeks for annual weeds. (Perennial weeds such as poison ivy may take 4 or more weeks for complete kill.)

[OPTIONAL WEED LIST SECTION]

KILLS ALL TYPES OF WEEDS & GRASSES INCLUDING: (KILLS WOODY BRUSH & VINES INCLUDING) [optional illustration]

Alder	Ash	Aspen	Blackberry
Broom (French, Scotch)	Buckwheat	Ceanothus	Chamise
Cherry	Coyote Brush	Dewberry	Elderberry
Elm	Eucalyptus	Hawthorn	Hazel
Honeysuckle	Kudzu	Locust	Maple
Oak	Persimmon	Poison Oak	Poison Ivy
Poplar	Raspberry	Sage	Sagebrush
Salmonberry	Sassafras	Sumac	Sweetgum
Thimbleberry	Tree Tobacco	Trumpet creeper	Wild Rose
(multiflora rose)	Willow	Bamboo	Wild Grape Vine

PLUS Over 100 Unwanted Plants, Weeds & Grasses

PLUS all types of weeds & grasses.

WEEDS (including):

Annual Ryegrass	Annual Bluegrass	Barnyardgrass	Beggarweed
Black Medic	Blue Toadflax	Brassbuttons	Blue Mustard
Buttercup	Bromegrass	Bur Clover	Chickweed
Common Groundsel	Common Plantain	Crabgrass	Creeping Beggarweed
Diffuse Lovegrass	Dog Fennel	Evening Primrose	False Dandelion
Fiddleneck	Fall Panicum	Field Pennycress	Field Sandbur
Filaree	Florida Pusley	Foxtail	Goosegrass
Garden Spurge	Horseweed/ marestail	Henbit	Knotweed
Lambsquarters	Little Bitter Cress	London Rocket	Maiden Cane
Mallow	Mayweed	Mouseear Chickweed	Oxalis
Pennsylvania Smartweed	Prickly Lettuce	Prostrate Spurge	Puncture Vine
Redroot Pigweed	Sandspur	Shepherdspurse	Smooth Cat's Ear
Smooth Pigweed	Sowthistle	Spotted Spurge	Tansy Ragwort
Tansy Mustard	Teaweed	Texas Panicum	Tumble Mustard
Sprangletop	Witchgrass	Wild Mustard	

Brush (Tough Weeds) and Perennials (including):

Alder	Artichoke Thistle	Bahiagrass	Bentgrass
Bermudagrass	Blackberries	Broadleaf Plantain	Canada Thistle
Cherry species	Common Ragweed	Creeping Bentgrass	Creeping Charlie
Curly dock	Dandelion	Dallisgrass	Dewberry
Common Mullein	Cattail	Cocklebur	Ceanothus
Cogongrass	Coyote Brush	Elderberry	False Dandelion
Fescue species	Field Bindweed	(Wild Morningglory)	Honeysuckle

Horseradish	Kikuyugrass	Milkweed	Knapweed
Guineagrass	Horsenettle	Iceplant	Lantana
Nightshade, silverleaf	Johnsongrass	Kentucky Bluegrass	Kudzu
Mulberry	Multiflora Rose	Nimblewill	Nutsedge
Oak species	Oldenlandia	Orchardgrass	Oxalis
Pennywort	Perennial Ryegrass	Poison Hemlock	Quaking Aspen
Pampasgrass	Poison Oak	Poison Ivy	Primrose
Purple Nutsedge	Ragweed	Raspberry	Red Clover
Quackgrass	Smooth Bromeagrass	St. Augustinegrass	Sumac
Tall Fescue	Timothy	Torpedograss	Trumpetcreeper
Vaseygrass	Virginia Creeper	Wild Sweet Potato	Wild Oats
White Clover	Whitetop	Wild Barley	Wild Strawberry
Willow	Yellow Starthistle	Yellow Nutgrass	Zoysia

* For additional weeds controlled by this product call 1-888-Roundup

STORAGE AND DISPOSAL *[trash can illustration]*

STORAGE: Store in original container in a safe place away from direct sunlight.

DISPOSAL: Empty Container: Do not reuse container. Put in trash (recycle where available). **Partially Full Container:** Call you local waste disposal service or 1-800-CLEANUP. Never pour product down any drain.

PRECAUTIONARY STATEMENTS *[optional illustration]*

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

[Reentry icon] People and pets may enter treated areas after spray has dried.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently for 15-20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing. • Call a poison control center (insert contact telephone #) or doctor for treatment advice.
Emergency Medical Information	
<ul style="list-style-type: none"> • Have the product container or label with you when calling a poison control center or doctor, or going for treatment. • You may contact (insert contact telephone #) for emergency medical treatment information. • This product is identified as <i>[insert brand name]</i>, EPA Reg. No. 524-LUR 	

Environmental Hazards:

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS.

This product is protected by U.S. Patent No. 5,683,958 and No. 5,703,015 and No. 6,063,733 and No. 6,121,199 and No. 6,121,200. Other patents pending. No license granted under any non-U.S. patent(s).

This is an end-use product. Monsanto does not intend and has not registered it for reformulation or repackaging.

Roundup is a registered trademark of Monsanto Technology LLC
© [] MONSANTO COMPANY

Monsanto Company
St Louis, Missouri 63167

Form _____
EPA Reg. No. 524-LUR
EPA Est. No. _____
Made in USA

APPENDIX 1 – Consolidated List of Label Claims
[Ordered alphabetically]

- Allergy Sufferers – Get rid of those problematic weeds
- Alleviate allergy suffering by killing those pollen producing weeds
- Approved for most (many) lawn and garden uses
- Brush and ivy killer
- Can be used for habitat restoration, controlling exotic vegetation, and for site preparation of wildlife food plots.
- Can reseed or sod lawns 7 days after treatment
- Child Resistant Cap
- Clear Brush Away
- Clears Brush
- Completely kills even the toughest weeds and grasses.
- Concentrated For Extra Value
- Control allergy causing weeds
- Control Poison Ivy, Poison Oak and other tough brush
- Control tough brush
- Control(s) (any weed(s) listed on Weeds Controlled table)
- Control weeds that cause allergies
- Controls the hardiest (toughest) weeds (brush)
- Covers up to Y sq ft [$Y = 300 \times (\text{net contents in ounces} \div 6)$]
- Covers up to 300 sq ft per gallon of spray
- Dead Weeds Guaranteed
- Dead Weeds Guaranteed or Your Money Back
- Does not have soil activity
- Easy To Use (convenient, handy, useful, well-situated)
- Economical- mix 12 Tablespoons (6 oz) per gallon
- Eliminate allergy causing plants without touching the plants that cause them
- Eliminate allergy causing plants (weeds) without handling (touching) them
- Eliminate plants that cause allergies
- Eliminate Poison Ivy, Poison Oak, Poison Sumac, Blackberry, Kudzu, Bamboo, (any weed listed on Weeds Controlled table)
- Eliminate tough weeds (brush) (poison ivy) around homes, buildings, cabins, camp sites, lodges, tent areas, trailers, wooded lots, recreational areas, parks, sports facilities and wildlife areas
- Eliminate weeds – No handling required
- Eliminate Woody Plants
- Enters the plant within (one) (two) hours, won't wash off
- Eradicate Poison Ivy, Poison Oak, Poison Sumac, Blackberry, Kudzu
- Exclusive Roundup Formula
- Experience The Roundup Advantage (peel back this panel for detail) (see details inside/underneath this booklet) (see details on back panel)
- 33% Faster
- Fast Uptake
- Fast Acting Poison Ivy (Brush)(Tough Weeds)(Brambles)(Kudzu) Killer
- Fast Acting Brush Killer
- Powered by Roundup
- Fast Acting

- With Roundup Power
- For general weed control
- Get rid of brush (tough weeds)
- Get rid of those allergy causing plants
- Great for clearing brushy fields
- Great for Poison Ivy, Poison Oak, Poison Sumac, Blackberry, Kudzu
- Great for use around flowers, shrubs and trees.
- Guaranteed Results
- Guaranteed same effective results even if it rains within hours
- Improved for tough weed control
- Increased strength for Intense Weeds
- Kill Poison Ivy Without Contact (Handling)
- Kills Poison Ivy (Brush)(Tough Weeds) (Kudzu) quicker than Roundup Brush Killer Concentrate
- Kill Poison Ivy (Brush)(Tough Weeds) (Kudzu) quickly
- Kill tough weeds (Brush) Without Contact (Touching Them, Handling Them)
- Kills 100+ tough weeds, Plus over 100 additional weeds
- Kills (any weed(s) listed on Weeds Controlled table)
& All Types of Tough Weeds
- Kills over 100 weeds
- Kills (spray) weeds in flower beds and around fences, trees, shrubs, driveways, walkways and shrubs, in and around fences, patios, paths, sidewalk cracks, walkways.
- Kills all types of tough weeds
- Kills even the toughest brush
- Kills Poison Ivy, Poison Oak, Poison Sumac, Blackberry, Kudzu
- Kills the toughest brushy weeds
- Kills tough and hard-to-kill weeds!
- Kills tough brush down to the root
- Kills tough ivy
- Kills tough weeds
- Kills tree stumps and vines
- Kills Ugly, Annoying Weeds (Brush)
- Kills the root so weeds don't come back
- Kills the root(s)
- No root. No weed. No problem.
- Kills the weed you see and the root you don't
- Kills to the root
- Kills (toughweeds (grasses, brush, woody plants, vines) roots and all
- Kills in 1 To 2 weeks
- Kills Weeds Dead
- Makes X gallons [$X = \text{net contents in ounces} \div 6$]
- Mix with water to make up to X gallons of spray solution [$X = \text{net contents in ounces} \div 6$]
- More concentrated
- More effective
- Multipurpose grass & broadleaf weed control
- NEW!
- New formula (formulation)
- NEW! BUILT-IN MEASURING CAP AND POUR SPOUT INCLUDED
- Now easier to measure and pour. Child Resistant Cap

- No root. No weed. No problem.
- Now
- Perfect for (use around) homes, buildings, cabins, campsites, lodges, tent areas, trailers, wooded lots, recreational areas, parks, sports facilities and wildlife areas.
- Prevent Stump and Vine re-growth
- Provides maximum control
- Quick uptake, eliminates weather concerns
- Rainfast
- Rainfast (Rainproof) in 2 hours (30, 45, 60, 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) - enters the plant on contact
- Rainfast (Rainproof) in 2 hours (30, 45, 60, 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) for control that doesn't wash away
- Remove allergy causing plants from your yard
- Results in 1 day (24 Hours)
- Rid your yard of allergy causing plants
- Roundup's effectiveness (exclusive formula) won't wash away by rain or watering 2 hours (30, 45, 60, 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) after treatment
- *[insert brand name]* **Fast Acting** Poison Ivy (Brush)(Tough Weeds)(Brambles)(Kudzu) killer
- *[insert brand name]* – control weeds with confidence (certainty, assurance)
- Roundup's effectiveness (exclusive formula) won't wash away by rain or watering 2 hours (30, 45, 60, 90 minutes; 1 hour; less than 1 hour; less than 60 minutes; less than 30 minutes) after treatment
- Roundup's [or insert brand name] exclusive (patented) formula (technology) kills to the root so weeds don't come back
- Satisfaction guaranteed
- Satisfaction guaranteed or your money back with proof of purchase
- Starts working immediately
- See results on Poison Ivy (Brush)(Tough Weeds)(Brambles)(Kudzu) in less than a week (5/7 days)
- Spray woody brush, trees and vines around houses, buildings, wooded lots, vacant lots, storage and recreational areas and along fences and driveways, or anywhere tough weeds are growing.
- Starts working fast
- Strong (-er)
- Strong enough to kill even the toughest brush
- Stronger formula kills brush and poison ivy
- Stronger formula kills to the roots
- The Better Brush Killer
- The Complete Brush Killer
- The tough weed solution
- Tough on weeds and grasses that cause allergies
- Tougher formula
- Tougher than the toughest weeds
- Use as a first step for renovating or replanting your lawn
- Use as a first step for turning brushy fields into grassy areas or parks
- Use for Stump Treatment

- Use in (apply with) a BIG SHOT Multi-Purpose Sprayer or other tank sprayer, ORTHO® DIAL'n SPRAY®, or other ORTHO hose-end sprayers
- Use [insert brand name] to control tough brush around patios, driveways, gravel and mulch beds.
- Use to control brush along fences, paths and foundations.
- Use to edge around lawns
- Use to prepare sites for large plantings, for planting flower beds, ornamentals, and renovating lawns
- Use to refill [insert brand name for MON 78783] Ready-To-Use containers
- Visible results In 2 to 4 days (hours)
- Water - based formula
- Won't wash away
- Won't wash off
- Works first time, every time (guaranteed)
- Works in 1 day (24 Hours)
- Works on (any weed(s) listed on Weeds Controlled table)
- Works systemically
- (Contains) (With) FastAct (Technology)
- Starts working (dying) in 24 hrs (1 day)