

524-546

02/22/2007

1117

Description of Changes for 00524-00546.20061220.turfrev.pdf

This label amendment incorporates the following:

NOTE TO REVIEWER - This label was originally registered 1 March 2004 for use in lawn & garden residential markets. Labeling is now being revised to expand use to turf and ornamental applications by lawn care professionals. Homeowner use/application is no longer included. Labeling has been completed reformatted to be consistent with current Monsanto brands, therefore only significant revisions marks show.

Significant revisions include but are not limited to:

Addition of WPS requirements for PPE, User Safety and Non-Agricultural Use box.

Addition of Application Equipment and Use Sites

Addition of expanded Weeds controlled lists duplicated from currently approved QuikPRO labeling.

Product will not be applied broadcast so all broadcast restrictions in the Weeds Lists have been removed.

MASTER LABEL FOR EPA REG. NO. 524-546

Registered Brand Names:

MON 79158

Table of Contents for Master Label

(title as applicable)

I.	Main Label for Turf and Ornamental Uses	
II.	Supplemental Labeling	

MAIN LABEL

[INSERT BRAND NAME]

Herbicide

Complete Broad-Spectrum Postemergence Herbicide with Residual Weed Control
for Turf and Ornamentals

Provides extended control of weeds and grasses up to 4 [2, 3] months.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

Complete Directions For Use

EPA Reg. No. 524-546

Read the entire label before using this product.

Use only according to label instructions.

Read the "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

THIS IS AN END-USE PRODUCT. MONSANTO DOES NOT INTEND AND HAS NOT REGISTERED IT FOR REFORMULATION OR REPACKAGING.

[optional] THIS IS AN END-USE PRODUCT. MONSANTO DOES NOT INTEND AND HAS NOT REGISTERED IT FOR REFORMULATION. SEE INDIVIDUAL CONTAINER LABEL FOR REPACKAGING LIMITATIONS.

Refillable Container Label Statement:
THIS IS AN END-USE PRODUCT. MONSANTO DOES NOT INTEND AND HAS NOT REGISTERED IT FOR REFORMULATION. IT IS INTENDED THAT REPACKAGING BE ONLY IN ACCORDANCE WITH A MONSANTO REPACKAGING OR TOLL REPACKAGING AGREEMENT.

Non-refillable Container Label Statement:
THIS IS AN END-USE PRODUCT. MONSANTO DOES NOT INTEND AND HAS NOT REGISTERED IT FOR REFORMULATION OR REPACKAGING.

CONTENTS

PRODUCT INFORMATION

- 1 1.0 INGREDIENTS**
- 2 2.0 IMPORTANT PHONE NUMBERS**
- 3 3.0 PRECAUTIONARY STATEMENTS**
 - 3.1 Hazards to Humans and Domestic Animals
 - 3.2 Environmental Hazards
 - 3.3 Physical or Chemical Hazards

DIRECTIONS FOR USE

- 4 4.0 STORAGE AND DISPOSAL
- 5 5.0 GENERAL INFORMATION
- 6 6.0 MIXING
 - Mixing for Hand-Held Sprayers
- 7 7.0 APPLICATION EQUIPMENT AND TECHNIQUES
 - 7.1 Hand-Held and Backpack Equipment
- 8 8.0 SITE AND USE RECOMMENDATIONS
 - 8.1 General Non-crop Areas and Industrial Sites
 - 8.2 Parks, Recreational and Residential Areas
 - 8.3 General Weed Control, Trim-and-Edge and Bare Ground
- 9 9.0 WEEDS CONTROLLED
 - 9.1 Annual Weeds
 - 9.2 Perennial Weeds
 - 9.3 Brush Weeds and Tree Seedlings
- 10 10.0 LIMIT OF WARRANTY AND LIABILITY

1.0 INGREDIENTS

ACTIVE INGREDIENTS:

* Glyphosate, N-(phosphonomethyl)glycine in the form of its isopropylamine salt	18.00%
** Imazapic, (+/-)-2-[4,5-dihydro-4-methyl-4-(1-methylethyl-5-oxo-1H-imidazol-2-yl)-5-methyl-3-pyridinecarboxylic acid in the form of its ammonium salt	0.30%
*** Diquat dibromide, [6,7-dihydrodipyrido (1,2-a:2',1'-c) pyrazinediium dibromide]	0.73%

OTHER INGREDIENTS: 80.00%
 100.00%

- * Contains 193.6 grams per liter or 1.6 pounds per U.S. gallon of the active ingredient glyphosate in the form of its isopropylamine salt; Equivalent to 544 grams per liter or 1.2 pounds per U.S. gallon of the acid, glyphosate.
- ** Contains 3.2 grams per liter or 0.03 pound per U.S. gallon of the active ingredient Imazapic in the form of its ammonium salt.
- *** Contains 7.8 grams per liter or 0.7 pound per U.S. gallon of the active ingredient diquat dibromide.

This product is protected by U.S. Patent Nos. 5,683,959; 5,703,015; 6,063,733; 6,121,199; Other patents pending. No license granted under any non U.S. Patent(s).

2.0 IMPORTANT PHONE NUMBERS

1. FOR PRODUCT INFORMATION OR ASSISTANCE IN USING THIS PRODUCT, CALL TOLL- FREE,
 1-800-332-3111.

5/17

2. IN CASE OF AN EMERGENCY INVOLVING THIS PRODUCT, OR FOR MEDICAL ASSISTANCE, CALL COLLECT, DAY OR NIGHT,

(314) 694-4000.

ACCEPTED
FEB 22 2007
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended for the pesticide registered under EPA Reg. No. 524-546

3.0 PRECAUTIONARY STATEMENTS

3.1 Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION!

Causes moderate eye irritation.

Avoid contact with eyes or clothing.

Wash thoroughly with soap and water after handling.

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. • Call a poison control center or doctor for treatment advice.
<ul style="list-style-type: none"> • Have the product container or label with you when calling a poison control center or physician, or going for treatment. • In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000. • This product is identified as <i>[Insert Brand Name]</i>, EPA Reg. No. 524-546. 	

Personal Protective Equipment (PPE)

Applicators and other handlers must wear: long-sleeved shirt and long pants, shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If there are not such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

<p>User Safety Recommendations</p> <p>Users should:</p> <ul style="list-style-type: none"> • Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. • Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing

3.2 Environmental Hazards

Do not apply directly to any body of water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

[Optional statement] This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soil is permeable, particularly where the water table is shallow, may result in ground water contamination.

3.3 Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied using only stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. This product can only be used in accordance with the Directions for Use on this label or in separately published Monsanto supplemental labeling. Supplemental labeling can be found on the Internet at www.cdms.net or www.greenbook.net or obtained from your Authorized Monsanto Retailer or Monsanto Company Representative.

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard (40 CFR Part 170) for agricultural pesticides. The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

Keep people and pets off treated areas until spray solution has dried.

4.0 STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

PESTICIDE STORAGE: Keep container closed to prevent spills and contamination.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

CONTAINER DISPOSAL: Emptied container retains vapor and product residue. Observe all labeled safeguards until container is cleaned, reconditioned, or destroyed.

See container label for STORAGE AND DISPOSAL instructions.

[CONTAINER LABEL STORAGE AND DISPOSAL STATEMENTS]

[FOR PLASTIC ONE-WAY CONTAINERS & BOTTLES]

Do not reuse container. Triple rinse container, then puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

[FOR ONE-WAY DRUMS]

Do not reuse container. Return container per the Monsanto container return program. If not returned, triple rinse container, then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

[FOR REFILLABLE PORTABLE (MINI-BULK) CONTAINERS]

This container must only be refilled with pesticide product. **Do not reuse this container for any other purpose.**

Final disposal must be in compliance with state and local regulations. If not refilled, returned, or recycled, triple rinse or pressure rinse, puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Do not transport this container if it is damaged or leaking. If the container is damaged, leaking or obsolete, or to obtain information about recycling portable refillable containers, contact Monsanto Company at [insert phone number].

Users: When the container is empty, replace the cap and seal all openings that have been made during usage, and return the container to the point of purchase, or to an alternate location designated by the manufacturer at the time of purchase of this product. If not returned, triple rinse or pressure rinse the empty container and offer it for recycling if available.

Refillers: Do not reuse this mini-bulk container except for refill in accordance with a valid Monsanto Repackaging or Toll Repackaging Agreement. Prior to refilling, inspect carefully for damage such as cracks, punctures, abrasions, worn-out threads and closure devices. Check for leaks after refilling and before transporting.

[FOR REFILLABLE STATIONARY BULK CONTAINERS]

This container must only be refilled with pesticide product. **Do not reuse this container for any other purpose.**

Prior to refilling, inspect carefully for damage such as cracks, punctures, abrasions, worn-out threads and closure devices.

Final disposal must be in compliance with state and local regulations. If not refilled, triple rinse or pressure rinse container and offer for recycling or reconditioning if possible. If burned, stay out of smoke.

5.0 GENERAL INFORMATION

(How This Product Works)

Product Description: This product is a postemergence, systemic herbicide with soil residual activity. It is generally non-selective and gives broad spectrum control of many annual weeds, perennial weeds, [*woody brush and tree seedlings*] while also providing soil residual activity that prevents growth of germinating weeds and grasses for up to 4 months. It is formulated as a water-soluble liquid containing surfactant and no additional surfactant is needed or recommended. It may be applied through most standard sprayers after dissolution and thorough mixing with water according to label instructions.

Time to Symptoms: This product moves through the plant from the point of foliage contact to and into the root system. Visible effects on most annual weeds occur within 1 day and on most perennial weeds in 2 days. Extremely cool or cloudy weather following treatment may slow activity of this product and delay development of visual symptoms. Visible effects are a quick yellowing of the foliage which advances to complete browning of above-ground growth and deterioration of underground plant parts.

Mode of Action in Plants: One of the active ingredients in this product enters plants through foliage and moves systemically to the roots, killing weeds by stopping the production of a substance found in plants. Weeds begin to yellow and wilt within 24 hours with complete kill in 1 to 2 weeks.

Another active ingredient provides a soil residual that prevents growth of germinating weeds and grasses [from sprouting, appearing, growing] for up to 4 [2, 3] months.

[Alternate text] Prevents new weeds from growing for up to 4 [2, 3] months by creating an invisible barrier [in the soil].

6.0 MIXING

Clean sprayer parts immediately after using this product by thoroughly flushing with water.

NOTE: REDUCED RESULTS MAY OCCUR IF WATER CONTAINING SOIL IS USED, SUCH AS VISIBLY MUDDY WATER OR WATER FROM PONDS AND DITCHES THAT IS NOT CLEAR.

6.1 Mixing for Hand-Held Sprayers

Prepare the desired volume of spray solution by adding the desired amount of this product as shown in the following table to a clean, empty sprayer. Add the appropriate amount of water and stir or agitate to ensure dissolution of [INSERT BRAND NAME] herbicide.

Spray Solution

Amount of [Insert brand name] herbicide

Desired Volume	Annuals or Perennials	Application Area
1 Gal	10 fluid ounces	500 square feet
2 Gal	20 fluid ounces	1000 square feet

Apply as a spray-to-wet application at 1 gallon of spray solution per 500 square feet. Spray coverage should be uniform and complete. Do not spray to the point of runoff. Use coarse sprays only.

7.0 APPLICATION EQUIPMENT AND TECHNIQUES

SPRAY DRIFT MANAGEMENT

AVOID DRIFT. EXTREME CARE MUST BE USED WHEN APPLYING THIS PRODUCT TO PREVENT INJURY TO DESIRABLE PLANTS.

Spray when air is calm to prevent drift to desirable plants.

Do not apply this product by air.

Do not apply this product through any type of irrigation system.

Do not allow the herbicide solution to mist, drip, drift or splash onto desirable vegetation since minute quantities of this product can cause severe damage or destruction to the crop, plants or other areas on which treatment was not intended.

APPLY THESE SPRAY SOLUTIONS IN PROPERLY MAINTAINED AND CALIBRATED EQUIPMENT CAPABLE OF DELIVERING DESIRED VOLUMES.

Keep all unprotected persons out of operating areas or vicinity where there may be drift.

7.1 Hand-Held and Backpack Equipment

To control existing weeds, apply to foliage of vegetation to be controlled. To prevent new weeds and grasses from growing YOU MUST SPRAY THE ENTIRE AREA you want to control, NOT JUST the emerged weeds.

Applications should be made on a spray-to-wet basis, spray coverage should be uniform and complete. Do not spray to the point of runoff. Use coarse sprays only.

8.0 SITE AND USE RECOMMENDATIONS

Unless otherwise specified, applications may be made to control any weeds listed in the annual, perennial and woody brush tables.

8.1 General Non-crop Areas and Industrial Sites

Use in non-crop and non-timber areas on y, such as airports, apartment complexes, ditch banks, dry ditches, dry canals, fencerows, golf courses, lumberyards, manufacturing sites, office complexes, parks, parking areas, recreational areas, residential areas, schools, storage areas, warehouse areas, and other public areas.

Apply this product to BOTH existing weeds and weed-prone areas where weeds have not yet appeared.

- On cracks and crevices in driveways, pavement, sidewalks, walkways, and patios
- Along fences, foundations, curbs, retaining walls, and edge of turf
- Around the base or in mulched beds of **well-established** (at least 6 months old) plants, shrubs or trees
- On gravel areas

This product is **not** for use on crops, timber, or other plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

8.2 Parks, Recreational and Residential Areas

This product may be used in parks, recreational and residential areas. It may be applied with any application equipment described in this label. This product may be used to trim-and-edge around trees, fences, paths, around buildings, sidewalks, and other objects in these areas. This product may be used for spot treatment of unwanted vegetation. This product may be used to eliminate unwanted weeds growing in established shrub beds or ornamental plantings.

All of the instructions in the **General Non-Crop Areas and Industrial Sites** section apply to park and recreational areas. This product is not for use around plants being grown for sale or other commercial use.

8.3 General Weed Control, Trim-and-Edge and Bare Ground

This product may be used in general non-crop areas. It may be applied with any application equipment described in this label. This product may be used to trim-and-edge around objects in non-crop sites, for spot treatment of unwanted vegetation and to eliminate unwanted weeds growing in established shrub beds or ornamental plantings. This product is **not** for use on plants grown for sale or other commercial use, or for commercial seed production.

Repeated applications of this product may be used, as weeds emerge, to maintain bare ground.

DO NOT USE in lawns or for lawn renovation.

DO NOT USE for vegetable garden preparation or in and around fruits and vegetables.

DO NOT SPRAY around young plants or in an area that will be planted or seeded within 4 months.

9.0 WEEDS CONTROLLED

Reduced results may occur when treating weeds heavily covered with dust. For weeds that have been mowed, grazed or cut, allow regrowth to occur prior to treatment.

For control of annual and perennial weeds and brush and tree seedlings listed in is label, apply 10 fluid ounces of this product per 1 gallon of spray solution. One gallon of spray solution treats 500 square feet as a spray-to-wet application.

9.1 Annual Weeds

WEED SPECIES

Annoda, spurred

Barley

Barnyardgrass

Bittercress

Black nightshade

Bluegrass, annual
Bluegrass, bulbous
Bassia, fivehook
Brome, downy
Brome, Japanese
Browntop panicum
Buttercup
Carolina foxtail
Carolina geranium
Castor bean
Cheatgrass
Cheeseweed (*Malva parviflora*)
Chervil
Chickweed
Cocklebur
Copperleaf, hophornbeam
Corn
Corn speedwell
Crabgrass
Dwarf dandelion
Eastern mannagrass
Eclipta
Fall panicum
Falsedandelion
Falseflax, smallseed
Fiddleneck
Field pennycress
Filaree
Fleabane, annual
Fleabane, hairy (*Conyza bonariensis*)
Fleabane, rough
Florida pusley
Foxtail
Goatgrass, jointed
Goosegrass
Grain sorghum (milo)
Groundsel, common

11/17

Hemp sesbania
Henbit
Horseweed/Marestail (*Conyza canadensis*)
Itchgrass
Johnsongrass, seedling
Junglerice
Knotweed
Kochia
Lambsquarters
Little barley
London rocket
Mayweed
Medusahead
Morningglory (*Ipomoea spp.*)
Mustard, blue
Mustard, tansy
Mustard, tumble
Mustard, wild
Oats
Pigweed
Plains/Tickseed coreopsis
Prickly lettuce
Purslane, common
Ragweed, common
Ragweed, giant
Red rice
Russian thistle
Rye
Ryegrass
Sandbur, field
Shattercane
Shepherd's-purse
Sicklepod
Signalgrass, broadleaf
Smartweed, ladythumb
Smartweed, Pennsylvania
Sowthistle, annual

12/17

- Spanishneedles
- Speedwell, purslane
- Sprangletop
- Spurge, annual
- Spurge, prostrate
- Spurge, spotted
- Spurry, umbrella
- Starthistle, yellow
- Stinkgrass
- Sunflower
- Teaweed/ Prickly sida
- Texas panicum
- Velvetleaf
- Virginia copperleaf
- Virginia pepperweed
- Wheat
- Wild oats
- Witchgrass
- Woolly cupgrass
- Yellow rocket

9.2 Perennial Weeds

Best results are obtained when perennial weeds are treated after they reach the reproductive stage of growth (seedhead initiation in grasses and bud formation in broadleaves). For non-flowering plants, best results are obtained when the plants reach a mature stage of growth. In many situations, treatments are required prior to these growth stages.

Allow 7 or more days after application before tillage.

Weed Species

- Alfalfa*
- Alligatorweed*
- Anise (fennel)
- Bahiagrass
- Beachgrass, European (*Ammophila arenaria*)
- Bentgrass*
- Bermudagrass*
- Bermudagrass, water (knotgrass)
- Bindweed, field
- Bluegrass, Kentucky
- Blueweed, Texas

Bromegrass, smooth
Bursage, woolly-leaf
Canarygrass, reed
Cattail
Clover; red, white*
Cogongrass
Dallisgrass
Dandelion
Dock, curly
Dogbane, hemp
Fescue
Fescue, tall
German ivy
Guineagrass
Horsenettle
Horseradish
Iceplant
Jerusalem artichoke
Johnsongrass
Kikuyugrass*
Knapweed
Lantana
Lespedeza
Milkweed, common
Muhly, wirestem
Mullein, common
Napiergrass
Nightshade, silverleaf
Nutsedge; purple, yellow
Orchardgrass
Pampasgrass
Paragrass
Pepperweed, perennial
Phragmites*
Poison hemlock
Quackgrass
Redvine*

Reed, giant
 Ryegrass, perennial
 Spurge, leafy*
 Thistle, artichoke
 Thistle, Canada
 Timothy
 Torpedograss*
 Trumpetcreeper*
 Vaseygrass
 Velvetgrass
 Wheatgrass, western

*Partial control

9.3 Brush Weeds and Tree Seedlings

Best results are obtained when brush and trees are treated when they are in the seedling stage of growth. Allow 7 or more days after application before tillage.

Weed Species

Alder
 Ash*
 Beech*
 Birch
 Blackberry
 Blackgum
 Cherry; bitter, black, pin
 Dogwood*
 Elderberry
 Elm*
 Honeysuckle
 Locust, black*
 Maple, red
 Maple, sugar
 Oak, black*
 Oak, post
 Oak, northern pin
 Oak, red
 Oak, scrub*
 Oak, southern red
 Oak, white*

- Peppertree, Brazilian (Florida holly)*
- Pine
- Poison ivy*
- Poison oak*
- Poplar, yellow*
- Redbud, eastern
- Rose, multiflora
- Saltcedar*
- Sumac; laurel, poison, smooth, sugarbush, winged*
- Sweetgum
- Vine maple*
- Virginia creeper
- Waxmyrtle, southern*

* Partial Control

10.0 LIMIT OF WARRANTY AND LIABILITY

Monsanto Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label pamphlet ("Directions") when used in accordance with those Directions under the conditions described therein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

To the extent consistent with applicable law, buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, to the extent consistent with applicable law, including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. TO THE FULLEST EXTENT ALLOWED BY LAW, IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

16/17

This Company does not warrant any product reformulated or repackaged from this product except in accordance with this Company's stewardship requirements and with express written permission from this Company.

Upon opening and using this product, buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement. If terms are not acceptable, return at once unopened.

[List of Monsanto Brand(s)] is/are trademark(s) of Monsanto Technology LLC.

[Any trademark used under license information if applicable]

All other trademarks are the property of their respective owners.

EPA Reg. No. 524-546

© [year] MONSANTO COMPANY

ST. LOUIS, MISSOURI, 63167 U.S.A.

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR [INSERT BRAND NAME] BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using [INSERT BRAND NAME] as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions on the label booklet provided with the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.

[INSERT BRAND NAME HERE]

Herbicide

[Insert Title]

EPA Reg. No. 524-546

Keep out of reach of children.

[SIGNAL WORD]

In case of an emergency involving this product, Call Collect, day or night, 314-694-4000.

[INSERT BRAND NAME] is a trademark of Monsanto Technology LLC.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of herbicide application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See **GENERAL INFORMATION** and **MIXING** sections of the label booklet for [INSERT BRAND NAME] for essential product performance information.

[INSERT SPECIFIC DIRECTIONS FROM THE FOLLOWING SECTIONS HERE]

Read the "Limit of Warranty and Liability" in the label booklet for [INSERT BRAND NAME] before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

© [DATE] MONSANTO COMPANY

ST. LOUIS, MISSOURI 63167