AL PROTES

2012 (UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON D C 20460

OFFICE OF CHEMICAI SAFETY AND POLLUTION PREVENTION

Dan Jenkins/ Stephen Adams Monsanto Company 1300 I (Eye) Street, NW Suite 450 East Washington, DC 20005

Subject Supplemental Label Amendment / Roundup PowerMAX Herbicide EPA Reg No 524-549

Dear Mr Jenkins

The supplemental labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable

Submit one copy of the final printed label for the record before you release the product for shipment A stamped copy of the label is enclosed for your records If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e) Your release for shipment of the product constitutes acceptance of these conditions If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft Erik@epa gov

Sincerely,

Kable Bo Davis Product Manager 25 Herbicide Branch Registration Division (7505P)

SUPPLEMENTAL LABELING

This supplemental label expires on July 30 2015 and must not be used or distributed after this date

READ THE ENTIRE LABEL FOR ROUNDUP POWERMAX HERBICIDE BEFORE PROCEEDING WITH THE DIRECTIONS FOR USE CONTAINED IN THIS SUPPLEMENTAL LABELING

When using Roundup PowerMAX Herbicide as permitted according to this supplemental labeling read and follow all applicable directions restrictions and precautions in the label booklet provided on the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.

Roundup PowerMAX[®]

Herbicide

EPA Reg No 524 549 Roundup PowerMAX is a trademark of Monsanto Technology LLC

> Tank Mixtures for Use in Row Middles and Strips Tree, Vine and Shrub Crops

> > Keep out of reach of children

ACO	CEP	TED
フ ^え ら パン d Strips in		
Under 1 Fui	Federal Inc	ecticide Act
as a for the p-sucide registered under		
BPA Reg.	No 5 24	-549

In case of an emergency involving this product call collect day or night 314-694-4000

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling

This labeling must be in the possession of the user at the time of herbicide application

AVOID CONTACT OF THIS HERBICIDE WITH FOLIAGE GREEN STEMS EXPOSED NON WOODY ROOTS OR FRUIT OF CROPS (EXCEPT AS SPECIFIED FOR INDIVIDUAL ROUNDUP READY CROPS) DESIRABLE PLANTS AND TREES AS SEVERE INJURY OR DESTRUCTION COULD RESULT

See the GENERAL INFORMATION and MIXING sections of the Roundup PowerMAX Herbicide product label for important information on the use of this product

THIS SUPPLEMENTAL LABEL PROVIDES TANK MIXTURE INFORMATION THAT APPLIES TO ALL TREE VINE AND SHRUB CROPS LISTED ON THE ROUNDUP POWERMAX HERBICIDE PRODUCT LABEL SEE THE INDIVIDUAL CROP SECTIONS ON THE PRODUCT LABEL FOR SPECIFIC DIRECTIONS FOR USE PREHARVEST INTERVALS PRECAUTIONS AND RESTRICTIONS

TYPES OF APPLICATION Middles (in between rows of trees vines or bushes) Strips (within rows of trees vines or bushes)

PRECAUTIONS Use extreme care to avoid contact of this herbicide solution spray drift or mist with foliage or green bark of trunk branches suckers fruit or other parts of trees canes and vines Avoid application when recent pruning wounds or other mechanical injury have occurred Contact of this product with other than matured brown bark could result in serious crop damage or destruction. Only shielded or directed sprayers may be used in crops where potential for crop contact is high and then only where there is sufficient clearance. For application in strips (within rows of trees) only selective equipment (directed spray hooded sprayer shielded sprayer or wiper applicator) may be used in order to minimize the potential for overspray or drift of this product onto the crop. For berry crops hooded sprayers must be fully enclosed including top sides front and back. Only wiper applicators or shielded sprayers capable of preventing all contact of this product with the crop may be used. See additional use instructions and precautions in the APPLICATION EQUIPMENT AND TECHNIQUES section of the Roundup PowerMAX. Herbicide product label

RESTRICTIONS Allow a minimum of 3 days between application and transplanting

Middles (in between rows)

USE INSTRUCTIONS This product will control or suppress annual and perennial weeds and ground covers growing in between rows of tree and vine crops listed on the Roundup PowerMAX Herbicide product label. If weeds are under drought stress irrigate prior to application. Reduced weed control could result if weeds have been recently mowed at the time of application.

TANK MIXTURES A tank mixture of this product with Goal 2XL may be applied for annual weed control in between rows (middles) of citrus tree fruit tree nut and vine crops when weeds are stressed or growing in dense populations Application of 11 to 22 fluid ounces of this product plus 3 to 12 fluid ounces of Goal 2XL per acre will control annual weeds with a maximum height or length of 6 inches including crabgrass common groundsel junglerice common lambsquarters redroot pigweed London rocket common ryegrass shepherd s-purse annual sowthistle filaree (suppression) horseweed/marestail stinging nettle and common purslane (suppression) This tank mixture will also control common cheeseweed (malva) or hairy fleabane with a maximum height or length of 3 inches

This product may also be applied to row middles in tank mixtures with the following products. Ensure that the product used is labeled for application within the crop being grown. Read and follow label directions for all products in the tank mixture.

[Insert active ingredient(s) or brand name of product(s) containing the following active ingredients that at the time of printing are registered for use in middles (in-between rows) of tree vine and shrub crops

2.4 D bromacıl clethodim diuron fluazifop-P-butyl flumioxazın glufosinate-ammonium indaziflam napropamide norflurazon oryzalın oxyfluorfen pendimethalin penoxsulam pyraflufen ethyl rimsulfuron saflufenacıl sethoxydim simazine thiazopyr

Alion Chateau Devrinol 50 DF Direx 4L Dri Clean Fusilade DX Goal 2XL GoalTender Karmex DF Karmex II DF Matrix FNV Orchard Master CA Pindar GT Poast Prowl Prowl H2O Princep Caliber 90 Rely 200 Rely 280 Select Max Simazine 4L Simazine 80W Sim-Trol 4L Solicam DF Surflan AS Surflan 75W Treevix Powered by Kixor Venue Visor 2E]

Strips (within rows)

TANK MIXTURES This product may be applied within rows of tree or vine crops in tank mixtures with the following products. Ensure that the product used is labeled for application within the crop being grown Read and follow label directions for all products in the tank mixture.

[Insert active ingredient(s) or brand name of product(s) containing the following active ingredients that at the time of printing are registered for use in strips (in rows) of tree vine and shrub crops

2 4-D bromacıl clethodim diuron fluazifop-P butyl flumioxazın glufosinate-ammonium ındazıflam napropamide norflurazon oryzalın oxyfluorfen pendimethalın penoxsulam pyraflufen ethyl rimsulfuron saflufenacıl sethoxydim simazıne thiazopyr

Alion Chateau Devrinol 50-DF Direx 4L Dri Clean Fusilade DX Goal 2XL GoalTender Karmex DF Karmex II DF Matrix FNV Orchard Master CA Pindar GT Poast Prowl Prowl H2O Princep Caliber 90 Rely 200 Rely 280 Select Max Simazine 4L Simazine 80W Sim Trol 4L Solicam DF Surflan AS Surflan 75W Treevix Powered by Kixor Venue Visor 2E]

RESTRICTIONS Do not apply these tank mixtures in Puerto Rico

Read the "Limit of Warranty and Liability" in the label booklet for Roundup PowerMAX Herbicide before using These terms apply to this supplemental labeling and if these terms are not acceptable return the product unopened at once

© [INSERT YEAR]

MONSANTO COMPANY 800 N LINDBERGH BLVD ST LOUIS MISSOURI 63167 USA

[PRINT PLATE NUMBER]