

1/16/2014 (

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

1-16-14

Helen Mero Monsanto Company 1300 I (Eye) Street, NW Suite 450 East Washington, DC 20005

Subject: Supplemental Label Amendment (Glyphosate & Dicamba Tolerant Research for Soybean, Cotton, and Corn) EPA Reg. No.: 524-610 / M1750 Herbicide

Dear Ms. Mero:

The supplemental labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable.

Submit one copy of the final printed labels for the record before you release the product for shipment. A stamped copy of the labels, are enclosed for your records. This supplemental labeling must be incorporated in to the master label within 18 months of the date of this letter. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov.

Sincerely,

Kable "Bo" Davis Product Manager 25 Herbicide Branch Registration Division (7505P)

M1750 HERBICIDE SUPPLEMENTAL LABEL

FOR USE ON CORN CONTAINING BOTH. THE DICAMBA-TOLERANT PVCMHT507801 OR PVCMHT507802 EVENT AND A GLYPHOSATE-TOLERANT EVENT, GROWN FOR RESEARCH, FIELD TRIALS, OR SEED PRODUCTION ONLY, INCLUDING USDA-REGULATED PLANTINGS OR SEED PRODUCTION

This supplemental label expires March 10, 2017, and must not be used or distributed after t	t <mark>his d</mark> i	ate.				
This supplemental label expires March 10, 2017, and must not be used or distributed after t EPA Reg. No. 524-610 Keep out of reach of Children	A	C	C	C n		
Keep out of reach of Children		\checkmark	♥.		IE	

Fungicide, and Rodenticide Act,

-610

as amended, for the pesticide

registered under EPA Reg. No. 5)

In case of an emergency involving this product, call collect, day or night, 314-694-4000. Under the Federal Insectivide,

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THE ENTIRE LABEL FOR M1750 HERBICIDE BEFORE PROCEEDING WITH THE DIRECTIONS FOR USE CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using M1750 Herbicide as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions in the label booklet provided on the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.

Product Information

Dicamba-tolerant corn PVCMHT507801 and PVCMHT507802 and Roundup Ready crops contain patented technology licensed exclusively to Monsanto Company. Planting of dicamba-tolerant corn PVCMHT507801 and PVCMHT507802 and Roundup Ready crops may only be done under agreement and following all instructions of Monsanto Company.

This product may be used for control of weeds listed on the M1750 Herbicide label, as well as for control of nondicamba-tolerant or non-glyphosate-tolerant corn grown for research, field trials, or seed production only. including USDA-regulated plantings or seed production fields of corn containing both, the dicamba-tolerant PVCMHT507801 or PVCMHT507802 event and a glyphosate-tolerant event . Severe crop injury or destruction will result if corn not designated as corn containing both, the dicamba-tolerant PVCMHT507801 or PVCMHT507802 event and a glyphosate-tolerant event is sprayed with this product.

Application Instructions

Apply up to 96 fluid ounces of this product in 5 to 20 gallons of spray solution per acre as a broadcast spray. A second application of up to 96 fluid ounces per acre may be applied after a 21-day interval, if needed to control weeds, non-dicamba-tolerant corn or non-glyphosate-tolerant corn plants.

Application Timing. This product may be applied prior to planting or the emergence of corn containing both, the dicamba-tolerant PVCMHT507801 or PVCMHT507802 event and a glyphosate-tolerant event and from emergence up to harvest.

Use Restrictions

- Do not exceed a maximum rate of 192 fluid ounces of M1750 Herbicide per acre ger vear.
- Avoid off-target movement Use extreme care when applying M1750 Herbicide to avoid injury to desirable plants. Refer to M1750 Herbicide main label for information regarding acrial and ground applications.
- Do not feed PVCMHT507801 and PVCMHT507802 corn forage or fodder obtained from the area treated with this product until such use is approved by the EPA. Harvested dicamba-tolerant corn PVCMHT507801 and PVCMHT507802 grain, forage, and fodder cannot be used or processed for tood or feed until such use is approved by the EPA. c c i

(314
	ACCEPTED
	1-16-14
M1750 HERBICIDE SUPPLEMENTAL LABEL	Under the Federal insecticide, Fungicide, and Rodenticide Act,
FOR USE ON SOYBEAN CONTAINING BOTH, THE DICAMBA-TOLERANT MON 87 GLYPHOSATE-TOLERANT EVENT, GROWN FOR RESEARCH, FIELD TRIALS OR	
ONLY, INCLUDING USDA REGULATED PLANTINGS OR SEED PRODUCTION.	MIRING INC.

This supplemental label expires March 10, 2017, and must not be used or distributed after this date.

EPA Reg. No. 524-610

Keep out of reach of Children

CAUTION

In case of an emergency involving this product, call collect, day or night, 314-694-4000.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THE ENTIRE LABEL FOR M1750 HERBICIDE BEFORE PROCEEDING WITH THE DIRECTIONS FOR USE CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using M1750 Herbicide as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions in the label booklet provided on the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.

Product Information

Dicamba-tolerant soybean MON 87708 and Roundup Ready crops contain patented technology licensed exclusively to Monsanto Company. Planting of dicamba-tolerant soybean MON 87708 and Roundup Ready crops may only be done under agreement and following all instructions of Monsanto Company.

This product may be used for control of weeds listed on the M1750 Herbicide label, as well as for control of nondicamba-tolerant or non-glyphosate-tolerant soybean in research, field trials or seed production, including USDA regulated plantings, or seed production fields of soybean containing both, the dicamba-tolerant MON 87708 event and a glyphosate-tolerant event. Severe crop injury or destruction will result if soybeans not designated as containing both, the dicamba-tolerant MON 87708 event and a glyphosate-tolerant event, are sprayed with this product.

Application Instructions

Apply up to 96 fluid ounces of this product in 5 to 20 gallons of spray solution per acre as a broadcast spray. A second application of up to 96 fluid ounces per acre may be applied after a 21-day interval, if needed, to control weeds, non-dicamba-tolerant soybean or non-glyphosate-tolerant soybean plants.

Application Timing. This product may be applied prior to planting or the emergence of soybean containing both, the dicamba-tolerant MON 87708 event and a glyphosate-tolerant event and from emergence up to harvest.

Use Restrictions

- Do not exceed a maximum rate of 192 fluid ounces of M1750 Herbicide per acre per-year.
- Avoid off-target movement. Use extreme care when applying M1750 Herbicide to prevent injury to nontarget plants. Refer to the M1750 Herbicide product label for information regarding derivation application techniques and restrictions.
- Do not feed MON 87708 soybean fodder or hay obtained from the area treated with this product until such use is approved by the EPA. Harvested dicamba-tolerant soybean MON 87708 grain, foráge and, hay cannot be used or processed for food or feed until such use is approved by the EPA.

M1750 HERBICIDE SUPPLEMENTAL LABEL

FOR USE ON COTTON CONTAINING BOTH, THE DICAMBA-TOLERANT GH_S GLYPHOSATE-TOLERANT EVENT, GROWN FOR RESEARCH, FIELD TRIALS, OF	SEED PRODUCTION	
ONLY, INCLUDING USDA REGULATED PLANTINGS OR SEED PRODUCTION	ACCEPTED	
This supplemental label expires March 10, 2017, and must not be used or distributed after	this date. 1-16-14	
EPA Reg. No. 524-610	Under the Federal Insecticide,	
Keep out of reach of Children CAUTION	Fungicide, and Rodenticide Act, as amended, for the pesticide	
CAUTION In case of an emergency involving this product, call collect, day or night, 314	- CEPARES No. 524-610	

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THE ENTIRE LABEL FOR M1750 HERBICIDE BEFORE PROCEEDING WITH THE DIRECTIONS FOR USE CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using M1750 Herbicide as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions in the label booklet provided on the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.

Product Information

Dicamba-tolerant cotton GH_S26695 and Roundup Ready crops contain patented technology. Planting of dicamba-tolerant cotton GH_S26695 and Roundup Ready crops may only be done under agreement with and following all instructions of Monsanto Company.

This product may be used for control of weeds listed on the M1750 Herbicide label, as well as for control of nondicamba-tolerant or non-glyphosate-tolerant cotton in research, field trials or seed production, including USDA regulated plantings, or seed production fields of cotton containing both, the dicamba-tolerant GH_S26695 event and a glyphosate-tolerant event. Severe crop injury or destruction will result if cotton not designated as cotton containing both, the dicamba-tolerant GH_S26695 event and a glyphosate-tolerant event is sprayed with this product.

Application Instructions

Apply up to 96 fluid ounces of this product in 5 to 20 gallons of spray solution per acre as a broadcast spray. A second application of up to 96 fluid ounces per acre may be applied after a 21-day interval, if needed to control weeds, non-dicamba-tolerant cotton or non-glyphosate-tolerant cotton plants.

Application timing. This product may be applied prior to planting or the emergence of cotton containing both, the dicamba-tolerant GH_S26695 event and a glyphosate-tolerant event and from emergence up to harvest.

Use Restrictions

- Do not exceed a maximum application rate of 192 fluid ounces of this product per acre per year.
- Avoid off-target movement. Use extreme care when applying M1750 Herbicide to prevent injury to nontarget plants. Refer to M1750 Herbicide main label for information regarding aerial and ground application recommendations and restrictions.
- Do not feed GH_S26695 cotton seed or gin trash obtained from the area treated with this product until such use is approved by the EPA. Harvested dicamba-tolerant GH_S26695 cotton treated with M1750 herbicide cannot be used or processed for food or feed until such use is approved by the EPA.

i ci