

[527-46]

# MILL-O-CIDE<sup>®</sup> W-E CONCENTRATE

CONTACT INSECTICIDE  
FOR FOOD ESTABLISHMENTS

EPA Reg. No. 527-46-AA

ACCEPTED

UNDER THE FEDERAL INSECTICIDE ACT  
FUNGICIDE ACT AND RELATED ACTS  
FOR FOOD ESTABLISHMENTS  
ED. INHERENT TO THE PRODUCT  
TO ATTACH TO THE LABEL

MilO-Cide W-E Concentrate—a water emulsifiable insecticide—is to be used after dilution as an aid in the control of the accessible or exposed stages of silverfish, gnats, flies, weevils, confused flour beetles, rusted flour beetles, caddisflies, saw-toothed grain beetles, spider beetles, angoumois grain moths, Mediterranean flour moths, meal worms and certain other insects. This product may be used as a contact spray or as a surface treatment in food storage plants, warehouses, granaries, elevators, milk plants and in other food industries where an effective fast acting insecticide is needed.

Active Ingredients 100%	
Refined Mineral Oil	72.17%
Polyoxyethylene Sorbitol Mixed Ether Ester	14.81%
Piperonyl Butoxide, Technical <sup>1</sup>	11.84%
Pyrethrins	1.18%
Equivalent to 9.47% of (Butylcarbityl) (6-propylpiperonyl) ether and 2.37% of related compounds	

## DIRECTIONS

FOR BEST RESULTS DILUTE ONLY AS NEEDED. IT IS IMPORTANT THAT DILUTED MATERIAL BE WELL SHAKEN OR STIRRED BEFORE SPRAYING.

FOR USE AS A SURFACE TREATMENT: Dilute one part of MilO-Cide W-E Concentrate with four parts of water. Application may be made by painting or by spraying with a sprayer adjusted to deliver a coarse spray. Use approximately one gallon of diluted material for each 750 square feet of surface. Repeat at extended intervals with a dilution of one part with nine parts water and apply at the rate of one gallon for each 750 square feet of surface. Prior to applying clean area by removing and destroying waste grain, dust and dirt. Thoroughly treat walls, floors, shelves, bins and any other exposed surfaces. Also treat cracks, crevices and similar protected places and around the bases of machinery and equipment.

FOR USE AS A SPACE SPRAY: Dilute one part of MilO-Cide W-E Concentrate with nine parts of water. Use two to four ounces of this diluted material for each 1000 cubic feet of space. Close doors and windows of area to be sprayed and keep closed for 10 to 15 minutes after spraying. Sweep up and destroy fallen insects. To aid in the control of active stages of running and crawling pests, direct the mist toward and into all places commonly inhabited by these insects. In all cases repeat applications when necessary.

## CAUTION: KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED. Undiluted MilO-Cide W-E Concentrate is a combustible mixture and should not be stored near, or sprayed into or near, an open flame. Avoid contamination of feed and food stuffs. Do not spray into or on food materials. Before spraying cover all food processing surfaces, and close or cover all food processing equipment. Do not space spray in areas where food processing is in progress. Do not remain in treated areas. Ventilate the area after treatment is completed. This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

NET CONTENTS

GALLONS