



TECHNICAL SODIUM PENTACHLOROPHENATE BY

Monsanto

PELLETS 524-305 NP



For Industrial Use Only

Keep out of reach of children.

WARNING!

HARMFUL IF INHALED OR SWALLOWED. CAUSES SKIN IRRITATION.

INJURIOUS TO EYES

ABSORBED THROUGH SKIN FROM SOLUTIONS.

Do not breathe dust or spray mist.

Do not get in eyes, on skin, or on clothing. Wear rubber gloves and goggles.

Wash thoroughly after handling.

In case of contact with dry material or its solution, wash skin at once with plenty of soap and warm water; for eyes, flush with plenty of water for at least 15 minutes and get medical attention. Remove and wash clothing before reuse.

If swallowed, induce vomiting. Call a physician.

NOTE TO PHYSICIAN: This product is a metal salt irritant, causes hyperthermia. Treat symptomatically.

ACTIVE INGREDIENTS 90

Sodium Pentachlorophenate 79

Sodium Salts of other chlorophenols 11

INERT INGREDIENTS 10

Do not reuse container. Destroy empty

DIRECTIONS FOR USE

PAPER MILL FUNGAL SLIME CONTROL: Add 0.4 to 1.0 pound of this product to the beaters per ton of paper produced. Refer to our technical bulletin

FOR CONTROL OF BACTERIAL AND FUNGAL SLIME IN INDUSTRIAL REFRIGERATING WATER COOLING TOWERS. Badly fouled systems must be cleaned before treatment is begun. The product should be applied when the system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impaired.

INITIAL DOSE: Apply 1/2 to 1 pound of this product per 1500 gallons of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 1/2 to 1 pound of this product per 1500 gallons of water in the system every week or as needed to maintain control. Apply the product at a point in the system where it will be uniformly mixed.

FOR SAP STAIN AND MOLD CONTROL

When dipping, add sufficient alkali to maintain pH in excess of 7.5 at all times.

LUMBER: Dissolve 7 lbs. of this product in 100 gallons of water. Dip or spray the fresh green lumber in this solution to thoroughly wet the boards. Avoid excessively alkaline solutions since they may cause discoloration of beech and other hardwoods.

LOGS: Spray ends and debarked areas of fresh logs with a solution of 14 lbs. of this product in 100 gallons of water.

POLES, TIES AND TIMBERS: Dip or spray entire surface with a solution of 14 lbs. of this product in 100 gallons of water. Spray again when seasoning checks develop.

LATH: Dip bundles of lath in a solution of 14 lbs. of this product in 100 gallons of water. File in open piles, using dry 2x4s for stickers and raise the piles well off the ground.

Wear protective clothing and rubber gloves when handling freshly treated wood.

This product is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Treated effluent should not be discharged where it will drain into streams, ponds or surface water. Do not use on subsurface water by means of equipment or devices. (EPA Reg. No. 49-305 AA)

Product information box containing lot number, packer, net legal weight (100 LB), and gross weight (45.36 KG).

TIME OF WARRANTY AND LIMITS: Monsanto Company warrants that the material is free from harmful impurities in the amount specified on the label...

WARRANTY: Monsanto Company warrants that the material is free from harmful impurities in the amount specified on the label...

ANTIDOTE

INTERNAL — Call physician immediately. Drink a teaspoonful or more of Magnesia, chalk, or small pieces of soap, softened with water in milk or raw egg white.

EXTERNAL — EYES — Wash with water for 15 minutes. Get prompt medical attention.

SKIN — Wipe off the acid gently. Immediately flood the surface with water, using soap freely, then cover with moist Magnesia or Baking Soda.

**CALL A PHYSICIAN
IMMEDIATELY**

**KEEP CONTAINER TIGHTLY
CLOSED**

**WHEN CONTAINER IS EMPTY
RINSE THOROUGHLY WITH
WATER AND DISCARD.**

**KEEP OUT OF REACH OF
CHILDREN**

32 OZ.

28

24

20

16

12

8

4

ACCEPTED

Aug. 20, 1949

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROUPESTICIDE ACT
FOR ECONOMIC PUISON REGISTERED
ED UNDER NO. 527-55 SUBJECT
TO ATTACHED COMMENTS

527-55

**CLEANS • DISINFECTS
DEODORIZES**

AN EFFECTIVE CLEANER FOR REMOVING
SCALE AND STAINS FROM SOLID VITREOUS
TOILET BOWLS AND URINALS. DO NOT
USE ON ENAMELED PLUMBING WARE.

**DIRECTIONS
FOR CLEANING AND
DISINFECTING TOILET BOWLS**



Remove water from bowl by forcing it over the trap with mop. Hold mop over bowl and saturate with San-O-Solv. Swab bowl thoroughly. It is most important to swab under rim of bowl to clean water outlets. Then flush toilet and rinse mop. To disinfect: After bowl has been cleaned and flushed, pour 2 to 4 ounces of San-O-Solv into water in bowl and swab entire surface. Let stand 10 to 15 minutes then flush toilet.

**FOR CLEANING AND
DISINFECTING URINALS**

Hold mop over urinal and saturate with San-O-Solv. Swab all surfaces including water outlets at top and all grooves. Remove screen at bottom and pour 3 to 5 ounces of San-O-Solv in and around drain pipe. Let stand for 3 to 4 minutes after which swab drain well, replace screen and flush urinal thoroughly.

USDA Reg. No. 527-55

FORMULATED FOR
INSTITUTIONAL AND INDUSTRIAL USE



ACTIVE INGREDIENTS:

Hydrogen Chloride	21.00%
Oxalic Acid	2.00%
n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	0.12%
N-ALKYL (60% C ₁₂ , 30% C ₁₄ , 17% C ₁₆ , 3% C ₁₈) dimethyl ethylbenzyl ammonium chlorides	0.12%
INERT INGREDIENTS:	76.76%
	100.00%

POISON

DANGER: CORROSIVE: KEEP OUT OF REACH OF CHILDREN! May be fatal if swallowed. Do not breathe vapors or fumes. Produces chemical burns. Do not get in eyes, on skin, or on clothing.

SEE SIDE PANEL FOR ANTIDOTES

NET CONTENTS 32 FL. OZ. (1 QT.)

SOLD ONLY BY