

FOOD INDUSTRY DIVISION

MILLO-CIDE "300" is a high kill contact insecticide for wholesale grocers, supermarkets, bakeries, dairies, bottling plants, packing plants, breweries, mills and other establishments where food is processed or stored. When used as directed, this product will kill accessible weevils, flour moths, silverfish, roaches, flies, gnats and certain other insects on contact.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. Contains petroleum distillate. Avoid breathing vapors or spray mist - respirator is advised. Use with adequate ventilation. Avoid contact with skin or eyes. Wash exposed skin surfaces with soap and water after use. Avoid contamination of food or feedstuffs. Remove pets, birds and fish from areas to be treated. Refer to the MILLO-CIDE "300" Material Safety Data Sheet for other safety information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. All pilot lights should be off while spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally; **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia. If inhaled: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention. If on skin: Wash immediately with soap and water. Get medical attention. If in eyes: Flush with plenty of water. Get immediate medical attention. Medical Emergency Telephone Number: 718-288-2283.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Area to be sprayed should be thoroughly cleaned by removing dust accumulations from all cracks, shelves, beams and on and around packages of stored food products. Close doors and

(Continued on right panel)

FORM 1102J
(REV. 4/20/87)

EPA EST. 527-NY-1

MILLO-CIDE "300"

**Contact Insecticide For Food
Establishments
EPA Reg. No. 527-81**

ACTIVE INGREDIENTS:

Piperonyl Butoxide, Technical*	0.80%
Pyrethrins	0.30%
N-Octyl Bicycloheptene Dicarboximide	0.20%
INERT INGREDIENTS (Contains Petroleum distillate)	98.70%

*Equivalent to 0.84% (butylcarbamate (2-propylbutyrate)) ester & 0.16% related compounds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Left Panel For Precautionary Statements

- PRECAUCION AL USUARIO: Si usted no lee Inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
- TRANSLATION: (TO THE USER): If you cannot read English, do not use this product until the label has been fully explained to you.

NET CONTENTS:

GALLONS

ACCEPTED
29 JUL 1992
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 527-81

BEST AVAILABLE COPY

DIRECTIONS FOR USE (Continued from left panel)

windows and keep closed for 10 to 15 minutes after spraying. Do not remain in treated areas. Ventilate the area after treatment is completed. Sweep up and dispose of fallen insects.

Do not apply space spray while food processing is underway. Remove all exposed foods and cover food processing surfaces. After spraying, thoroughly wash all food processing surfaces with an effective cleaning compound followed by a potable water rinse, to remove all traces of contamination before reuse.

Where to Spray— Spray MILLO-CIDE "300" into the air in the form of a fine mist or fog. Spray under and around all equipment and racks, into all cracks, crevices and corners, and on floors, walls and ceilings.

When to Spray— MILLO-CIDE "300" should be sprayed once a week as a regular control procedure. During the summer months, spraying should be conducted at least twice weekly. In case of severe infestations, daily spraying is recommended.

Equipment: For a space spray, use a good machine adjusted to deliver a fine mist or fog. For a surface spray, use a good sprayer adjusted to a coarse wet spray.

Coverage: For flying insects, use as a space spray at 1 oz. per 1000 cubic feet. For crawling insects, use as a space spray at 1 oz. per 1000 cubic feet, or wet surface at a rate of 1 gallon per 1000 square feet.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



CORPORATE HEADQUARTERS
228 HOLLAND STREET
P.O. BOX 1616
ROCHESTER, NY 14616
BRANCH WAREHOUSES IN PRINCIPAL CITIES

EPA EST. 527-R-1



PRINTED IN USA

PMIC Reg. No. 527-81