

MILL-O-CIDE

CONTACT INSECTICIDE FOR FOOD ESTABLISHMENTS

EPA Reg. No. 527-89-AA

Mill-O-Cide "500" is an outstanding, effective contact insecticide for bakeries and the allied food industry. When used as directed, this product will kill roaches, flies, silverfish, gnats, confused flour beetles, cadelles, accessible granary and rice weevils, and Mediterranean flour moths.

Active Ingredients 100%

Refined Mineral Oil
N-Octyl Bicycloheptene Dicarboximide
Piperonyl Butoxide Technical*
Pyrethrins
Methyl Salicylate

*Equivalent to 0.65% (butylcarbityl) (6-propylpiperonyl) ether and 0.17% of related compounds.

DIRECTIONS

Thoroughly clean area to be sprayed by removing flour and dust accumulations from floors, equipment, skids, racks, and in and around machines. Particular attention should be paid to the removal of dust accumulations from cracks in skids and floors and other areas where dust is severe. For listed flying insects, spray Mill-O-Cide "500" into the air in the form of a fine mist or fog. For listed crawling insects, spray directly on floor, wall, and ceiling surface.

Where To Spray — Flour Room. Stack flour on clean skids or racks that have been sprayed with Mill-O-Cide "500". Spray walls, floor, ceiling, and especially cracks and around beams. Fermentation Room. Remove dough troughs, thoroughly spray all cracks and crevices, then fog room with Mill-O-Cide "500" directing insecticidal fog toward ceiling. Leave rocm closed for 30 minutes, then ventilate.

Additional zones of infestation. Spray Mill-O-Cide "500" regularly in storage rooms, delivery trucks, returned paper cartons, employees locker and shower rooms, around machinery and ovens throughout the entire plant. Because of its high kill and rapid evaporation, Mill-O-Cide "500" is especially recommended as an aid in the control of flies in bakery salesrooms and stores as well as in the plant.

When To Spray — Mill-O-Cide "500" should be sprayed once a week as a regular control procedure. During the summer months spraying should be conducted at least twice weekly. In case of severe infestations daily spraying is recommended. For best coverage and penetration use a Midland Tri-Jet Electric Sprayer.


Coverage: For flying insects use $\frac{1}{2}$ oz. per 1000 cubic feet. For crawling insects wet surface or 1 gallon per 1000 square feet.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED. Mill-O-Cide "500" is a combustible mixture and should not be sprayed into or near an open flame. All pilot lights should be off while spraying. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment, or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. Do not reuse empty containers. Dispose of by perforating, crushing, or burying.







	97.03%
••••	1.45%
•••••	0.82%
••••••	0.50%
•••••	0.20%

Ŭ O