

DESCRIPTION

O-DIS 27-42 is a cleaner, disinfectant, and sanitizer designed for institutional use, such as hospitals, nursing homes, and schools where housekeeping will be of prime importance in controlling the hazard of cross-contamination from environmental surfaces.

O-DIS 27-42 can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, restrooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale. When used for sanitation of previously cleaned food processing equipment and food contact items, limit the active quaternaries to 200 ppm.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged, stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent exposure. Clean up spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of the wastes as below. Place any leaking container into a similar drum or glass as below. Mark the container with name of product, ingredient statement, precautionary statements and signal word.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. **PLASTIC CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

O-DIS 27-42

CLEANER
DEODORIZER

DISINFECTANT
FUNGICIDE

DISINFECTANT

DESIGNED FOR HOSPITAL AND INSTITUTIONAL USE

ACTIVE INGREDIENTS

n-alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	25%
dimethyl benzyl ammonium chlorides	25%
n-Alkyl (68% C ₁₂ , 32% C ₁₄)	95.50%
dimethyl ethylbenzyl ammonium chlorides	100.00%

INERT INGREDIENTS

KEEP OUT OF REACH OF CHILDREN
DANGER

See right side panel for additional precautionary statements.

MANUFACTURED BY:

A.B.C. Compounding Co., Inc.
P.O. Drawer 585
Morrow, GA 30260

BEST AVAILABLE COPY



DISINFECTION

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa, **PPD-10** at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level the product is fungicidal against pathogenic fungi.

For best results use O-DIS 27-42 with a cloth or mop and apply to walls, floors and other hard surfaces. For heavily soiled areas, a preliminary cleaning is required. Thoroughly wet all surfaces. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

SANITATION

Thoroughly wet all surfaces. Treated surfaces must remain wet for 1 minute. Fresh solution should be prepared daily or when the use solution becomes visibly dirty. For mechanical applications, use solution may not be reused for sanitizing application.

If used for sanitation of previously cleaned or food contact items, limit the level of active quaternaries to 200 ppm (2.8 ounces per 5 gallons). For heavily soiled or organic matter, a pre-cleaning step is required.

Gross food particles and soil must be removed by a pre-flush, pre-scrape, or pre-soak treatment.

All surfaces must be thoroughly washed with a good detergent and rinsed with potable water before sanitizing solution is used.

This product when used on environmental inanimate, hard surfaces at 2 ounces per gallon of water, is effective against influenza A2, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses.

Rinse empty container thoroughly with water and discard.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

DANGER

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

EPA REG NO 3862-51

EPA EST NO 3862-GA-1

Net Contents: One Gallon

Batch No.: