

Reg # 527-89

PM-10

192

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUN 24 1993

Ms. Barbara P. Minor
Rochester Midland
P.O. Box 1515
Rochester, NY 14603

Dear Ms. Minor:

Subject: Revised Labeling
Mill-O-Cide 500, EPA Reg. No. 527-89
Submission dated April 27, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. A stamped copy is enclosed for your records. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

What is meant by the term "allied food industry" which is depicted on your label? This term could implicate sites that have not been approved for this product. You should, therefore, be more specific in your depiction of sites. Please correct as necessary.

Sincerely,

RK

Rita Kumar
Acting Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (H7505C)

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

292

FOOD INDUSTRY DIVISION

MILL-O-CIDE 500 is an effective contact insecticide for bakeries and the allied food industry. When used as directed, this product will kill roaches, flies, silverfish, gnats, confused flour beetles, cadellae, accessible granary and rice weevils and Mediterranean flour moths.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Contains petroleum distillate. Avoid breathing vapors or spray mist - respirator is advised. Use with adequate ventilation. Avoid contact with skin or eyes. Wash exposed skin surfaces with soap and water after use. Avoid contamination of food or foodstuffs. Remove pets, birds and cover fish tank before spraying. Refer to the MILL-O-CIDE 500 Material Safety Data Sheet for other safety information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. All pilot lights should be off while spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia. If inhaled: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention. If on skin: Wash immediately with soap and water. Get medical attention. If in eyes: Rinse with plenty of water. Get immediate medical attention. Medical Emergency Telephone Number: 716-266-2283.

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Area to be sprayed should be thoroughly cleaned by removing dust accumulations from all cracks, shelves, beams and on and around packages of stored food products. Close doors and windows and keep closed for 10 to 15 minutes after spraying. Do not remain in treated areas. Ventilate the area after treatment is completed. Sweep up and dispose of fallen insects.

FORM 1109-H-PROPOSED
(REV. 1/11/83)

EPA EST. 527-NY-1 NET CONTENTS: 1 U.S. Gallon 3.8 Liters 5 Gallons 18.9 Liters 55 Gallons 208.2 Liters LOT#

MILL-O-CIDE 500

Contact Insecticide For Food
Establishments
EPA Reg. No. 527-89

ACTIVE INGREDIENTS:

N-Octyl Bicycloheptane Dicarboximide.....1.45%
Piperonyl Butoxide, Technical".....0.82%
Pyrethrins.....0.50%

INERT INGREDIENTS (Contains Petroleum distillate).....97.23%

*Equivalent to 0.65% (pyrethrin) (S-propylchloranil) ether & 0.17% related compounds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Left Panel for Additional Cautions

- PRECAUCION AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada en español.
- TRANSLATION: (TO THE USER): If you cannot read English, do not use this product until the label has been fully explained to you.

DIRECTIONS: (continued from left panel)
Do not apply space spray while food processing surfaces. After spraying, effective cleaning compound follows contamination before reuse.

Where to Spray — Spray MILL-O-CIDE 500 under and around all equipment and on walls and ceilings.

When to Spray — MILL-O-CIDE 500 procedure. During the summer months, in cases of severe infestation, daily spraying is advised.

Equipment: For a space spray, use a pump sprayer to deliver a fine mist or fog.

For a surface spray, use a good quality sprayer. Coverage: for flying insects, use as a space spray at 1/2 oz. per 1000 square feet.

STORAGE

Do not contaminate water, food or feed.

PESTICIDE DISPOSAL: Wastes may be disposed of at an approved waste disposal site.

CONTAINER DISPOSAL: Triple rinse, or puncture and dispose of in a metal container at local authorities.



CORPORATION
233 HOLLAND
P.O. BOX 100
ROCHESTER
BRANCH

ACCEPTED
with COMMENTS
in EPA Letter Dated

JUN 24 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

527-89

BEST AVAILABLE COPY