

DIRECTIONS FOR USE

Area to be sprayed should be thoroughly cleaned by removing accumulations from all cracks, beams, shelves and on and around packages and stored food products. Close doors and windows of area to be sprayed and keep closed for 10 to 15 minutes after spraying. Do not remain in treated areas. Ventilate the area after treatment is completed. Sweep up and dispose of fallen insects.


Where to Spray—Spray MILL-O-CIDE "100" into the air in the form of a fine mist or fog. Spray under and around all equipment and racks, into all cracks, crevices and corners and on walls, ceilings and floors.

When to Spray—MILL-O-CIDE "100" should be sprayed once a week as a regular procedure. During the summer months, spraying should be conducted at least twice weekly. In cases of severe infestation daily spraying is recommended.

Spraying Equipment—For best coverage and penetration use a Rochester Midland Tri-Jet Electric Sprayer or Rochester Midland Thermo-Fogger.

Coverage: For flying insects use 2 oz. per 1,000 cubic feet. For crawling insects wet surface or 1 gallon per 1,000 square feet.

EPA EST 527-NY-1



MILL-O-CIDE "100"



Contact Insecticide For Food Establishments

EPA Reg. No. 827-92-AA

MILL-O-CIDE "100" is a high kill contact insecticide for use for wholesale grocers, supermarkets, mills, dairies, bottling plants, packing plants, breweries, bakeries and other establishments where food is processed or stored. When used as directed, this product will kill roaches, flies, silverfish, gnats, confused flour beetles, caterpillars, accessible granary and rice weevils and Mediterranean flour moths.

ACTIVE INGREDIENTS:

Piperonyl Butoxide, Technical*	0.40%
N-Octyl Dicyclohexylammonium Diacrylate	0.30%
Pyrethrins	0.12%
INERT INGREDIENTS	99.28%

*Equivalent to 0.32% (butylcarbitol) (6-propylpiperonyl) ether and 0.08% of related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN
See Side Panel For Additional Cautions



P.O. BOX 1515 • ROCHESTER, NEW YORK 14609
BRANCH WAREHOUSES IN PRINCIPAL CITIES



NET CONTENTS:

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedure approved by state and local authorities.

PRECAUCION AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

TRANSLATION: (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED. Medical Emergency Telephone Number: 716-298-2283.

MILL-O-CIDE "100" is a combustible mixture and should not be sprayed into or near an open flame. All pilot lights should be off while spraying. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment, or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Remove pets, birds and cover fish aquariums before spraying.
EPA EST. 527-IL-1 PRINTED IN USA

FORM 1153 G

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

SEP 12 1989