

Reg # 527-92

PM-10

191

FOOD INDUSTRY DIVISION

MILL-O-CIDE 100 is a high kill contact insecticide for wholesale grocers, supermarkets, mills, dairies, bottling plants, packing plants, breweries, bakeries and other establishments where food is processed or stored. When used as directed, this product will kill roaches, flies, silverfish, gnats, confused flour beetles, codeworms, accessible granary and rice weevils and Mediterranean flour moths.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. Contains petroleum distillate. Avoid breathing vapors or spray mist - respirator is advised. Use with adequate ventilation. Avoid contact with skin or eyes. Wash exposed skin surfaces with soap and water after use. Avoid contamination of food or foodstuffs. Remove pets, birds and cover fish tanks before spraying. Refer to the MILL-O-CIDE 100 Material Safety Data Sheet for other safety information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. All pilot lights should be off while spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia. If inhaled: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention. If on skin: Wash immediately with soap and water. Get medical attention. If in eyes: Rinse with plenty of water. Get immediate medical attention. Medical Emergency Telephone Number: 716-266-2283.

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Area to be sprayed should be thoroughly cleaned by removing dust accumulations from all cracks, shelves, beams and on and around packages of stored food products. Close doors and windows (continued on right panel)

FORM 1103-K-PROPOSED 103510 EPA EST. 527-NY-1 NET CONTENTS:

MILL-O-CIDE 100

Contact Insecticide For Food Establishments EPA Reg. No. 527-92

ACTIVE INGREDIENTS:

Piperonyl Butoxide, Technical* 0.40%
N-Octyl Bicycloheptene Dicarboximide 0.20%
Pyrethrins 1.2%

INERT INGREDIENTS: (Contains petroleum distillates) 99.28%

*Equivalent to 0.22% (Dulicarbonyl) (6-propylpiperonyl) ether & 0.08% related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

See Left Panel for Additional Cautions

- **PRECAUCION AL USUARIO:** Si usted no lee Inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
- **TRANSLATION: (TO THE USER):** If you cannot read English, do not use this product until the label has been fully explained to you.

1 U.S. Gallon 5 Gallons 55 Gallons
 3.8 Liters 18.9 Liters 208.2 Liters LOT#



(DIRECTIONS: continued from left panel)
and keep closed for 10 to 15 minutes after spraying. Do not remain in treated areas. Ventilate the area after treatment is completed. Sweep up and dispose of fallen insects.

Do not apply space spray while food processing is underway. Remove all exposed foods and cover food processing surfaces. After spraying, thoroughly wash all food processing surfaces with an effective cleaning compound followed by a potable water rinse, to remove all traces of contamination before reuse.

Where to Spray — Spray MILL-O-CIDE 100 into the air in the form of a fine mist or fog. Spray under and around all equipment and racks, into all cracks, crevices and corners, and on floors, walls and ceilings.

When to Spray — MILL-O-CIDE 100 should be sprayed once a week as a regular control procedure. During the summer months, spraying should be conducted at least twice weekly. In cases of severe infestation, daily spraying is recommended.

Equipment: For a space spray, use a good machine, such as an RMC 4100 ULV Sprayer, adjusted to deliver a fine mist or fog.

For a surface spray, use a good sprayer adjusted to a coarse wet spray.
Coverage: for flying insects, use as a space spray at 2 oz. per 1000 cubic feet. For crawling insects, use as a space spray at 2 oz. per 1000 cubic feet, or wet surface at a rate of 1 gallon per 1000 square feet.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



CORPORATE HEADQUARTERS
333 HOLLENBECK STREET
P.O. BOX 1518
ROCHESTER, NY 14603-1518
BRANCH WAREHOUSES IN PRINCIPAL CITIES

EPA EST. 527-IL-1
(C)
MADE IN USA

ACCEPTED
JUN 24 1993
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 527-92

BEST AVAILABLE COPY