

GERM-O-SOLV "2" cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination.

GERM-O-SOLV "2" is an extremely effective one-step sanitizer for nonfood contact surfaces. It cleans and sanitizes in waters up to 850 ppm hardness. This hard water tolerance is in excess of most potable waters and will insure complete sanitizing action when used as directed.

Two ounces of GERM-O-SOLV "2" per gallon of water will deodorize surfaces in bathrooms, garbage storage areas and other areas where bacterial growth can cause malodors. Prevents odor caused by mold and mildew.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Refer to GERM-O-SOLV "2" Material Safety Data Sheet for other safety information.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GERM-O-SOLV "2" is a proven "one-step" cleaner-disinfectant-sanitizer-fungicide-virucide in the presence of moderate amounts of organic soil.

Apply GERM-O-SOLV "2" to walls, floors and other hard (nonporous) non-porous surfaces such as tables, chairs, countertops, sinks and bathtubs with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas:

FORM 1284-C
REV. 8/78/80

EPA Est. No. 527-NY-1
EPA Est. No. 527-IL-1
102J00

DIRECTIONS FOR USE (Continued)

a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

DISINFECTANT — To disinfect hard, non-porous hospital surfaces, add 2 1/2 oz. per gallon of water. Treated surfaces must remain wet for 10 minutes. At this use-level, GERM-O-SOLV "2" is also virucidal and fungicidal. At 1 1/4 oz. per gallon, GERM-O-SOLV "2" will disinfect hard non-porous surfaces in schools, industry and non-medical institutions.

SANITIZING — To sanitize porous or non-porous, nonfood contact surfaces add 1 oz. per 2 1/4 gallons of water. Treated surfaces must remain wet for 30 seconds.

FOR HOSPITALS & NURSING HOMES — Add 2 1/4 oz. per gallon of water. The broad spectrum activity of GERM-O-SOLV "2" has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Use-Dilution test:

Pseudomonas aeruginosa	Klebsiella pneumoniae
Staphylococcus aureus	Enterobacter aerogenes
Salmonella choleraesuis	Salmonella schaftsmuelleri
Escherichia coli	Streptococcus faecalis
Streptococcus pyogenes	Shigella dysenteriae
Proteus mirabilis	Brevibacterium ammonigenes

AOAC Fungicidal Test
GERM-O-SOLV "2" is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, etc.

Virucidal Performance
At 2 oz. per gallon use-level, GERM-O-SOLV "2" was evaluated in the presence of 10% serum and found to be effective against the following viruses: Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), Adenovirus Type 5 (a causative

“2”

EPA Reg. No. 527-85

**CLEANER—DISINFECTANT—DEODORIZER—FUNGICIDE—VIRUCIDE—
SANITIZER WITH ORGANIC SOIL TOLERANCE FOR
HOSPITAL, INSTITUTIONAL AND INDUSTRIAL USE**

ACTIVE INGREDIENTS:
Didecyl dimethyl ammonium chloride 4.5%

INERT INGREDIENTS 95.5%

100.0%

**KEEP OUT OF REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of water, egg whites, gelatin solution. Avoid alcohol. Call a physician immediately. Medical Emergency Telephone Number 718-298-2283.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET CONTENTS:

DIRECTIONS FOR USE (Continued)

virus in respiratory diseases); Influenza A₂ as represented by the strains commonly called the Hong Kong Flu and the London Flu Virus, and the human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS), on inanimate environmental surfaces. **KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, or eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of GERM-O-SOLV "2".

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and oil or body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

For Schools, non-medical institutional and industrial uses: At 1 1/4 oz. per gallon of water, GERM-O-SOLV "2" delivers excellent cleaning and germicidal effectiveness. It is effective against Staphylococcus aureus, Salmonella choleraesuis and Escherichia coli. The same AOAC tests used above to confirm suitable performance for hospitals were used.

Sanitizing Non-Poed Contact Surfaces (such as walls, floors, tables, etc.) At 1 oz./2 1/4 gallon use-level, GERM-O-SOLV "2"

DIRECTIONS FOR USE (Continued)

is an effective sanitizer in waters of up to 850 ppm hardness against Staphylococcus aureus and Klebsiella pneumoniae in the presence of 5% serum on hard porous and non-porous environmental surfaces.


STORAGE AND DISPOSAL

STORAGE: Store only in tightly closed, original container in a cool, secure area. Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PRINTED IN USA



(W)
CORPORATE HEADQUARTERS
P.O. BOX 1846 • ROCHESTER, NEW YORK 14680
BRANCH WAREHOUSES IN PRINCIPAL CITIES

Not Fully Registered. Use in accordance with
EPA Registration for Phase 2
Status.