

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid inhalation of spray - respirator or mask is advised. Use with adequate ventilation. Avoid spraying food surfaces, dishes, and utensils. If these are contaminated, wash thoroughly before using. Wash hands thoroughly after using and before eating or smoking. Remove pets, birds and fish from areas to be treated. Since empty containers can still contain product residues, continue to observe label precautions even when empty.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame. Do not smoke while spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. VOMITING may cause aspiration pneumonia.
If inhaled: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention.
If on skin: Wash immediately with soap and water. Get medical attention.
If in eyes: Rinse with plenty of water. Get medical attention immediately.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOOD HANDLING ESTABLISHMENTS - Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS APPLICATION LIMITED TO CRACK AND CREVICE AND SPOT TREATMENT ONLY

Includes areas for receiving, storage, packing, unloading, bottling, wrapping, weighing, preparing, and waste storage and disposal processing systems, mills, dairies, bakeries, synops, serving areas, when food is exposed and facility is operated in accordance with a food area.

NON FOOD AREAS - Includes garbage rooms, lavatories, rest rooms, sewers, entries and vestibules, offices, boiler rooms, machine rooms, tool rooms, garages, mop closets and storage after unloading or bottling.

For sale to, use and storage by service persons.

EPA Est. No. 527-LL-1

ROCHESTER, N.Y.

**EXTERMO
LIQUID**

DUAL PURPOSE INSECTICIDE

EPA Reg. No. 527-99

FOR INSTITUTIONAL AND INDUSTRIAL USE ONLY

EXTERMO LIQUID is a ready-to-use and highly effective formulation for use in bakeries, wholesale groceries, food warehouses and other food establishments.

EXTERMO LIQUID is effective against Diazinon resistant roaches. It kills cockroaches, waterbugs, silverfish, ants, flies, mosquitos, centipedes, crickets, gnats, spiders, the exposed stages of caterpillars, granary weevils, rice weevils, Indian meal moths, Mediterranean flour moths, cigarette beetles, drugstore beetles, confused flour beetles, rust-red flour beetles and saw-toothed grain beetles.

ACTIVE INGREDIENTS:

Pyrethrin	0.05%
Piperonyl Butoxide, technical	0.10%
N-Octyl Bicycloheptene Dicarboximide	0.17%
Diazinon [O, O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	0.50%
Petroleum Distillate	99.18%

*Consists of 0.08% (butylcarbitol) (6-propylpiperonyl) ether and 0.02% related compounds.
Reg. No. 74421 U S PAT OFF

**KEEP OUT OF REACH OF CHILDREN
CAUTION:**

See Side Panel For Additional Precautions
NET CONTENTS ONE GALLON

**Rochester
Midland**

P. O. BOX 1815 • ROCHESTER, NEW YORK 14603
BRANCH WAREHOUSES IN PRINCIPAL CITIES

ACCEPTED
JAN 17 1934
U.S. for the Federal Insecticide, Fungicide, and Plant Disease Control Act as amended, this product is registered.
EPA Reg. No. 527-99



DIRECTIONS FOR USE

(continued)

KEEP AND FOOD HANDLING ESTABLISHMENTS

Apply **EXTERMINATOR LIQUID** as either a spot or crack and crevice treatment as directed below. Limit spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit individual spot treatments to an area no larger than 25 percent of the floor surface. Any individual spot treatment should not exceed 2 square feet. Do not apply to areas, surfaces or utensils which will come in contact with food. Take extreme care to avoid contamination of food or food contact surfaces or introducing the material into the air.

FOOD AND NONFOOD AREAS Spot Treatment: As a spot treatment apply as a coarse, low pressure fan spray to floor surface areas around water pipes, beneath cabinets, refrigerators, sinks, stoves, storage areas and similar areas where cockroaches, ants, spiders and silverfish hide.

Crack and Crevice Treatment: Use equipment capable of delivering a pin stream of insecticide and apply directly into such spaces as expansion joints between different elements of construction and between equipment bases and the floor, wall boards or in hollow equipment legs.

These treatments also aid in the control of the exposed stages of saw fly, wood borers, termites, flour beetles, rice weevils, cigarette beetles, drugstore beetles and other insects which come into contact with treated surfaces. Do not use in proximity to housings and electrical switch fixtures. Repeat applications as necessary.

FOR OUTDOOR USE: Thoroughly spray or paint screens, window frames, door frames and other areas where insects such as flies, ants, spiders, wasps and bees are likely to congregate. Repeated applications are necessary for best results. Do not use where a visible residue may be washed away out of doors.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE DISPOSAL:** Pesticide spray mixture or residue that is not to be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: The empty container and offer to the appropriate authority for disposal according to applicable Federal, State or local procedures.

EPA EST. No. 527-N-1

NE

E ONLY

use in bakeries, wholesale gro-

cery stores, restaurants, hotels, schools, hospitals, day care centers, and other public buildings. Effective against cockroaches, waterbugs, silverfish, bed bugs, fleas, lice, and other insects. Also effective against several stages of caterpillars, granary weevils, drugstore beetles, and other insects.

0.05%
0.10%
0.17%

0.50%
99.18%

related compounds.

REN

ions
LON

AK 146
CITIES

ACCEPTED
JAN 17 1934
U.S. Dept. of Agriculture
Washington, D.C. 20250
EPA Reg. No. 527-99