

*1st paragraph a new statement*

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid inhalation of spray—respirator for protection required. Wash hands thoroughly after use and before eating or smoking. Remove pets, birds and fish from areas to be treated. Since empty containers can still contain residues, do not allow children to observe or play with them.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use near open flame or other heat source. Do not smoke while using.

**STATEMENT OF PRACTICAL TREATMENT**

For use in food handling establishments, food processing areas, and other areas where food is handled. Apply to surfaces where insects are present. Do not apply to food or food contact surfaces. Do not use in areas where children or pets are present. Do not use in areas where food is stored.

**DIRECTIONS FOR USE**

Apply to surfaces where insects are present. Do not apply to food or food contact surfaces. Do not use in areas where children or pets are present. Do not use in areas where food is stored.

**FOOD HANDLING ESTABLISHMENTS** Apply to surfaces where insects are present. Do not apply to food or food contact surfaces. Do not use in areas where children or pets are present. Do not use in areas where food is stored.

**FOOD AREAS APPLICATION LIMITED TO CRACK AND CREVICE AND SPOT TREATMENT ONLY**

Apply to cracks and crevices where insects are present. Do not apply to food or food contact surfaces. Do not use in areas where children or pets are present. Do not use in areas where food is stored.

Apply to surfaces where insects are present. Do not apply to food or food contact surfaces. Do not use in areas where children or pets are present. Do not use in areas where food is stored.

**NON-FOOD AREAS** Apply to surfaces where insects are present. Do not apply to food or food contact surfaces. Do not use in areas where children or pets are present. Do not use in areas where food is stored.

Apply to surfaces where insects are present. Do not apply to food or food contact surfaces. Do not use in areas where children or pets are present. Do not use in areas where food is stored.

Apply to surfaces where insects are present. Do not apply to food or food contact surfaces. Do not use in areas where children or pets are present. Do not use in areas where food is stored.

Apply to surfaces where insects are present. Do not apply to food or food contact surfaces. Do not use in areas where children or pets are present. Do not use in areas where food is stored.

# EXTERMO LIQUID

## DUAL PURPOSE INSECTICIDE

EPA Reg. No. 527-99

EXTERMO LIQUID is a ready-to-use and highly effective formulation for use in bakeries, wholesale groceries, food warehouses and other food establishments, medical facilities, office buildings, industrial establishments, institutions and schools other than preschool or daycare.

EXTERMO LIQUID is effective against DDT-resistant roaches (kiss cockroaches, waterbugs, silverfish ants, fire mosquitoes, centipedes, crickets, grubs, spiders, the exposed stages of caterpillars, granary weevils, rice weevils, and meal moths. It also kills flour moths, cigarette beetles, drugstore beetles, confusina flour beetles, and red flour beetles and saw-toothed grain beetles.

**ACTIVE INGREDIENTS:**


Pyrethrins	0.05
Permethrin	0.10
N-Octyl Bicyclohexene Dicarboximide	0.17
Diazinon (0, 0-dimethyl 0-(2-isopropyl-6-methyl-4-pyridinyl) phosphorothioate)	0.50
Petroleum Distillate	0.18

\*Consists of 0.02% of 1,1-dimethyl-3-(4-methylphenyl)butan-3-yl 6-bromoisobutyrate and 0.02% of 1,1-dimethyl-3-(4-methylphenyl)butan-3-yl 6-bromoisobutyrate.

KEEP OUT OF REACH OF CHILDREN

**CAUTION:**

See back of container for full directions.



P.O. BOX 1515 • ROCHESTER, NEW YORK 14603  
BRANCH WAREHOUSES IN PRINCIPAL CITIES

NET CONTENTS      GALLONS

*Deletion of "For Inside"*

**DIRECTIONS FOR USE**  
(Continued)

**FEED AND FOOD HANDLING ES**

Apply EXTERMO LIQUID as either a spray or dust as directed below. Limit spot treatments to areas where insects are present. Do not apply to areas where food is stored. Do not apply to areas where children or pets are present. Do not use in areas where food is stored.

**FOOD AND NONFOOD AREAS:**

treatment apply as a coarse, low pressure spray to areas around water pipes, beneath stoves, storage areas and similar areas. Do not use in areas where children or pets are present. Do not use in areas where food is stored.

**Crack and Crevice Treatment -**

As a crack and crevice treatment apply EXTERMO LIQUID directly into such spaces as expanses of masonry, joints of construction and between electrical conduits and wall boards or in hollow equipment feet.

These treatments also aid in the control of saw-toothed grain beetles, flour beetles, drugstore beetles and Indian meal moths. Do not use in areas where children or pets are present. Do not use in areas where food is stored.

**FOR OUTDOOR USE -**

Thoroughly spray frames, door sills and other areas where spiders, wasps and mosquitoes tend to congregate. Applications are necessary for maximum control. Do not use in areas where children or pets are present. Do not use in areas where food is stored.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved collection point.

CONTAINER DISPOSAL: Triple rinse, if necessary, or recleanse container and contents before reuse. Do not reuse container for other purposes. Follow all applicable local, state and federal regulations.

ACCEPTED  
MAY 21 1994  
EPA REG. NO. 527-99

BEST DOCUMENT AVAILABLE

*Deletion of "For sale to, etc."*

# EXTERMO LIQUID

## DUAL PURPOSE INSECTICIDE

EPA Reg. No. 527-99

EXTERMO LIQUID is a ready-to-use and highly effective formulation for use in bakeries, wholesale groceries, food warehouses and other food establishments, medical facilities, office buildings, industrial establishments, restaurants and schools other than preschool or daycare.

EXTERMO LIQUID is effective against: Dazzler resistant roaches, ticks, cockroaches, waterbugs, silverfish ants, fleas, mustardos, centipedes, crickets, grasshoppers, the exposed stages of caterpillars, granary weevils, red weevils, stored grain beetles, Indian meal moths, cigarette beetles, drugstore beetles, carpet beetles, furniture beetles, flour beetles and saw-toothed grain beetles.

### ACTIVE INGREDIENTS:

Pyrethrins	0.05
Piperonyl Butoxide (technical)	0.10
N-Octyl N-cycloheptene D-carboximide	0.10
Diazinon (O, O-dimethyl O-(2-isopropyl-6-methyl-4-pyridinyl) phosphorothioate)	0.05
Petroleum Distillate	94.70

\*Consists of 0.05% Diazinon, 0.10% N-Octyl N-cycloheptene D-carboximide and 0.05% Piperonyl Butoxide.

\*Reg. No. 74427 U.S. PAT. OFF.

KEEP OUT OF REACH OF CHILDREN

### CAUTION:

For use only in accordance with label directions.

**Wickstead**  
**Wickstead**

P. O. BOX 1515 • ROCHESTER, NEW YORK 14603  
BRANCH WAREHOUSES IN PRINCIPAL CITIES

NET CONTENTS      GALLONS

*Deletion of "For Institutional and, etc."*

### DIRECTIONS FOR USE

(continued)

#### FEED AND FOOD HANDLING ESTABLISHMENTS

Apply EXTERMO LIQUID as either a spot or crack and crevice treatment as directed below. Limit spot treatments to floor surfaces where food is stored, prepared or will be stored and suspended of tubing. Limit individual spot treatments to an area no larger than 20 percent of the floor surface. Any individual spot treatment shall not exceed 2 square feet. Do not apply to areas or surfaces of utensils which will come in contact with food. Take extreme care to avoid contamination of food or food contact surfaces or introducing the material into the air.

**FOOD AND NONFOOD AREAS:** Spot Treatment - As a spot treatment apply as a coarse low pressure fan spray to floor surface, drains, and water pipes, the ceiling, curtains, refrigerators, sinks, shelves, storage areas and similar areas where cockroaches, ants, beetles and silverfish ants.

**Crack and Crevice Treatment:** As a crack and crevice treatment, use liquid EXTERMO LIQUID by delivering a pin stream of insecticide and apply to the joints of stacks as many as possible between different elements of construction and between equipment bases and the floor. Do not apply to low voltage circuits.

These treatments assist in the control of the exposed stages of saw-toothed grain beetles, flour beetles, the weevils, cigarette beetle, Indian meal moths, stored grain moths which come into contact with stored foodstuffs, such as flour, cereals, motor housings, electrical switches, and similar equipment as necessary.

**FOR OUTDOOR USE:** Apply EXTERMO LIQUID to screens, window blinds, and other outdoor areas where insects such as flies, ants, and mosquitoes are a problem. Apply to the gate. Repeated applications are necessary for control of these insects.

#### STORAGE AND DISPOSAL

Store in original container in a cool, dry place. Do not use if the original container is damaged. Do not use if the original container is damaged. Do not use if the original container is damaged. Do not use if the original container is damaged.

BEST DOCUMENT AVAILABLE

DOCUMENT AVAILABLE

ACCEPTED  
MAY 21 1984  
EPA REG. NO. 527-99

completes with PR 83-3