

PM 15
527-99
DRP

10/2

300/129482
17/6

SEP 14 1984

Mr. Carl Bisanz
Rochester Midland
333 Hollenbeck Street
Rochester, NY 14621

Dear Mr. Bisanz

Subject: Finished Labeling
Extenno Liquid
EPA Registration No. 527-99
Your submission dated September 5, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable and a stamped copy is enclosed for your records. It is understood that this acceptance will permit use of the approximately 3000 already-printed labels which vary from that approved May 21, 1984, and that the next general printing, as well as labeling for the 1 gallon size packaged after January 1, 1985, will use the text approved May 21, 1984.

Sincerely yours,

George T. Larocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid inhalation of spray—respirator or mask is advised. Use with adequate ventilation. Avoid spraying food surfaces, dishes, and utensils. If these are contaminated, wash thoroughly before using. Wash hands thoroughly after using and before eating or smoking. Remove pets, birds and fish from areas to be treated. Since empty containers can still contain product residues, continue to observe label precautions even when empty.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame. Do not smoke while spraying.

STATEMENT OF PRACTICAL TREATMENT

- If swallowed: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING**—vomiting may cause aspiration pneumonia.
- If inhaled: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention.
- If on skin: Wash immediately with soap and water. Get medical attention.
- If in eyes: Rinse with plenty of water. Get medical attention immediately.

Medical Emergency Telephone Number 716-266-2283

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOOD HANDLING ESTABLISHMENTS—Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS APPLICATION LIMITED TO CRACK AND CREVICE AND SPOT TREATMENT ONLY

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) would be considered a food area.

NON-FOOD AREAS—Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, gas pipes, mop closets and storage (after canning or bottling).

EPA Est. No. 527-IL-1

Form 1171-K3306

EXTERMO LIQUID

DUAL PURPOSE INSECTICIDE

EPA Reg. No. 527-99

FOR INSTITUTIONAL AND INDUSTRIAL USE ONLY

EXTERMO LIQUID is a ready-to-use and highly effective formulation for use in bakeries, wholesale groceries, food warehouses and other food establishments.

EXTERMO LIQUID is effective against German cockroach, it kills cockroaches, waterbugs, silverfish, ants, flies, mosquitoes, earwig, beetles, gnats, spiders, the tapeworm stage of rodents, grayish weevils, rice weevils, Indian meal moths, Mediterranean flour moths, cigarette beetles, drugstore beetles, powdered flour beetles, saw-tooth flour beetles and saw-toothed grain beetles.

ACTIVE INGREDIENTS:

Pyrethrin	0.06%
Piperonyl Butoxide, technical	0.10%
N-Octyl Bicycloheptene Dicarboximide	0.17%
Diazinon [D, O-diethyl O-(2-isopropyl-6-methyl-4-pyridinyl) phosphorothioate]	0.50%
Potassium Dodecylate	59.18%

*Consists of 0.06% Butyloxyethyl (2-propyl)peroxyphosphate and 0.02% related compounds.

Reg. No. 74421 U. S. PAT. OFF.

KEEP OUT OF REACH OF CHILDREN

CAUTION:

See Side Panel For Additional Precautions. Do Not Contaminate Food. Do Not Mix With Other Pesticides. Do Not Use In Residential Areas. Do Not Use In Proximity to EPA Letter Dated

**Rochester
Midland**

SEP 14 1984

U.S. BOX 1818 • ROCHESTER, NEW YORK 14603 • EPA Reg. No. 527-99

NET CONTENTS GALLONS

FEED AND FOOD

Apply EXTERMO LIQUID as directed. Do not use if pests have been seen on individual spot treated floor surface. Any contact with food or food contact surface.

FOOD AND NON

treatment, apply as directed. Do not use in areas around water, sinks, stoves, storage areas, and spiders and silverfish.

Crack and Crevice Treatment: Apply EXTERMO LIQUID directly into such as cracks, crevices, joints of construction, wall boards or in holes.

These treatments are for saw-toothed grain beetles, drugstore beetles, contact with treated surfaces and electrical switches.

FOR OUTDOOR

Use EXTERMO LIQUID on frames, door sills and applications are necessary. Residue may be washed.

STC

Do not contaminate food. PESTICIDE DISPOSAL: This product may be disposed of at a hazardous waste facility.

CONTAINER DISPOSAL: Containers may be recycled or recycled by other means or by other means.