# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if availowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid inhalation of spray-respirator or mask is advised. Use with adequate ventilation. Avoid spraying food surfaces, dishes and utensits. If these are contaminated, wash thoroughly before using. Wash hands thoroughly after using and before eating or smoking. Remove pets, birds and fish from areas to be treated. Since empty containers can still contain product residues, continue to observe label precautions even when empty.

### PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame. Do not smoke while spraying.

### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

Winbaled: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention.

BPA Est.No. 527-4L-1 FORM 1173 (FEV 9999)

For Nevtewed. Registrant clams to be in accordance with Huregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

	•••
• • • •	

1

If on skin: Wash immediately with soap and water. Get medical attention. 527 - 97 PM - 15

If in eyes: Rinse with plenty of water. Get medical attention immediately.

Medical Emergency Telephone Number: 716-266-2283.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOOD HANDLING ESTABLISHMENTS - Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS APPLICATION LIMITED TO CRACK AND CREVICE AND SPOT TREATMENT ONLY.

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage and enclosed processing systems (mills, dairies, edible oils, symps). Serving areas (when food is exposed and facility is in operation) would be considered a food area.

NON-FOOD AREAS -- Includes garbage rooms, lavatories, floor drains (to sewers) entries and vestibules, offices, locker rooms, machine rooms, boiler mems, garages, mop closets and storage (after canning or bottling). (continued on right panel)

# Extermo, Liquid

# **Dual Purpose Insecticide**

1/29/70

Ľ


#### EPA Reg. No. 527-99

EXTERMO LIQUID is a ready-to-use and highly effective formulation for use in balances, wholesale grocenes, food werehouses and other food establishments, medical facilities, office buildings industrial establishments, institutions and schools other than preschool or disycare.

EXTERINO LIQUID is effective against Diazinon resistant roaches. It tulls cockroaches, witterbugs, silverhish, ants, flies, mosquitos, centipede, crickets, grists, spiders, the exposed stages of cadelles, granary weevits, rice weevits, Indian meal moths, Mediterranean flour moths, cigarette beetles, drugstore beetles, confused flour beetles, rust-red flour beetles and sew-locithed grain besites. ACTIVE INGREDIENTS:

Pyrethene Pinesend Budewide Lasternalt	0.05%
Piperonyl Butaxide, lechnical*	0.10%
N-Octyl Bicycloheptene Dicarboximide	
	0 17%
Diazinon [O,D-diathyl O-(2-isopropyl-6-methyl-4	
Prividenti obosoborothestal	0 50%
Petroleum Distillate	
	99 18%

\* Consess of 0.09% (Duty/carbity) (6 propy(p)perony() either and 0.02% related compounds † Reg. No. 74421 U.S. PAT. OFF



## **DIRECTIONS FOR USE**

(continued from left panel) FEED AND FOOD HANDLING ESTABLISHMENTS – Apply EXTERMO LIQUID as either a spot or crack and crevice treatment as directed below. Limit spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit individual spot treatments to an area no larger than 20 percent of the floor surface. Any individual spot treatment shall not exceed 2 square feet. Do not apply to areas, surfaces or utensits which will come in contact with food. Take extreme care to avoid contamination of food or food contact surfaces or introducing the material into the air.

FOOD AND NONFOOD AREAS - Spot Treatment - As a spot treatment, apply as a coarse, low pressure fa.) spray to floor surface areas around water pipes, beneath cabinets, refrigerators, sinks, stoves, storage areas and similar areas where cockroaches, ants, spiders and silvertish hide.

Crack and Crevice Treatment—As a crack and crevice treatment, use equipment capable of delivering a pin stream of insecticide and apply directly into such spaces as expansion joints between different elements of construction and between equipment bases and the floor, wall boards or in hollow equipment legs.

These treatments also aid in the control of the exposed stages of saw-toothed grain beetles, flour beetles, rice

weevils, cigarette beetles, drugstore beetles and Indian meal moths which come into contact with treated surfaces. Do not use in conduits, motor housings and electncal switch boxes. Repeat applications as necessary.

FOR OUTDOOR USE - Thoroughly spray or paint screens, window frames, door sills and other areas where insects such as flies, ants, spiders, wasps and mosquitos tend to alight or congregate. Repeated applications are necessary for maximum protection, since insecticde residue may be washed away out-of-doors.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedure approved by state and local authorities.

PRECAUCION AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

TRANSLATION: (TO THE USER. If you cannot read English, do not use this product until the label has been fully explained to you.)