

GENERAL CLEANING AND DISINFECTION

For use on floors, walls, ceilings, sealed wood, metal panels as partitions and doors, metal and plastic furniture and other surfaces that can withstand the effects of water solution cleaning. Add 2 oz. of SANAMINE to a gallon of water. For difficult to clean or excessively soiled areas, add 3 oz. of Sanamine to a gallon of water. Rinsing is not necessary.

LOCKER ROOMS:

Add 2 oz. of SANAMINE to a gallon of water. Mop floor areas daily in locker rooms and showers for control of many bacteria. Rinsing is not necessary.

CONTACT SPRAY:

Add 2 oz. of SANAMINE to a gallon of water. Using a tank-type sprayer, spray on toilets, urinals, adjacent floors and walls, trash and garbage to reduce odors.

HOSPITAL USE:

SANAMINE is recommended for use in hospitals, nursing homes and other health care facilities.

SANAMINE at 2 oz./gal. dilution kills the following organisms.

S. aureus	(ATCC # 6538)
S. choleraesuis	(ATCC # 10708)
P. aeruginosa	(ATCC # 15442)
E. coli	(ATCC # 11229)

EPA EST. 527-NY-1

FORM 220P
(Rev. 4/8/80)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

527-100

12.31.89 PM 31

GENERAL LINE DIVISION



Sanamine



Deodorant • Germicide • Cleaner

EPA REG NO. 527-100

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₂ , 5% C ₁₀ , 5% C ₁₆)	
dimethyl benzyl ammonium chlorides	2.50%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	2.50%
INERT INGREDIENTS:	95.00%

DANGER:

KEEP OUT OF THE REACH OF CHILDREN

See First Aid and Other Precautionary Statements on Side Panel

**Rochester
Midland**
CREATIVE CHEMISTRY
SINCE 1900

(D)

P.O. BOX 1515 • ROCHESTER, NEW YORK 14603
BRANCH WAREHOUSES IN PRINCIPAL CITIES

NET CONTENTS:

DIRECTIONS FOR GENERAL USE

LAVATORY:

Right Side →

On a daily basis, washbowls, pipes and faucets should be wiped off with a clean rag dampened in a 2-oz./gal. solution of SANAMINE Disinfectant Cleaner. Toilet bowls and urinals should be washed inside and out with SANAMINE Disinfectant Cleaner diluted 2-oz./gal. Any water in toilets or water-containing urinals must be expelled by forcing over the trap using a Glo-San mop or other form of expulsion prior to the cleaning with the above recommended solution of SANAMINE. The floor should be damp-mopped with SANAMINE Disinfectant Cleaner diluted 2 oz./gal. On a weekly basis, all toilet bowls and urinals should be cleaned with Glo-San Bowl Cleaner. All floors, walls, window sills, doors, door frames and partitions should be floor-mopped or washed with SANAMINE Disinfectant Cleaner diluted 2 oz./gal. Any waste receptacle should be rinsed off with a 2-oz./gal. solution of SANAMINE Disinfectant Cleaner.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or

fatal if swallowed. Avoid contamination of food. Refer to the SANAMINE Material Safety Data Sheet for other safety information.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Medical Emergency Telephone Number: 716-266-2283

Not Reviewed. Registration should be in accordance with...
...for Phase 2...
...Change in Status.