

1-597-116

111-51

1/27/80

131

DANGER: Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Refer to the BYQUAT Material Safety Data Sheet for other safety information.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink PROMPTLY a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Medical Emergency Telephone Number 714-266-2283.

BYQUAT is a cleaner, disinfectant designed for general housekeeping and industrial cleaning. When used as directed, BYQUAT will also deodorize those areas which generally are hard to keep fresh smelling, such as GARBAGE PAILS, SINK TOPS and BATHROOM AREAS which are prone to odors caused by the growth of some microorganisms.

Effective against *Staphylococcus aureus* and *Salmonella choleraesuis* at 2 ounces per gallon. Also effective against pathogenic fungi, *Trichophyton interdigitale*, at the use dilution.

CLASSIFIED BY UNDERWRITERS' LABORATORIES, INC
AS TO SLIP RESISTANCE ONLY.
1578
SEE UL CLASSIFIED PRODUCTS INDEX

FORM 82-B
(REVISION) C

EPA EST. NO. 527-NY-1

Byquat

Cleaner • Disinfectant Deodorant • Fungicide

EPA Reg. No. 527-116

ACTIVE INGREDIENTS:

n-Alkyl (80% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	1.6%
dimethyl benzyl ammonium chlorides	1.6%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	8.6%
Sodium Carbonate	88.8%
INERT INGREDIENTS	96.8%
	100.0%

DANGER
KEEP OUT OF REACH OF CHILDREN
See other precautionary statements on side panel.



PO BOX 1515 • ROCHESTER, NEW YORK 14603
BRANCH WAREHOUSES IN PRINCIPAL CITIES

NET CONTENTS:



DIRECTIONS FOR USE

Dilute BYQUAT at 2 ounces to one gallon of water for disinfecting, cleaning and deodorizing. This dilution will provide 500 ppm quaternary to the use dilution.

Fungicidal: Dilute 2 ounces to one gallon of water for fungicidal activity against pathogenic fungi (athlete's foot).

BYQUAT can be applied with a mop, sponge, cloth or scrubbing machine to wet surfaces thoroughly with the recommended use dilution.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.


PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Authorized by USDA for use in
Federally Inspected Meat and Poultry Plants

EPA EST. NO. 10740-CA-1

EPA Est. No 527-IL-1
PRINTED IN USA



BEST AVAILABLE COPY

527-100 1/27/90 PM 31

SANAMINE

GENERAL CLEANING AND DISINFECTION

For use on floors, walls, ceilings, sealed wood, metal panels as partitions and doors, metal and plastic furniture and other surfaces that can withstand the effects of water solution cleaning. Add 2 oz. of SANAMINE to a gallon of water. For difficult to clean or excessively soiled areas, add 3 oz. of SANAMINE to a gallon of water. Rinsing is not necessary.

LOCKER ROOMS:

Add 2 oz. of SANAMINE to a gallon of water. Mop floor areas daily in locker rooms and showers for control of many bacteria. Rinsing is not necessary.

CONTACT SPRAY:

Add 2 oz. of SANAMINE to a gallon of water. Using a tank-type sprayer, spray on toilets, urinals, adjacent floors and walls, trash and garbage to reduce odors.

HOSPITAL USE:

SANAMINE is recommended for use in hospitals, nursing homes and other health care facilities.

SANAMINE at 2 oz./gal. dilution kills the following organisms

S. aureus	(ATCC # 6538)
S. choleraesuis	(ATCC # 10708)
P. aeruginosa	(ATCC # 15442)
E. coli	(ATCC # 11229)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

EPA EST. 527-NY, 1



DEODORANT • GERMICIDE • CLEANER

EPA REG. NO. 527-100

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	2.50%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	2.50%
Tetrasodium-ethylenediamine-tetraacetate	0.60%
Sodium Carbonate	2.00%

INERT INGREDIENTS: 92.40%

95.00%

DANGER: KEEP OUT OF REACH OF CHILDREN

See First Aid And Other Precautionary Statements On Side Panel

Not Reviewed Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2-12, Active to Inert Change in Status.



(D)

P. O. BOX 1816 • ROCHESTER, NEW YORK 14603
BRANCH WAREHOUSES IN PRINCIPAL CITIES

NET CONTENTS GALLONS

DIRECTIONS FOR GENERAL USE

LABORATORY:

On a daily basis, washbowls, pipes and faucets should be wiped off with a clean rag dampened in a 2-oz./gal. solution of SANAMINE Disinfectant Cleaner. Toilet bowls and urinals should be washed inside and out with SANAMINE Disinfectant Cleaner diluted 2-oz./gal. Any water in toilet or water-containing urinals must be expelled by forcing over the trap using a Glo-San mop or other form of expansion prior to the cleaning with the above recommended solution of SANAMINE. The floor should be damp-mopped with SANAMINE Disinfectant Cleaner diluted 2 oz./gal. On a weekly basis, all toilet bowls and urinals should be cleaned with Glo-San Bowl Cleaner or Bowl Klean Powder. All floors, walls window sills, doors, door frames and partitions should be floor-mopped or washed with SANAMINE Disinfectant Cleaner diluted 2 oz./gal. Any waste receptacle should also be rinsed off with a 2-oz./gal. solution of SANAMINE Disinfectant Cleaner.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

Medical Emergency Telephone Number 716-266-2200

EPA EST 527-NY, 1