

ML-27

MICROBIOCIDAL

FOR INDUSTRIAL RECIRCULATING WATER COOLING TOWER

EPA Reg. No. 527-105

ACCEPTED

JUN 25 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 527-105

DIRECTIONS FOR USE

(Continued from left panel)

SUBSEQUENT DOSE:

When microbial control is evident, add 0.25 to 2 lbs (4 to 30 fluid ounces, 30 to 240 ppm) of ML-27 Microbiocide per 1000 gallons of water in the system weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun. ML-27 Microbiocide weighs 8.4 lbs per gallon.

STORAGE AND DISPOSAL

PROHIBITIONS

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.

PESTICIDE DISPOSAL

Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE.

CAUSES EYE DAMAGE AND SKIN BURNS.
MAY CAUSE ALLERGIC SKIN REACTIONS.
MAY BE HARMFUL IF INHALED.
MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN.

Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply only as specified on this label.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For the control of bacteria, algae and fungi, add ML-27 Microbiocide to the tower basin, distribution box or some other point to insure uniform mixing.

INITIAL DOSE:

When the system is noticeably fouled, apply 1.25 to 7.56 pounds (19 to 114 fluid ounces, 150 to 800 ppm) of ML-27 Microbiocide per 1000 gallons of water in the system. Repeat until control is achieved.

(Continued on right panel)

EPA Est. No. 527-105

Form 1303

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one 1.15%

2-Methyl-4-isothiazolin-3-one 0.35%

INERT INGREDIENTS:

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.


IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



P. O. BOX 1515 • ROCHESTER, NEW YORK 14603

BRANCH WAREHOUSES IN PRINCIPAL CITIES

NET WEIGHT POUNDS

EPA Est. No. 527-IL-1