

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance, contact the Regional Office of the Environmental Protection Agency.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Keep container closed when not in use. ML-13G is used to control algae, bacteria and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime and other deposits. An initial slug addition of 4.0 to 10.0 fluid ounces of ML-13G per 1000 gallons of water to provide a concentration of 32 to 80 parts per million of ML-13G based on the total weight of water in the system, is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.0 to 10.0 fluid ounces of ML-13G per 1000 gallons of water (8 to 80 parts per million of ML-13G) should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

(Continued on right panel)

EPA Est. No. 527-NY-1

Form 1163

ML-13G

MICROBIOCIDES FOR THE CONTROL OF MICROORGANISMS IN COOLING TOWERS AND INDUSTRIAL AIR-WASH SYSTEMS

EPA Reg. No. 527-106

ACTIVE INGREDIENT:

Poly[oxyethylene (dimethyliminio) ethylene-
(dimethyliminio) ethylene dichloride]..... 15.0%

INERT INGREDIENT..... 85.0%

This product contains 1.29 lb. of active ingredient per gallon and weighs 8.58 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional Precautionary Statements.

ACCEPTED
527-106
MAR 9 1983
Under the Federal
Function and R.
or amount, for the
registered under
EPA Reg. No.
P. O. BOX 1515 • ROCHESTER, NEW YORK 14603
BRANCH WAREHOUSES IN PRINCIPAL CITIES
NET WEIGHT POUNDS

DIRECTIONS FOR USE

(Continued from left)

ML-13G is used to control bacteria systems that maintain effective mist elim to its use, systems should be cleaned to other deposits. An initial slug dose of 1 ML-13G per 1000 gallons of water is n dosage until control is evident. Subseq to 24.7 fluid ounces of ML-13G per 10 be employed each 1 to 5 days, or as addition depends upon the relative amo of the bacterial problem. Slug additions or to the water collection trays of the

STORAGE AND DISPOSAL

PROHIBITIONS:

DO NOT CONTAMINATE WATER STORAGE OR DISPOSAL. C PROHIBITED.

PESTICIDE DISPOSAL:

Pesticide, spray mixture or rinse water ti ing to label instructions must be dispos or approved State procedures under S Conservation and Recovery Act.

CONTAINER DISPOSAL:

Metal Containers: Triple rinse (or equiv cling or reconditioning or puncture an landfill, or by other approved state and Plastic Containers: Triple rinse (or equiv cling or reconditioning or dispose of i incineration if allowed by state and loc

GENERAL:

CONSULT FEDERAL, STATE O AUTHORITIES FOR APPROVED CEDURES.

**STATEMENTS
AND DOMESTIC ANIMALS**

d. Avoid breathing vapors. Avoid
g.
promptly a large quantity of milk,
these are not available, drink large
l. Call a physician immediately.
IS: This pesticide is toxic to fish
nds. Permits may be required for
ide into lakes, streams, ponds or
tact the Regional Office of the

**FOR USE
CLASSIFICATION**

se this product in a manner incon-

n use. ML-13G is used to control
ulating commercial and industrial
se, systems must be cleaned to
ical slime and other deposits. An
fluid ounces of ML-13G per 1000
centration of 32 to 80 parts per
otal weight of water in the system,
usage until control is evident.

to 10.0 fluid ounces of ML-13G
80 parts per million of ML-13G)
days, or as needed. The frequency
ative amount of bleedoff and the
oblem. Slug additions should be
ng towers.
n right panel

ML-13G

MICROBIOCIDE FOR THE CONTROL OF MICROORGANISMS IN COOLING TOWERS AND INDUSTRIAL AIR-WASH SYSTEMS

EPA Reg. No. 527-106

ACTIVE INGREDIENT:

Polyoxyethylene (dimethyliminio) ethylene-
(dimethyliminio) ethylene dichloride)..... 15.0%

INERT INGREDIENT..... 85.0%

This product contains 1.29 lb. of active ingredient per gallon and
weighs 8.58 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional Precautionary Statements.

ACCEPTED
527-106
MAR 9 1983
Under the Federal
Function, and Re
as amended, for the Pesticide
registered under
EPA Reg No.

**Rochester
Midland**
P. O. BOX 1515 • ROCHESTER, NEW YORK 14603
BRANCH WAREHOUSES IN PRINCIPAL CITIES

NET WEIGHT POUNDS

DIRECTIONS FOR USE

ML-13G is used to control bacteria in industrial air-washing
systems that maintain effective mist eliminating components. Prior
to its use, systems should be cleaned to remove bacterial slime and
other deposits. An initial slug dose of 14.8 to 24.7 fluid ounces of
ML-13G per 1000 gallons of water is recommended. Repeat initial
dosage until control is evident. Subsequent slug additions of 10.1
to 24.7 fluid ounces of ML-13G per 1000 gallons of water should
be employed each 1 to 5 days, or as needed. The frequency of
addition depends upon the relative amount of bleedoff and severity
of the bacterial problem. Slug additions may be made to the sump
or to the water collection trays of the airwash system.

STORAGE AND DISPOSAL

PROHIBITIONS:

**DO NOT CONTAMINATE WATER, FOOD OR FEED BY
STORAGE OR DISPOSAL. OPEN DUMPING IS
PROHIBITED.**

PESTICIDE DISPOSAL:

Pesticide, spray mixture or rinse water that cannot be used accord-
ing to label instructions must be disposed of according to Federal
or approved State procedures under Subtitle C of the Resource
Conservation and Recovery Act.

CONTAINER DISPOSAL:

Metal Containers: Triple rinse (or equivalent). Then offer for recy-
cling or reconditioning or puncture and dispose of in a sanitary
landfill, or by other approved state and local procedures.
Plastic Containers: Triple rinse (or equivalent). Then offer for recy-
cling or reconditioning or dispose of in a sanitary landfill, or by
incineration if allowed by state and local authorities.

GENERAL:

**CONSULT FEDERAL, STATE OR LOCAL DISPOSAL
AUTHORITIES FOR APPROVED ALTERNATIVE PRO-
CEDURES.**

EPA Est. No. 527-1-1