

527-108

6/10/2009

1044

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

JUN 10 2009



United States  
Environmental Protection  
Agency

Office of Pesticide Programs

Rochester Midland Corporation  
333 Hollenbeck Street  
Rochester, N. Y. 14621

Attention: Valerie Kromer, Manager  
Product Regulatory Compliance

**Subject: ML-17G**  
EPA Registration No. 527-108  
Letter Dated May 8, 2009

This will acknowledge receipt of your notification to revise the label to comply with PR Notice 2007-4, submitted under the provisions of FIFRA Section 3(c)(9). Based on a review of the submitted material, the following comments apply.

The Notification dated May 8, 2009 is in compliance with PR Notice 98-10 and is acceptable. This information has been made a part of your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

A handwritten signature in cursive script that reads "M Swindell".

Marshall Swindell  
Product Manager (33)  
Regulatory Management Branch 1  
Antimicrobials Division (7510P)



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input checked="" type="checkbox"/>	Amendment
<input type="checkbox"/>	Other

OPP Identifier Number

### Application for Pesticide - Section I

1. Company/Product Number 527	2. EPA Product Manager PM# 33	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) ML-17G	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: <input checked="" type="checkbox"/> EPA Reg. No. _____ Product Name _____	
5. Name and Address of Applicant (Include ZIP Code) Rochester Midland Corporation 333 Hollenbeck Street Rochester, New York 14621 <input type="checkbox"/> Check if this is a new address		

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
		If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 5 & 55 gallon		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

### Section - IV


1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Valerie Kromer	Title Mgr Prod Reg Compliance	Telephone No. (Include Area Code) 585-336-2378
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Valerie Kromer</i>	3. Title Mgr. Prod Reg Compliance	
4. Typed Name Valerie Kromer	5. Date May 8, 2009	

ENERGY DIVISION

# 7G

F MICROORGANISMS IN  
AL AIR-WASH SYSTEMS

-108



in and weighs 9.2 lb per gallon.

OF CHILDREN  
R  
ionary Statements

**COOLING TOWER SYSTEMS:** Prior to use, the systems should be cleaned to remove algal growth, microbiological slime or other deposits. Based on the Total amount of water in the system, make an initial treatment 4.5 to 6.8 liquid ounces (40-60 ppm) of ML-17G per 1000 gallons of water. Repeat this dosage until control is attained. Every 2-5 days or as needed, make maintenance additions of 2.3-6.8 liquid ounces (20-60 ppm) of ML-17G per 1000 gallons. The frequency of addition depends upon the amount of bleedoff and the microbiological problem severity. Additions should be made to the sump of recirculating cooling tower systems.

**INDUSTRIAL AIR-WASHING SYSTEMS:** For use only in systems with effective mist-eliminations. Clean the system to remove bacterial slime or other deposits present. An initial dose of 10.6-13.6 liquid ounces (93-120 ppm) of ML-17G per 1000 gallons of water in the system is recommended. Repeat this dosage until control is attained. Maintenance additions of 7.9-13.6 liquid ounces (70-120ppm) of ML-17G per 1000 gallons of water should be made every 1-5 days, or as needed. The frequency of additions will depend on the amount of bleedoff and the bacterial problem severity. Additions may be made to the sump or water collection trays of the air-wash system.



ROCHESTER MIDLAND CORPORATION  
333 HOLLENBECK STREET  
ROCHESTER, NY 14621  
www.rochestermidland.com

MADE IN USA

## STORAGE AND DISPOSAL

**Do not contaminate water, food or feed by storage or disposal.**

**PESTICIDE STORAGE:** Keep product under locked storage, inaccessible to children. Open dumping is prohibited. Non-refillable container. Do not reuse or refill this container. Offer for reconditioning, if appropriate.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of capital Federal law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse container promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

3044

**IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**ON SKIN**  
**CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**SEE A PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Medical Emergency Telephone 1-800-535-5053 (U.S.). Outside the U.S. 1-352-323-3500.

4407-D-BULK  
(22/09)


**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**DANGER: CORROSIVE.** Causes eye and skin damage. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles of face and rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Refer to the ML-17G Material Safety Data Sheet for other safety information.

**ENVIRONMENTAL HAZARDS**  
This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your state Water Board or Regional Office of the EPA.

**DIRECTIONS FOR USE**  
It is a violation of federal law to use this product in a manner inconsistent with its label. The Use of ML-17G in industrial and/or commercial recirculating cooling tower systems and industrial air washing systems will control microbiological growth and slime.

EPA Est. No. 527-NY-1

EPA Est. No. 527-JL-1



**ML-**

**MICROBIOCIDAL FOR CONTROLLING COOLING WATER AND INDUSTRIAL WASHING**

EPA REG. NO. 527-NY-1

ACTIVE INGREDIENT  
Potassium dimethylthiocarbamate.....

OTHER INGREDIENTS.....

TOTAL

This product contains 2.3 lbs of active ingredient per gallon.

**KEEP OUT OF REACH OF CHILDREN**

See Side Panel for Precautions

4804