# PRECAUTIONARY STATEMENTS Hazard to Human and Domestic Animals

DANGER: Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water, Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Medical Emergency Telephone Number: 718-288-2283.

### **USE DIRECTIONS:**

# HOSPITALS. NURSING HOMES, INSTITUTIONS

SANTIZING for sanitizing previously cleaned floors, walls and inanimate hard surfaces, dilute 1 ounce BYTECH TEN-FIFTY to 4 gallons of water.

DISINFECTION for general disinfection of previously cleaned floors, walks and inanimate hard surfaces, dilute 3 ounces BYTECH TENFITY to 5 gallons of water. For hospital use, dilute 3's ounces BYTECH TEN-FIFTY to 5 gallons of water. Apply solution with mop, cloth, sponge or mechanical sprayer so as to wet thoroughly. Allow to remain wat for 10 minutes and then air dry.

## FOOD PROCESSING EQUIPMENT

For sanitization of previously cleaned food processing equipment and food utensils, dilute 1 ounce BYTECH TEN-FIFTY per 4 gazons of water to provide 200 ppm of active quaternary. Thoroughly wet all surfaces for at least 80 seconds. Drain and let air dry. At this level, No Potable Water Rinse is required.

BYTECH TEN-FIFTY fulfiles the criteria of Appendix F, the Grade A Pasteurized Milk Ordinance 1985 recommendations of the U.S. Public Health Service in waters up to 750 ppm of hardness calculated as CaCO, when tested by the AOAC Germicidal and Detergent Santitzers-Official Method.

Form 87-D

EPA Est. No. 10740-CA-1

# BYTECH TEN-FIFTY

# DISINFECTANT • DEODORIZER • SANITIZER

EPA Reg. No. 527-117

ACTIVE INGREDIENTS.	
n-Alkyl (60% C <sub>14</sub> , 30% C <sub>18</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides	5%
n-Alkyl (88% C <sub>1.2</sub> , 32% C <sub>1.4</sub> ) dimethyl ethylbenzyl ammonium chlorides	5%
INERT INGREDIENTS.	
100	003
RYTECH TEN-EIFTY is a concentrate and should be diluted before us	ina

# **DANGER**

KEEP OUT OF REACH OF CHILDREN

See other precautionary statements on left panel.

Rochester Midland []



P. O. BOX 1616 • ROCHESTER, NEW YORK 14603 BRANCH WAREHOUSES IN PRINCIPAL CITIES NET CONTENTS GALLONS

# TOMORROW'S PRODUCTS TODAY USE DIRECTIONS

(Continued)

#### DAIRIES

To sanitize dairy equipment, first clean and rinse the equipment thoroughly. Then, apply sanitizing solution containing 1 ounce BYTECH TEN-FIFTY to 4 gallons of water (200 ppm) for at least 80 seconds. Remove and let air dry. Prepare a fresh solution daily or more frequently as soil is apparent. At this level, No Potable Water Rinse is required. Follow recommendations of local Health Board.

 $\alpha$ 

#### **COLD DISINFECTION**

For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, submerge instruments into solution containing 11, ounce BYTECH TEN-FIFTY per gallon of water for at least 10 minutes.

#### **RESTAURANT AND BAR RINSE**

Dishas, glassware, silverware, cooking utensils, wash with soap or synthetic datergent; rinse thoroughly and drain. Immerse in a sanitizing solution containing 1 ounce BYTECH TEN-FIFTY to 4 gallons of water for at least 60 seconds. Remove and let air dry. Prepare a fresh solution daily or more frequently as soil is apparent. No Terminal Potable Water Rinse Required.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

LCCEPTED

APR 8 1986

Unite the Poder 1 included, Fungicide, and Rodenticide Act, as emended, for the posticide registered under EPA Reg. No. 527-//7

