

Do not give anything by mouth to an unconscious or convulsing person.

Proposed label amendment, submitted to U.S. E.P.A. 6-14-88

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
DANGER**

Corrosive—causes eye damage. Wear goggles or face shield and rubber gloves when handling. Causes skin irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mists. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Refer to the NIX Material Safety Data Sheet for other safety information.

STATEMENT OF PRACTICAL TREATMENT

Eyes: Immediately flush with plenty of water for 15 minutes and get medical attention.

Skin: Wash immediately with plenty of soap and water.

If swallowed: Drink PROMPTLY a large quantity of milk, egg whites, or gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

If inhaled: Remove from contaminated areas.

Wash thoroughly after handling and before eating and smoking. Remove and wash contaminated clothing before reuse.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Treat for circulatory shock, respiratory depression, and convulsions if needed. Medical Emergency Telephone Number: 716-266-2283.

ENVIRONMENTAL HAZARDS

Do not contaminate water used for irrigation or domestic purposes by application, cleaning of equipment or disposal of wastes. Apply this product only as specified on label or asphalt pavement directions.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame. Store at temperatures above 32°F and below 100°F. Keep container sealed when not in use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NIX is a non-selective herbicide that can be applied in water or oil before or after plant growth begins. It can be applied up to 3 months after weed emergence. Although NIX has considerable activity through foliar contact, much of its activity is through roots and its effectiveness is dependent on rainfall to move it into the root zone. Very dry soil conditions will require thorough watering after application. NIX will inhibit plant growth for up to a growing season and sometimes longer. Effectiveness will depend on the soil type, climatic conditions, weed type and growth stage.

EPA Est. No. 527-NY-1
Form 1057

NIX

SPECIMEN LABEL

NON-SELECTIVE VEGETATION KILLER

EPA Reg. No. 527-126

NOT FOR USE ON LAWNS. . . KILLS GRASS

Long lasting bare-ground vegetation control for Industrial sites, Military Installations, Airports, Rights-of-way, Parking lots, Storage areas, Railroads, Roadways, Lumberyards, Highway medians, Pipelines, Fences, Recreational areas, Schools, Tank farms, around buildings, pumps, machinery, drainage ditches, guardrails and similar sites.

ACTIVE INGREDIENTS:

Prometon: 2,4-bis(isopropylamino)-6-methoxy-s-Triazine* 12.5%

INERT INGREDIENTS: 87.5%

100.0%

*Contains 1 lb. per gallon

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See Left Panel for Precautionary Statements



P.O. BOX 1515 • ROCHESTER, NEW YORK 14603
BRANCH WAREHOUSES IN PRINCIPAL CITIES

NET CONTENTS

GALLONS

DIRECTIONS FOR USE
(Continued)

NOTE: Use only in areas where complete bare-ground vegetation control is desired. It should not be used on land to be cropped. Use a coarse spray to reduce drift. Care must be taken to keep application and spray drift away from desirable flower beds, lawns and shrubs. Do not apply over roots of valuable trees or woody ornamental plants. Apply only outside the dripline of trees. Do not use for weed control in greenhouses.

It is generally noncorrosive to equipment but may cause swelling or more rapid deterioration of hoses and fittings containing natural rubber.

To treat one acre (43,560 sq. ft.), mix 15 gallons of NIX in 60 to 100 gallons of water and apply uniformly. Because application equipment varies, always use enough water for dilution to achieve uniform application of NIX over entire area to be treated. For s areas, apply 3 pints of NIX per 1000 sq. ft. in sufficient water (2 gal.) to give thorough and uniform coverage. For best results, apply prior to weed emergence or when weeds are young and actively growing.

NIX may be used to extend the useful life of asphalt pavement by preventing weeds from emerging through it. Application should be to the ground before laying asphalt, or it may be mixed with cutback asphalts. See your Rochester Midland representative for detailed instructions.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

ACCEPTED
AUG - 1 1988
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 527-126

EPA Est. No. 527-IL-1
Printed in USA

527-126

08/01/1988

111