5 U.S. GALLONS

Kritter Spray CATTLE OILER

READY TO USE WITH TOXAPHENE

Aids in Controlling Horn Flies, Lice, Masquitoes, and Gnats on Beef Cattle

ACTIVE INGREDIENTS

Percent by Weight

Mineral Oil

Toxaphene (Technical Chlorinated Camphene-Containing 67-69 % Chlorine)

95 %

ACCEPTED

FUNGICIDE . FOR ECONOM

ED UNDER N

DANGER

HARMFUL OR FATAL IF SWALLOWED KEEP OUT OF REACH OF CHILDREN

CAUTION

Avoid contamination of feed, foodstuffs, feeders, waterers, and food equipment. Do not get in eyes, on akin, or on clothing. If spilled on skin, wash off with soap and water immediately. May be fatal if swallowed. Avoid contamination of natural waters. To protect fish and wildlife, do not contaminate streams, lakes or ponds with this material. Avoid prolonged breathing of spray mist.

DIRECTIONS FOR USE

Pour solution into oil reservoir or apply to burlap or canvas covering until saturated. Replenish the unit with suitable amounts of the mixed solution as necessary. Regular exposure of the animals for about 10 weeks is usually necessary for satisfactory results against lice. Do not use in automatic oilers which allow an excessive amount of oil on the rubbing surface. Do not use for young calves or dairy animals. Do not use within 4 weeks of slaughter of beef cattle.

NOTE

Be sure oil is free of dirt or other sediment when using mechanically operated equipment. Check mechanical equipment before filling to be sure it is operating properly. Reservoirs should be clean; faulty or dirty valves and mechanisms should be cleaned or replaced.

ANTIDOTE

Internal-Give sodium chloride 15 g. (one tablespoonful of table salt) in glass of warm water and repeat until vomit is clear. Call a doctor immediately. External—Wash with soap and water. Registration No. 528-41

Distributed by

AMERICAN MINERAL SPIRITS COMPANY

A Division of Union Oil Company of California MINNEAPOLIS, MINNESOTA