

OLD BY AMERICA'S LEADING STORES SINCE 1938

# PAKET BRAND

# WARFARIN


**CAUTION** KEEP OUT OF REACH OF CHILDREN

SEE ADDITIONAL INSTRUCTIONS AND WARNINGS ON CONTAINERS OR LABELS

Contains  
**PROLIN**\*

Anticoagulant Rodenticide

\* Trade mark of the Wisconsin Alumni Research Foundation



Active Ingredients: WARFARIN	- - -	.025%
(3-(alpha-acetylbenzyl)-4-hydroxycoumarin)		
N-(2-Quinoxaliny) Sulfanilamide	- - -	0.025%
(sulfaquinoxaline)		
INERT INGREDIENTS	- - -	99.950%

THE PIPER CO., Inc., St. Louis Mo. 63143

# PAKET BRAND PEST KILLERS

OLD BY AMERICA'S LEADING STORES SINCE 1938

### TO THE PURCHASER

Since 1938 . . . we have continuously strived to provide the most effective Pest Killers known . . . at reasonable prices.

We believe this product will give excellent results. If you don't agree, after using the contents of this package as directed, send us the purchase receipt showing dealer's name and address, for refund.

If you are pleased . . . as we feel certain you will be . . . won't you tell others about it and where you purchased it.

THE PIPER CO., Inc., ST. LOUIS, MO. 63143

### DIRECTIONS

**FOR RATS** Use shallow containers to place 4 to 8 ounces bait in each of several places frequented by rats. Check containers at least every other day. Replenish with bait as long as the rats continue to take it. Any bait that gets wet, dirty or decomposed should be replaced immediately.

*PROTECT from children, pets and livestock by means of bait boxes or other devices.*

**WARFARIN** kills after small quantities have been consumed over a period of days. Rats and mice show no immediate effect, but eventually become crowsy and, without suffering, die of hemorrhage.

**FOR MICE** Tablespoon amounts (1/4 to 1/2 ounce) of bait should be placed at 5-12 foot intervals.

**IMPORTANT** An uninterrupted supply of bait should be maintained for at least 15 days. Replace bait if consumed at least every other day.

**CAUTION** PAKET Warfarin bait contains as its active ingredient an anticoagulant chemical which may cause internal hemorrhage in humans, pets or livestock. If eaten ~~caution~~ give tablespoonful of salt in glass of warm water and repeat until vomit fluid is clear. Call a physician immediately.

**PHYSICIANS** In the case of ~~accidental~~ ingestion of Warfarin, blood transfusions combined with intravenous injections and oral doses of Vitamin K are indicated as in the case of hemorrhage caused by over doses of Dicumaril (Rogon).

# PAKET PEST KILLERS

BRAND

SOLD BY AMERICA'S LEADING STORES SINCE 1938

## TO THE PURCHASER:

Since 1938 . . . we have continuously strived to provide the most effective Pest Killers known . . . at reasonable prices.

We believe this product will give excellent results. If you don't agree, after using the contents of this package as directed, send us the purchase receipt showing dealer's name and address, for refund.

If you are pleased . . . as we feel certain you will be . . . won't you tell others about it and where you purchased it.

THE PIPER CO., Inc., ST. LOUIS, MO. 63143

## DIRECTIONS

**FOR RATS**—Use shallow containers to place 4 to 8 ounces bait in each of several places frequented by rats. Check containers at least every other day. Replenish with bait as long as the rats continue to take it. Any bait that gets wet, dirty or decomposed should be replaced immediately.

*PROTECT from children, pets and livestock by means of bait boxes or other devices.*

**WARFARIN** kills after small quantities have been consumed over a period of days. Rats and mice show no immediate effects, but eventually become drowsy and, without suffering, die of hemorrhage.

**FOR MICE** Tablespoon amounts (1/4 to 1/2 ounce) of bait should be placed at 8-12 foot intervals.

**IMPORTANT** An uninterrupted supply of bait should be maintained for at least 15 days. Replace bait as consumed at least every other day.

**CAUTION** PAKET Warfarin bait contains as its active ingredient an anti-coagulant chemical which may cause serious hemorrhage in humans, pets or livestock. If eaten, ~~give~~ give tablespoonsful of salt in glass of warm water and repeat until vomit fluid is clear. Call a physician immediately.

**PHYSICIANS** In case of ~~accidental~~ ingestion of Warfarin, blood transfusions combined with intravenous injections and oral doses of Vitamin K are indicated as in the case of hemorrhage caused by over doses of Dicumarol. (Reg.)

U.S.D.A. Reg. No. 530-B

Net Weight 1 Lb

Made in U.S.A.

THE PIPER CO., ST. LOUIS, MO. 63143

# PAKET PEST KILLERS

BRAND