



FARNTOWN

ES

WEED AND FEED

FARNTOWN

11-4-7 BEST DOCUMENT AVAILABLE

BALANCED FEEDING - KILLS DANDELIONS
AND OTHER BROADLEAF WEEDS

... ..


... ..



WEED
AND
FEED

ACCEPTED

JAN 2 1974
UNDER THE FEDERAL ANIMAL
FUNGICIDE AND ROENTHIN ACT
FOR FUNGICIDE, POLYON P...
ED UNDER...
ID ATTACHED...



ES FARM TOWN

WEED AND FEED

Does 4 Big Jobs at Same Time

1. Controls weeds
2. Feeds livestock
3. Controls insects
4. Controls diseases

... and more

DIRECTIONS FOR USE
...
...
...

WEED CONTROL
...
...
...

FEED CONTROL
...
...
...

INSECT CONTROL
...
...
...

DISEASE CONTROL
...
...
...

ADDITIONAL INFORMATION
...
...
...

ES FARM TOWN
...
...
...

ES

FARM TOWN

WEED AND FEED





FARM

WEED AND

Does 4 Big Jobs a

1. Kills most broad-leaved type lawn weeds—
2. Kills most vining-type lawn weeds—Chickweed
3. Feeds lawn—contains special additive of nitrogen for extra greening
4. It conditions your soil with organic corn-cob form soil enriching humus.

WEED AND FEED kills most broad leaved and vining type weeds such as: Dandelion, Curly Tuck, Plantain, Toadstool, Chickweed and Silver are combined with Lawn Feed to provide the bare spots left by weeds.

DIRECTIONS FOR

WHEN TO APPLY: Use only when weeds are actively growing above ground. For maximum effectiveness, apply on most favorable day. Control is slower if soil is dry or weather cool.

HOW TO APPLY: Apply over the lawn area of a spreader 50 ft. Shut off spreader as you stop or turn around. Rain or heavy watering within 24 hours reduces effectiveness and a repeat treatment may be necessary. Do not apply to new planted grass for two weeks. Grass may become discolored temporarily, in period of recovery will make a fairly rapid recovery.

APPLY BY MAIL—PLEASE RETURN TO:
 E. I. du Pont de Nemours & Co.
 Dept. B-1
 Station 75-3, 27th Street
 Freeport, Maryland

WEED CONTROL

...the most effective way to control weeds is to use a weed killer that kills the weeds and feeds the lawn at the same time. This is the only way to get the best results from your lawn.

...the most effective way to control weeds is to use a weed killer that kills the weeds and feeds the lawn at the same time. This is the only way to get the best results from your lawn.

APPROXIMATE SPREADER SETTINGS
 Cyclone Model B or B-1
 Scotts, 75-3, 24" drop
 True Temper, Broadcast

Use only when there is no hazard of drift. Mix in pure bent grass, St. Augustine, Dichondra, Carpet Grass, and grass seedlings in newly seeded ground. Do not apply directly to or otherwise permit the product to contact vegetables, flowers, grapes, fruit trees, ornamentals or other desirable plants which are sensitive to 2,4-D and similar materials. Excess amounts of 2,4-D acid in the soil may temporarily inhibit seed germination or plant growth. Do not store near fertilizers, seeds, insecticides or fungicides. Do not use on crops that will be utilized for food or forage purposes. Do not contaminate water used for domestic or irrigation purposes.

WEED CONTROL

ACTIVE HERBICIDE INGREDIENTS
 2,4-Diamine Salts of 2,4-Dichlorophenoxyacetic Acid
 2,4,5-Trichlorophenoxypropionic acid
INERT HERBICIDE INGREDIENT
 TOTAL
 *Equivalent to 2,4-Diamine Salts of 2,4-Dichlorophenoxyacetic Acid
 **Equivalent to Silyx, 2,4,5-Trichlorophenoxypropionic acid

GUARANTEED ANALYSIS

Total Nitrogen (N)
 1.5% Ammoniacal from UAP
 9.5% Water Soluble from Urea
 Available Phosphoric Acid (P₂O₅)
 Soluble Potash (K₂O)
 Carrier - Ground Corncobs
 Color - Red

ADDITIONAL PLANT NUTRIENTS

Boron (B) 0.02% Manganese (Mn) 0.05%
 Iron (Fe) 0.05% Zinc (Zn) 0.05%

CAUTION:

Avoid inhaling dust, avoid contact with skin, eyes, or clothing. Avoid contamination of food or food stuffs. Wash hands after using. ANTIDOTE: If taken internally, induce vomiting and call a physician immediately.

WARNING:

Use only when there is no hazard of drift. Mix in pure bent grass, St. Augustine, Dichondra, Carpet Grass, and grass seedlings in newly seeded ground. Do not apply directly to or otherwise permit the product to contact vegetables, flowers, grapes, fruit trees, ornamentals or other desirable plants which are sensitive to 2,4-D and similar materials. Excess amounts of 2,4-D acid in the soil may temporarily inhibit seed germination or plant growth. Do not store near fertilizers, seeds, insecticides or fungicides. Do not use on crops that will be utilized for food or forage purposes. Do not contaminate water used for domestic or irrigation purposes.
 Thoroughly clean sprayer equipment with a suitable cleaner before using for other purposes.
 Vapor from the product may injure susceptible plants in the immediate vicinity.

A-17503G84

NET WEIGHT 25 LBS - TREATS 5,000 SQ FT
Manufactured by FS SERVICES, INC.
1000 W. MONROE, ILLINOIS 61801

