

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

300 1254056  
17/1

001 27

Mr. Mike Woods  
Grower  
1701 Towanda Avenue  
Bloomington, IL 61702-2500

Dear Mr. Woods

SUBJECT: Atrazine/Vinylpyridin Registration Standard  
FS 1:1 Mineral With Pison Mineral  
EPA Registration No. 534-91  
Your letters dated January 12 and 5, 1989.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the above labeling:

1. The EPA Registration Number should read 534-91.
2. In the Ingredient Statement, INERT INGREDIENTS should have the same type size and boldness as Active Ingredient.

55378:I:CR-44;Herbert:LR-5;Kenco:10/15/89;12/05/89;de:VO:CL

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

-2-

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure

62361

NET WEIGHT ON BAG  
OR BULK

304

### FS 1-1 MINERAL WITH RABON MINERAL SUPPLEMENT

Contains RABON Oral Larvicide

To prevent the development of Horn Flies, Face Flies, House Flies, and Stable Flies in the manure of treated cattle.

#### ACTIVE INGREDIENT

Tetrachloro-siphon : 2,4-Dichloro-1,3,5,6-tetrachloro-siphon, Di-symyl dimethyl-phosphate ..... 92.00%\*

Inert Ingredients : ..... 7.00%\*  
Total : 100.00%

\* Rabon Insecticide. Each pound contains 2.7 g RABON.

\*\* Refers only to ingredients which are not larvicidal.

EPA REG. NO. 534-91  
DISTRIBUTION STATEMENT

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

OCT 27

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide  
registered under EPA Reg. No.  
534-91

FOLLOW FEEDING DIRECTIONS ON BAG OR BULK LABEL

#### GUARANTEED ANALYSIS

Calcium (Ca), not less than .....	15.00 %
Calcium (Ca), not more than .....	18.00 %
Phosphorus (P), not less than .....	16.00 %
Salt (NaCl), not less than .....	9.50 %
Salt (NaCl), not more than .....	9.50 %
Iodine (I), not less than .....	0.0035 %
Selenium (Se), not less than .....	0.0016 %
Vitamin A, minimum per pound .....	300,000 IU
Vitamin D, minimum per pound .....	75,000 IU
Vitamin E, minimum per pound .....	600 IU

#### INGREDIENTS

Dicalcium Phosphate and Monocalcium Phosphate, Calcium Carbonate, Salt, Ground Lard (Preserved by BHT), Fine Holasses, Ground Lard (Preserved by BHT), Sodium Bicarbonate, Vitamin B<sub>12</sub> nicotinate, Vitamin D<sub>3</sub> cholecalciferol, Vitamin E supplement, Iron Sulfate, Zinc Oxide, Magnesium Oxide, Copper Sulfate, Calcium Iodate, Cobalt Carbonate, Sodium Selenite.

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

Caution: Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, get medical attention. Wear long-sleeved shirt and pants; chemical resistant gloves; shoes and socks for protection when handling.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water when disposing of equipment wash water.


#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a dry place in original container.

**Disposal:** Completely empty container into application (mixer/feeder) equipment, then dispose of empty bag in a sanitary landfill or by incineration or, if allowed, by State and local authorities by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

EPA REG. NO. 534-91  
EPA EST. NO. 534-111



GROWMARK, INC.  
Bloomington, Illinois 61704

62361

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner not intended with the label.

CATTLE (See Self Feeding)

Allow free choice to cattle. Cattle should consume an average of 1 lb. of this product per 100 pounds of body weight per month. This will supply the recommended average daily intake of 20 mc of B6000 per hundred pounds body weight. Animals should not be vaccinated for anthrax before introduction of this form of this product but must be free from other feed after the program is started. Do not feed other free choice sources of salt or mineral containing salt in any form. Do not feed KATON in other feeds when using this self feeding (free choice) method. Allow one mineral feeder for each 10-20 head, and provide water watering and feeding areas. Put out no more than one month's supply at a time, and protect from rain.

Consumption of VS 1:1 HIBBARD WITH KATON is above 3/4 lb. per 100 lbs. of body weight per month, reduce the number of feeding locations or relocate. If consumption is below 3/4 lb. per 100 lbs. of body weight per month, increase the number of feeding locations.

This mineral and salt containing KATON may be fed up to slaughter and for lactating dairy cows. Start feeding this product early in the spring before flies begin to appear and continue feeding throughout the summer into the fall until cold weather restricts fly activity.

BEST AVAILABLE COPY

