

Net Weight 5 lbs.

FS SWINE PAK WITH RABON®

Contains RABON® ORAL LARVICIDE

To Prevent the Development of House Flies in the Manure from Treated Swine

ACTIVE INGREDIENTS

| | |
|----------------------------------------------------------------------|------------|
| 2-chloro-1 - (2, 4, 5-trichlorophenyl) vinyl dimethyl phosphate. . . | 8.00 % * |
| INERT INGREDIENTS. | 92.00 % ** |
| TOTAL | 100.00% |

* Each pound contains 36.3 grams of RABON insecticide
** Refers only to ingredients which are not larvicidal.

RABON is a registered trademark of Shell Oil Company, U.S. Patent No. 3,102,842

KEEP OUT OF REACH OF CHILDREN
CAUTION

See below for additional precautionary statements.

ACCEPTED
with COMMENTS
In EPA Label Draft

JAN 24 1988

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION

Center for the Control of Pesticides
Fungicide
as provided for in the
registered under EPA No. 534-92

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust.
Wash thoroughly with soap and water after handling and before eating or
smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation
persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not
contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Pesticide Disposal: Pesticide that cannot be used according to label instruc-
tions must be disposed of according to applicable Federal, State or
Local procedures.
Container Disposal: Completely empty bag by shaking and tapping sides and
bottom to loosen clinging particles. Empty residue into application
equipment. Then dispose of bags in a sanitary landfill or by
incineration if allowed by State or Local authorities.

Directions for Use on Back of Label

SWINE ORAL LARVICIDE

Read Entire Label Before Using

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- No preslaughter withholding period is required.
- Pigs (weaners to market weight): Mix 1.25 lb. of FS SWINE PAK with RABON per ton of meal type feed and offer free choice. This is equivalent to 22.7 mg of RABON per lb. of feed.
- Sows, Boars, and Breeding Gilts: Mix 2.5 lb of FS SWINE PAK with RABON per ton of meal type feed and offer free choice. This is equivalent to 45.4 mg of RABON per lb. of feed.
- Start feeding FS SWINE PAK with RABON early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.
- All swine should be treated. FS SWINE PAK with RABON prevents development of house flies in the manure from treated swine but is not effective against existing adult flies.
- In some cases, supplemental fly control measures may be needed in and around the area to control adult flies which move in from other areas or which breed on decaying vegetable matter elsewhere on the premises.
- In order to achieve optimum fly control, FS SWINE PAK with RABON should be used in conjunction with other good management and sanitation practices.

EPA Reg. No.
EPA Est. No.

Manufactured by

GROWMARK, INC.
Bloomington, Illinois 61701

FS
SWINE
PAK
WITH
RABON

| | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|----------------------------|
| U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460 | EPA REGISTRATION NO. | DATE OF ISSUANCE 2/1/85 |
| | TERM OF ISSUANCE | |
| | NAME OF PESTICIDE PRODUCT | |

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION
 (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

DRP
1/6/85
160/83/85
18/1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL _____ DATE _____

f. ~~Delete "GENERAL CLASSIFICATIONS" because the use on swine has not yet been classified.~~

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

JD
1/24/53