

FRONT:

PACKAGE COPY FOR #46805-1
LAWN WEED CONTROL
04/26/89 AR 06/23/89 AR
04/03/90 VS/CR
05/14/90 VS/CR

46805 (Scotts) Lawn Weed Control (Scotts)
(Lawn Pro)
(R)

(NOTE: The above description will be inverted.)

Treats 5,000 sq ft

(Scotts (R))

Lawn
Weed
Control

Controls dandelions, buckhorn,
chickweed, knotweed, plantain,
white clover and other weeds.
(see complete list on the back panel)

Not for use on St Augustinegrass, carpetgrass or
dichondra lawns

NET WEIGHT 5 LBS (2.27 kg)

LEFT COLUMN

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Avoid contact with skin, eyes, or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Environmental Hazards: Do not contaminate water used for irrigation or domestic purposes. Avoid application on or near garden plants and flowers. Keep away from hotzone areas of shrubs and the branch spread of trees. Drift may severely affect non-target plants. Do not apply directly to wetlands (swamps, bogs, marshes and potholes). Do not contaminate washwaters of equipment.

ACCEPTED
JUN 27 1990
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 538-9

FRONT CONTINUED:

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: ~~Securely wrap original container in several layers of newspaper and discard in trash.~~


CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

RIGHT COLUMN

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid	2.95%
Dicamba (2-Methoxy-3, 6-dichlorobenzoic acid)	0.48%
INERT INGREDIENTS:	96.57%
Product of USA	Total 100.00%
EPA Reg No 538-9	EPA Est 538-OH-1

The O M Scott & Sons Company
Marysville, Ohio 43041



GUSSETS:

1/6

RIGHT GUSSET

46805-1


(Scotts) Lawn Weed Control
Treats 5,000 sq. ft.

LEFT GUSSET

(Scotts) Lawn Weed Control
Treats 5,000 sq. ft.

46805-1

(Printing Calendar)



BACK:

PULL TAB
and remove for
pour spout.
(ILLUS.)

Easy
Open PULL HERE

LWC 46805
5M
PROOF
OF
PURCHASE
(Scotts)

Treats 5,000 sq ft

(Scotts(R)) Lawn Weed
Control

46805

Controls dandelions—and these lawn weeds

black medic	chickweed	knotweed	plantain	white clover
aster	cudweed	lambquarters		Florida pusley
bedstraw	curly dock	lippia		ragweed
bittercress	daisy fleabane	(matchweed)		scarlet pimpernel
bristly oxtongue	dichondra	mallow		sedum
buckhorn	dollarweed	moneywort		shadflower
bull thistle	English daisy	morningglory		sheep sorrel
burclover	eveningprimrose	mugwort		shepherdspurse
buttercup	filaree	mustard		smartweed
buttonweed	fog fruit	pennywort		stitchwort
carpetweed	ground ivy	pepperweed		three-seeded Mercury
centella	hawkweed	pigweed		thymeleaf sandwort
chicory	healall	prickly lettuce		vetch
cinquefoil	henbit	puncturevine		yellow rocket
creeping bellflower	horseweed	purslane		

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LEFT COLUMN

- DO use when weeds are up and growing actively. On bahia lawns only, wait until after the second mowing of the year but not before mid-March. In the fall do not treat after the first of November.
- DO apply only when lawn is wet from dew, rain or thorough watering (very important so that the Scotts Lawn Weed Control particles will stick to the weed leaves instead of falling to the soil).
- DO withhold watering for at least 24 hours after application (to avoid washing particles off the weed leaves).
- DO apply on a calm day.



BACK CONTINUED

DO apply at Scotts Spreader (Standard, Automatic or Precision Flow Control Model) setting..... 5
(treats 5,000 sq ft)

on bentgrass and bermuda grass lawns use setting..... 3 1/2
(treats 10,000 sq ft)

DO slightly overlap spreader's wheel tracks to avoid "stripes" of untreated lawn.

RIGHT COLUMN

DON'T use when rain is expected within 24 hours.

DON'T use when grass is so tall it touches bottom of spreader (mow lawn first in such situations).

DON'T use on a newly seeded, sodded or sprigged lawn until the new grass has been mowed at least four times. If seeding in late spring, delay weed control application until early fall. If seeding in the late fall, delay weed control application until spring.

DON'T plant grass seed right after using Lawn Weed Control. Wait at least two weeks, and after a heavy watering or rain.

DON'T use on St. Augustinegrass, carpetgrass, dichondra lawns or lippia; not on flowers, shrubs, fruit, vegetable plants.

DON'T apply on the rootzone areas of shrubs or under the branch spread of trees.

DON'T apply with a rotary-type spreader.

What to expect

This product does not work overnight. It is designed to provide slow, steady controlled action. Stems and leaves of weeds may begin to twist and curl in a few days, but a month or more may be required for complete control, especially when weather is dry or cool. It is not necessary to rake out dead weeds. They will eventually disintegrate and disappear.

Only weeds growing at time of application will be eliminated. This product does not prevent weed seeds from producing new plants, whether such seeds are on the surface or buried in the soil.

If particles become washed off weed foliage within 24 hours after application, control may be less effective. If there is no indication that it is working after 2 or 3 weeks of good growing weather another treatment may be needed.

A few weeds may be resistant to control. If this happens, please forward specimens so we can identify them and advise you further.

BACK CONTINUED:

TIPS ON SPREADING WITH SCOTTS SPREADERS

Scotts Drop:

- First apply 2 header strips
- Operate spreader the longest way of the lawn
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped
- Mow lawn first if grass is tall enough to touch the bottom of the spreader

(ILLUS.)

(ILLUS.)

QUESTIONS?

If you have questions you can talk directly with a Scotts Lawn Counselor. Simply dial the toll-free number 1-800-543-TURF (in Ohio, 1-800-762-4010).

46805-1

**Scotts Policy
No-Quibble Guarantee**

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

SCOTTS...the lawn people . Marysville, Ohio 43041

0 (UPC)

32247 46805

(c) 1989, THE O M SCOTT & SONS COMPANY. ALL RIGHTS RESERVED.

46805-1

(Scotts)

Lawn Weed Control