

(4 of 5)

How to use

KWIT (R)  
BRAND

LAWN INSECT CONTROL FOR CHINCHBUGS,  
SOD WEBWORMS, CLOVER MITES, LEAF HOPPERS

---

When to apply

If insects are already at work, as evidenced by yellowing and browning of grass similar to drouth damage, apply KWIT immediately.

As a preventive program, apply as soon as temperatures are consistently in the 80's or higher. Repeat at two month intervals.

Apply to dry lawn foliage.

How to apply

Use Scotts Spreader setting . . . . . 9½

Apply over full lawn area.  
Overlap spreader wheel  
tracks slightly so no strips  
are missed. Any untreated  
portion provides a haven  
for insects. (Spreader  
photo)

Water thoroughly after application.

(5 of 5)

- 2 -

**What to expect**

Damaging activity of insects ceases within hours.  
Full control of chinchbugs may not be evident  
for approximately two weeks.

Grass seed can be planted any time in relation  
to KWIT applications.

**Precautions**

Before permitting children or pets on treated  
area, let lawn foliage dry off after watering in.

Do not apply on dichondra lawns.

**Guaranteed to satisfy**

Scotts, in its 99th year, continues to guarantee  
satisfaction or your money back.

(Scotts (R))... the grass people  
MARYSVILLE, OHIO

FRONT:

57L

(Sc

Kw

**ACCEPTED**  
**MAY 15 1967**  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND HERBICIDE ACT  
FOR ECONOMIC PEST CONTROL REGISTERED  
ED UNDER 505-13 SUBJECT  
TO ATTACHED COMMENTS.

LAWN INS

Stops  
sod webworms  
clover mites

CAUTION: Keep out of reach  
with skin. Do not get in e  
with soap and water after h  
directed, water thoroughly  
permitting children and ani  
of feed and foodstuffs.

Toxic to fish and wildlife.

Active ingredient: ethion  
S,S'-methylene bisphospho  
Inert ingredients

US Pat No 3,038,089

(Scotts)/ KW  
co

(Scotts (R))

Kwit  
CONTROLS CHINCHBUGS

745

(Scotts (R))

Kwit  
CONTROLS CHINCHBUGS

745

GUSSETS:

(2 of 5)

(1 of 5)



FRONT:  
59L

LIMX

TREATS  
2,500 sq ft/\$5.95  
NET WEIGHT 11 LBS

(Scotts (R))

Kwit (R)  
BRAND

LAWN INSECT CONTROL

**ACCEPTED**  
MAY 15 1967  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND ROUPELANTICIDE ACT  
FOR ECONOMIC CONTROL REGISTERED  
FD UNDER 538-13 SUBJECT  
TO ATTACHED COMMENTS.

Stops chinchbugs  
sod webworms (lawn moth larvae),  
clover mites and leaf hoppers

CAUTION: Keep out of reach of children. Avoid inhalation or contact with skin. Do not get in eyes. Harmful if swallowed. Wash thoroughly with soap and water after handling. May be absorbed through skin. As directed, water thoroughly after application and allow to dry before permitting children and animals on treated areas. Avoid contamination of feed and foodstuffs.

Toxic to fish and wildlife. Keep out of any body of water.

Active ingredient: ethion(0,0,0',0'-tetraethyl  
S,S'-methylene bisphosphorodithioate) 5.10%  
Inert ingredients 94.90%

Total 100.00%

US Pat No 3,038,089

USDA Reg No 538-13

Product of USA

(Scotts)/ KWIT  
controls chinchbugs

745



(Scotts (R))

Kwit  
CONTROLS CHINCHBUGS

745

(Scotts (R))

Kwit  
CONTROLS CHINCHBUGS

745

CUSSETS:

(2 of 5)

(3 of 5)

57L

KWIT



TO OPEN BAG  
PULL WHITE TAPE

Tear open for  
complete directions  
and helpful tips.

SCOTTS SPREADER  
SETTING.....9½

(Scotts)

---

Kwit (R)  
BRAND

LAWN INSECT CONTROL

- Apply any time insects are active.  
Water thoroughly after application
  - For chinchbugs repeat application at  
two month intervals to prevent reinfestation
- 

(Scotts)/ KWIT  
controls chinchbugs

745

(4 of 5)



How to use

KWIT (R)  
BRAND

LAWN INSECT CONTROL FOR CHINCHBUGS,  
SOD WEBWORMS, CLOVER MITES, LEAF HOPPERS

---

When to apply

If insects are already at work, as evidenced by yellowing and browning of grass similar to drouth damage, apply KWIT immediately.

As a preventive program, apply as soon as temperatures are consistently in the 80's or higher. Repeat at two month intervals.

Apply to dry lawn foliage.

How to apply

Use Scotts Spreader setting . . . . . 9½

Apply over full lawn area.  
Overlap spreader wheel  
tracks slightly so no strips (Spreader  
are missed. Any untreated photo)  
portion provides a haven  
for insects.

Water thoroughly after application.



15 of 5



**What to expect**

Damaging activity of insects ceases within hours.  
Full control of chinchbugs may not be evident  
for approximately two weeks.

Grass seed can be planted any time in relation  
to KWIT applications.

**Precautions**

Before permitting children or pets on treated  
area, let lawn foliage dry off after watering in.

Do not apply on dichondra lawns.

**Guaranteed to satisfy**

Scotts, in its 99th year, continues to guarantee  
satisfaction or your money back.

(Scotts (R))... the grass people  
MARYSVILLE, OHIO

(5 of 5)

What to expect

Damaging activity of insect  
Full control of chinchbugs  
for approximately two weeks

Grass seed can be planted  
to KWIT applications.

Precautions

Before permitting children  
area, let lawn foliage dry

Do not apply on dichondra

Guaranteed to satisfy

Scotts, in its 99th year,  
satisfaction or your money

1 of 5

11/55

LIMN

TREATS  
2,500 sq ft/55.9,  
NET WEIGHT 11 LBS

(Scotts (R))

Kwit (R)  
BRAND

LAWN INSECT CONTROL

ACCEPTED  
MAY 15 1967  
UNDER THE FEDERAL INSECTICIDE  
FUNCTIONAL TESTS OF THE DEPT  
FOR ECONOMIC AFFAIRS REGISTER  
ED UNDER THE FIFTH 3 SECT  
TULSA, OKLA. 74103

Stops chinchbugs  
sod webworms (lawn moth larvae),  
clover mites and leaf hoppers

CAUTION: Keep out of reach of children. Avoid inhalation or contact with skin. Do not get in eyes. Harmful if swallowed. Wash thoroughly with soap and water after handling. May be absorbed through skin. As directed, water thoroughly after application and allow to dry before permitting children and animals on treated areas. Avoid contamination of feed and foodstuffs.

Toxic to fish and wildlife. Keep out of any body of water.

Active ingredient: ethion(0,0,0',0'-tetraethyl S,S'-methylene bisphosphorodithioate)	5.10%
Inert ingredients	94.90%
Total	100.00%

US Pat No 3,038,089      USDA Reg No 538-13      Product of USA

(Scotts)/ KWIT  
controls chinchbugs

745

(3 of 5)

KWIT

1000' x 1000'  
200' KWIT TAPE

Refer open for  
complete directions  
and helpful tips

SCOTT'S SPREADER  
SETTING.....9 1/2

(Scotts)

Kwit (R)  
BRAND

LAWN INSECT CONTROL

- Apply any time insects are active.  
Water thoroughly after application
- For chinchbugs repeat application at  
two month intervals to prevent reinfestation

(Scotts)/ KWIT  
controls chinchbugs

705