

FRONT:

weed control plus lawn fertilizer
S Bonus (R) (Scotts)


3230

Treats 6,000 sq ft (557 m²)



Scotts (R)

Bonus S
(R)
BRAND



WEED CONTROL PLUS LAWN FERTILIZER

use on St. Augustine, zoysia, centipede and
carpetgrass lawns only

(ILLUS.)

Controls weeds and
fertilizes your lawn with

Scotts complete, long lasting formula

NET WEIGHT 34 11/16 LBS (15.73 kg) 26-3-3

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If in eyes, flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: Do not apply directly to water. Not for use on or under trees, shrubs, bedding plants or garden plants (see back for further explanation).

FRONT CONTINUED:

Storage and Disposal: Do not contaminate water, food for feed by storage or disposal.

Storage: Store in a clean, dry place. Reseal opened bags by folding top down and securing.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

ACTIVE INGREDIENT:

Atrazine 2-Chloro-4-(ethylamino)-6-(isopropylamino)-s-triazine 0.79%

INERT INGREDIENTS:

99.21%

TOTAL 100.00%

EPA Reg No 538-18

EPA Est 538-OH-1

Bonus (R) S 26-3-3

643-1137

Guaranteed Analysis

Total Nitrogen (N) 26%
0.7% ammoniacal nitrogen
18.8% urea, methylene ureas nitrogen
6.5% water insoluble nitrogen
Available phosphoric acid (P_2O_5) 3%
Soluble Potash (K_2O) 3%
Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash
Chlorine not more than 2.4%

Product of USA

The O M Scott & Sons Company

Marysville, Ohio 43041

(c) 1981, The O M Scott & Sons Company. All rights reserved.

3230 (Scotts (R)) Bonus (R) S
BRAND

weed control plus lawn fertilizer

RESULTS:

(Scotts (R))

Bonus S
weed control plus
lawn fertilizer

3230

(Scotts (R)) Bonus S
weed control plus
lawn fertilizer

3230

BACK:

WEED CONTROL PLUS LAWN FERTILIZER
Bonus S (R) Scotts
Treats 6,000 sq ft (557 m²)

OPEN BAG
PULL
WHITE
STRING

(Scotts (R))

Bonus S
(R)
BRAND

WEED CONTROL PLUS LAWN FERTILIZER

use on St Augustine, zoysia,
centipede and carpetgrass lawns only

Advantages of Bonus S

Superior Quality

Controls and prevents weeds while feeding your lawn.

Bonus S gives you a better, weed-free lawn. That's because each small particle delivers weed control for complete coverage. And Bonus S feeds your lawn with Scotts unique long-lasting fertilizer so that it will fill-in and crowd out new weeds.

CONTROLS 25 common lawn weeds.

black medic	dollarweed	pepperweed
blue toadflax	eveningprimrose	purslane
buckhorn	Florida betony	red sorrel
burclover	Florida pusley	rescuegrass
Carolina geranium	fragrant cudweed	shepherdspurse
(cranesbill)	(rabbittobacco)	sowthistle
chickweed	henbit	stinging nettle
dandelion	lippia	Venus lookingglass
dichondra	(matchweed)	wild mustard
	oxalis (yellow woodsorrel)	

PREVENTS these annual weeds.


crabgrass	sedges
bull paspalum	spotted spruce

BACK CONTINUED:

Bonus S provides up to 2 months of greening

The nitrogen in Bonus S is time-released to help your lawn grow thick and green for up to 2 months.

Bonus S stimulates steady grass growth, unlike many fertilizers which can cause surge growth. When you mow grass that has grown too fast and too tall, you weaken the grass plant by "scalping." With Bonus S you have less mowing and less chance of scalping when you mow.



Bonus S provides a balanced feeding.

Each particle of Bonus S is a complete fertilizer containing nitrogen, phosphorus, and potassium. This means that each grass plant receives a balanced feeding and that with proper application your lawn will grow uniformly thick and green.

BACK CONTAINED:

Regular Feedings

Soil does not supply all the important nutrients your lawn needs. Your grass must be fed on a regular basis if it is to thrive and maintain a healthy appearance. Underfed lawns thin out over time leaving openings for weeds and other problems.

For best results, therefore, Scotts recommends a program of regular feeding spaced throughout the growing season.

Turf Builder

(picture of bag)

After Bonus S has improved the appearance of your lawn, keep it green and thick with regular feedings of Turf Builder fertilizer.

Weed ID Service

If you have a weed that is persistent or you're not sure whether Bonus S will control it, just wrap a sample in aluminum foil (don't add water) and mail to Scotts, Marysville, Ohio 43041. We'll tell you the correct name and anything else you should know about it.

If you have any other questions or would like some advice about your lawn, a staff of Scott specialists is waiting for your call at 1-800-543-TURF.

[telephone]

EASY TO APPLY

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Control

- Apply anytime weeds are actively growing. Controls weeds listed under "Controls" above. If complete control is not obtained a second treatment may be required 2 months after the first.
- Apply in the Fall to control winter weeds such as henbit, chickweed, rabbittobacco, eveningprimrose.

Prevention

- Apply in January, February or early March to prevent germination of these annual weeds: crabgrass, (*Digitaria serotina*), bullpaspalum, sedges (from seed), spotted spurge.
- Don't apply to centipede or carpetgrass lawns during the period of winter dormancy - approximately October 15 to March 15 (okay to apply in Florida, however).
- Apply to dry grass.
- Scotts recommends the PF-1 Spreader, the most accurate spreader you can buy, to receive the maximum value from Bonus S. Do not use a rotary spreader (see desirable plants).

Spreader Setting

PF-1, Standard or Automatic ☒ X

Desirable Plants

- Don't apply on or under the branch spread (rootzone) area of trees, shrubs, bedding plants, flowers or garden plants, particularly in compact, slowly draining soils in the Dallas-Ft Worth area.
- Don't apply to lawns or mixed lawns of bahia, bermudagrass, bluegrass, bentgrass, dichondra, ryegrass or tall fescue because injury may occur.

TIPS ON SPREADING WITH THE SCOTTS PF-1 SPREADER

- ☒ First apply 2 header strips
- ☒ If is easier to follow wheel tracks if you operate spreader the longest way of the lawn or at right angles to the sun.
- ☒ Overlap wheels about 2" to avoid striping.
- ☒ Shut off spreader when you reach the header strips or anytime you stop.
- ☒ If grass is tall enough to touch the bottom of the spreader, mow lawn before application.

GRAPHIC

GRAPHIC

BACK CONTINUED:

Extreme Temperatures

- Rinse particles off the grass blades when temperatures are 80° or above.

Seeding/Sprigging

Apply Bonus S after sprigging a new St Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs before application of Bonus S.

Don't apply to newly seeded zoysia, centipede and carpetgrass lawns until after the new grass has been mowed at least twice.

Don't plant sprigs for one month, or sow new grass seed for six months following application of Bonus S.

Special Free Offer Thank you for using Bonus S. To help insure your continued success with your lawn, we would like to offer you a free subscription to Lawn Care (R) magazine, which has been helping lawn-owners for over 50 years.

Just send your name and address to Scotts, Marysville, Ohio 43041, and we'll mail you Lawn Care free for two years.

Scotts Policy
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.
SCOTTS...the lawn people
Marysville, Ohio 43041

3230 (Scotts (R))	BONUS S (R)	weed
	BRAND	control
		plus lawn
		fertilizer