

538-18

PM 25


1767

FRONT:

1987 PACKAGE COPY FOR
BONUS S (HIP) 39305
07/22/86 AR
07/30/86 AR

(Scotts) Bonus S
weed control plus lawn fertilizer

(NOTE: The description above will be inverted.) 39305



TREATS 2,500 SQ FT (232m²)

(Scotts(R))

Bonus(R)S
BRAND

WEED CONTROL PLUS LAWN FERTILIZER

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

use on St. Augustine, zoysia,
centipede and carpetgrass lawns only

(ILLUS.)

(ILLUS.)

Controls weeds and fertilizes
your lawn

NEW patented TRIONIZED(R) II formula
provides more efficient nitrogen.

NET WEIGHT 11 9/16 LBS (5.24 kg) 26-3-3

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

LEFT COLUMN

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If in eyes, flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This product is toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Atrazine can leach through soils and has been found in groundwater. Users are advised not to apply on well-drained soils where the water table (groundwater) is close to the surface. Your County Agricultural Extension Service can advise you of local conditions. Not for use on or under trees, shrubs, bedding plants or garden plants (see back for further explanation).

FRONT CONTINUED:

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

RIGHT COLUMN

ACTIVE INGREDIENT:

Atrazine 2-Chloro-4-(ethylamino)-6-(isopropylamino)-s-triazine 0.99%

INERT INGREDIENTS: 99.01%

Total 100.00%

EPA Reg No 538-18

EPA Est 538-OH-1

643-1148

Bonus(R) S 26-3-3

Guaranteed Analysis

Total nitrogen (N). 26%

0.6% ammoniacal nitrogen

24.1% urea, methylene ureas nitrogen*

1.3% water insoluble nitrogen

Available phosphoric acid (P₂O₅). 3%

Soluble potash (K₂O). 3%

Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash.

*Contains 8.1% slowly available methylenediurea and dimethylenetriurea nitrogen.

Chlorine not more than. 2.5%

Product of USA

The O M Scott & Sons Company :

Marysville, Ohio 43041

(c) 1987, The O M Scott & Sons Company. All rights reserved.

GUSSETS:

RIGHT COLUMN

39305 (Scotts) Bonus S weed control
plus lawn fertilizer

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

LEFT COLUMN

(Scotts) Bonus S weed control
plus lawn fertilizer

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS 39305

BACK:

PULL TAB
and remove for
pour spout

(ILLUS.)

TREATS 2,500 SQ FT (232 m²)

BONUS S - 3930J
2.5M
PROOF
OF
PURCHASE
(Scotts)

Easy
Open PULL HERE

(Scotts (R)) Bonus(R) S
weed control plus lawn fertilizer

use on St. Augustine, zoysia,
centipede and carpetgrass lawns only

Advantages of Bonus(R) S

LEFT COLUMN

SUPERIOR QUALITY

Controls and prevents weeds while feeding your lawn. Bonus(R) S gives you a better, weed-free lawn. That's because each small particle delivers weed control for complete coverage. And Bonus(R) S feeds your lawn with Scotts new Trionized(R) II formula to help fill-in and crowd out new weeds.

CONTROLS 25 common lawn weeds.

- | | | | |
|-------------------|------------------|-------------|--------------------|
| black medic | dichondra | henbit | red sorrel |
| blue toadflax | dollarweed | lippia | (sheep sorrel) |
| buckhorn | eveningprimrose | (matchweed) | rescuegrass |
| burclover | Florida betony | oxalis | shepherdspurse |
| Carolina geranium | Florida pusley | (yellow | sowthistle |
| (cranesbill) | fragrant | woodsorrel) | stinging nettle |
| chickweed | cudweed | pepperweed | Venus lookingglass |
| dandelion | (rabbit-tobacco) | purslane | wild mustard |

PREVENTS these annual weeds.

- | | | | |
|---------------|-----------|--------|----------------|
| bull paspalum | crabgrass | sedges | spotted spurge |
|---------------|-----------|--------|----------------|

Scotts new Trionized(R) II formula provides a more efficient nitrogen. This means Bonus(R) S provides deep, even greening while feeding your lawn as it needs to be fed--better than other typical all-soluble fertilizers.

Bonus(R) S provides even greening. Each particle of Bonus(R) S contains nitrogen, phosphorus, and potassium. This means that each grass plant receives the feeding it needs so your lawn will grow uniformly thick and green.

BACK CONTINUED:

Bonus^(R) S stimulates steady grass growth. Typical all-soluble fertilizers can cause surge growth. When you mow grass that has grown too fast and too tall, you weaken the grass plant by "scalping." With Bonus^(R) S you have less mowing and less chance of scalping when you mow.

2 MONTH PERIOD

(ILLUS.)

STEADY GROWTH
Bonus^(R) S

(ILLUS.)

SURGE GROWTH
typical fertilizer

RIGHT COLUMN

Bonus^(R) S provides up to 2 months of greening. The nitrogen in Bonus^(R) S is time-released to help your lawn grow thick and green for up to two months.

REGULAR FEEDINGS

Soil does not supply all the important nutrients your lawn needs. Your grass must be fed on a regular basis if it is to thrive and maintain a healthy appearance. Underfed lawns thin out over time leaving openings for weeds and other problems.

(ILLUS.)

For best results, therefore, Scotts recommends a program of regular feedings spaced throughout the growing season.

After Bonus^(R) S has improved the appearance of your lawn, keep it green and thick with regular feedings of Turf Builder^(R) fertilizer.

Easy to Apply

LEFT COLUMN

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Apply only when grass is dry.

Control

- apply any time weeds are actively growing. Controls weeds listed under "Controls" above. If complete control is not obtained a second treatment may be required 2 months after the first.
- apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, eveningprimrose.

BACK CONTINUED:

Prevention

- . apply in January, February or early March to prevent germination of these annual weeds: crabgrass, bull paspalum, sedges (from seed), spotted spurge.
- . don't apply to centipede or carpetgrass lawns during the period of winter dormancy--approximately October 15 to March 15 (okay to apply in Florida, however).
- . Scotts recommends the PF Spreader, the most accurate spreader you can buy, to receive the maximum value from Bonus^(R) S. Do not use a rotary spreader, except Scotts EasyGreenTM spreader, to apply this product. (See desirable plants.)

Scotts Spreader Setting	PF Drop*	EasyGreen TM Rotary
(treats 2,500 sq ft)	7	28

*also Automatic and Standard models

PLEASE NOTE

DESIRABLE PLANTS: DON'T APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) AREA OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS OR GARDEN PLANTS, PARTICULARLY IN COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS-FT WORTH AREA.

RIGHT COLUMN

Don't apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.

Extreme Temperatures. Rinse particles off the grass blades when temperatures are 80° or above.

Seeding/Sprigging. Apply Bonus^(R) S after sprigging a new St Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application of Bonus^(R) S.

Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.

Don't plant sprigs for one month, or sow new grass seed for six months following application of Bonus^(R) S.

BACK CONTINUED:

TIPS ON SPREADING WITH SCOTTS PF DROP SPREADERS

- . First apply 2 header strips
- . It is easier to follow wheel tracks if you operate spreader the longest way of the lawn or at right angles to the sun (ILLUS.)
- . Overlap wheels about 2" to avoid striping
- . Shut off spreader when you reach the header strips or anytime you stop (ILLUS.)
- . If grass is tall enough to touch the bottom of the spreader, mow lawn before application

39305

Scotts Policy
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.
SCOTTS...the lawn people
Marysville, Ohio 43041

0 (UPC)

32247 39305

(NOTE: The description below will be inverted.)

39305 (Scotts) Bonus S
weed control plus lawn fertilizer