


FRONT:



HIGH END OF RANGE
 BONUS S XXXXX
 Weed Control Plus Lawn
 Fertilizer

04/12/91 VS/cr
 05/13/92 VS/cr

NEW EASY CARE HANDLE

(RIBBON)
 THE NAME TO
 GROW WITH!

Lawn Pro (Scotts®)	Bonus ^R S weed control plus lawn fertilizer (Weed-and-Feed)	Treats and Fertilizes 5,000 square feet (Treats and feeds)
-----------------------	---	---

Controls weeds and fertilizes your lawn. Use on St. Augustine, zoysia, centipede, and carpetgrass lawns only

Controls weeds and fertilizes your lawn

(NOTE: Above description will be inverted.)

Scotts®

Bonus^R S
weed control plus lawn fertilizer
(Weed-and-Feed)

Controls weeds and fertilizes your lawn. Use on St. Augustine, zoysia, centipede, and carpetgrass lawns only

LEFT COLUMN

Provides deep, even greening - better than other all-soluble fertilizers.

Eliminates dollarweed, chickweed and over 25 common lawn weeds while greening your lawn without rapid, extreme growth.

(ILLUS.)

Small, lightweight granules provide complete uniform coverage and are quickly absorbed to help insure control of large and small weeds.

Formulated for the home environment.

(OPTIONAL FRONT PANEL PRECAUTIONS)

CAUTION: Don't use on bermudagrass - tall fescue - bahiagrass - bluegrass - fine fescue - bentgrass - ryegrass - dichondra

صالحه 2

FRONT CONTINUED:

CENTER COLUMN

COVERAGE:

Treats and fertilizes 5,000 square feet

APPLICATION: (See back for details)

Apply in late winter, spring, or fall. Use on St. Augustinegrass, zoysia, centipede, and carpetgrass lawns only.

XX	-	X	-	X
NITROGEN		PHOSPHORUS		POTASSIUM
Essential for plant growth; makes grass green.		Stimulates root growth; helps grass multiply.		Makes plant strong; better able to resist drought and extreme heat

RIGHT COLUMN

See Back for Details
Scott's
No-Quibble
Guarantee

CAUTION
KEEP OUT OF REACH OF CHILDREN

See BACK for additional precautionary statements.

ACTIVE INGREDIENT:		
Atrazine 2-Chloro-4-(ethylamino)-6-(isopropylamino)-s-triazine	1.2545%	
RELATED COMPOUNDS	0.0660%	
INERT INGREDIENTS:	98.6800%	
	Total	100.0000%

EPA Reg No 538-18 EPA Est 538-OH-1

NET WEIGHT 17 5/16 LBS.

XXXXX

OPTIONAL FRONT PANEL CLAIMS

The Scotts Difference™

Perfect Particle™ Technology
(art: particle with NPK)

Unlike ordinary weed-and-feeds, every particle of Bonus S (R) contains Scotts patented timed-release nitrogen plus phosphorus, potassium, and weed control. (See back for details).

We guarantee thick, green, weed-free turf without risk of burning or surge growth."

Treats and feeds up to 5,000 sq. ft.

Made in U.S.A.

The Scotts Difference™

Scotts patented Perfect Particle™ Technology is available only in Scotts^R products, so don't be fooled by weed-and-feeds claiming to be "just like Scotts."

Uniform proportions of the major nutrients -- timed-release nitrogen plus phosphorus and potassium -- and weed control are bonded together in every Bonus S particle, so that they are distributed evenly across the entire lawn, eliminating hit-or-miss feeding and weeding. And the time-released nitrogen feeds your lawn safely, without burning, and steadily for up to 2 months. Because of Scotts exclusive time-released nitrogen, you won't get the rapid surge growth associated with ordinary, fast-release weed-and-feeds. With regular mowing, you will have fewer clippings and may not even have to bag your clippings.

Remember, even weed-and-feeds claiming to contain slow- or controlled-release nitrogen typically are just simple mixes, so they can't deliver the consistent great results you'll get from Scotts patented Perfect Particle Technology. With Scotts Bonus S, you can be assured that every particle contains time-released nitrogen, plus the other primary nutrients and weed control.

OPTIONAL FRONT PANEL CLAIMS - CONTINUED

(photo: simple mix particles)

ORDINARY SIMPLE MIXES

- o Composed of nutrient and weed control granules of many different sizes and shapes
- o Each nutrient may separate from the others in the bag and during application

(photo: SBS particles)

SCOTTS TECHNOLOGY

- o Bonus S granules are consistent in size and shape
- o This gives consistent distribution of particles -- and nutrients and weed control -- throughout the lawn

(photo: simple mix pattern)

ORDINARY SIMPLE MIXES

- o Because of the difference in size, shape, and weight of these granules, the amount of individual nutrients and weed control delivered in each square inch of lawn can vary greatly
- o Result: uneven, inconsistent weeding and feeding of your lawn

(photo: SBS pattern)

SCOTTS TECHNOLOGY

- o Bonus S particles deliver the same ratio of nitrogen, phosphorus, and potassium (plus weed control) to every square inch of turf
- o Result: even, consistent greening and thickening of your lawn, plus better weed control

GUSSETS:

RIGHT GUSSET:

Treats and Fertilizes 5,000 square feet
(Treats and feeds)

(Scotts)_R Bonus_R S
weed control plus lawn fertilizer
(Weed-and-Feed)

Controls weeds and fertilizes your lawn.

Use on St. Augustine, zoysia, centipede, and carpetgrass lawns only.

XXXX

UPC

32247 XXXXX

LEFT GUSSET:

Treats and Fertilizes 5,000 square feet
(Treats and feeds)

(Scotts)_R Bonus_R S
weed control plus lawn fertilizer
(Weed-and-Feed)

Controls weeds and fertilizes your lawn.

Use on St. Augustine, zoysia, centipede, and carpetgrass lawns only.

XXXX

UPC

32247 XXXXX

00410

BACK:

PULL TAB
and remove for
pour spout

(ILLUS)

Easy Open
PULL HERE

scotts®

Bonus® S

Treats and fertilizes 5,000 square feet
(Treats and feeds)

LEFT COLUMN

Formulation and Ingredient
Analysis

XX-X-X

RIGHT COLUMN

XX-X-X

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes, skin, or clothing. If in eyes or on skin, flush with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. Harmful if swallowed. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: This product is toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Atrazine can leach through soils and has been found in groundwater. Users are advised not to apply on well-drained soils where the water table (groundwater) is close to the surface. Your County Agricultural Extension Service can advise you of local conditions. Not for use on or under trees, shrubs, bedding plants or garden plants (see below for further explanation).

Bonus S weed control plus lawn fertilizer XX-X-X XXX-XXXX

Guaranteed Analysis

Total nitrogen (N) XX%

X.X% ammoniacal nitrogen

XX.X% urea, methylene ureas nitrogen

X.X% water insoluble nitrogen

Available phosphoric acid (P₂O₅) X%

Soluble potash (K₂O) X%

Derived from: monoammonium phosphate, urea, methylene ureas, ammonium sulfate, and muriate of potash.

Chlorine not more than X.X%

U.S. Pat. No. 4,378,238

Product of USA

LEFT COLUMN

RIGHT COLUMN

What to expect

(ILLUS.)

Weeds will be eliminated within 6 weeks and your lawn will be greener in 7 days

Controls and prevents weeds while feeding your lawn. Bonus S gives you a better, weed-free lawn. That's because each small particle delivers weed control for complete coverage. And Bonus S feeds your lawn with Scotts Trionized(R) formula to help fill-in and crowd out new weeds.

CONTROLS 25 common lawn weeds.

black medic	eveningprimrose	pepperweed
blue toadflax	Florida betony	purslane
buckhorn	Florida pusley	red sorrel
burclover	fragrant cudweed	(sheep sorrel)
Carolina geranium	(rabbit-tobacco)	rescuegrass
(cranesbill)	henbit	shepherdspurse
chickweed	lippia (matchweed)	sowthistle
dandelion	oxalis	stinging nettle
dichondra	(yellow woodsorrel)	Venus lockingglass
dollarweed		wild mustard

PREVENTS these annual weeds.

bull paspalum crabgrass sedges spotted spurge

Bonus(R) S provides even greening. Each particle of Bonus(R) S contains nitrogen, phosphorus and potassium. This means that each grass plant receives the feeding it needs so your lawn will grow uniformly thick and green.

Bonus(R) S stimulates steady grass growth. Typical all-soluble fertilizers can cause surge growth. When you mow grass that has grown too fast and too tall, you weaken the grass plant by "scalping." With Bonus(R) S you have less mowing and less chance of scalping when you mow.

BACK CONTINUED:

RIGHT COLUMN (cont'd)

9/16

2 MONTH PERIOD

(ILLUS.)

(ILLUS.)

STEADY GROWTH
Bonus(R) S

SURGE GROWTH
typical fertilizer

Bonus(R) S provides up to 2 months of greening. The nitrogen in Bonus(R) S is time-released to help your lawn grow thick and green for up to 2 months.

LEFT COLUMN

RIGHT COLUMN

Coverage

How much is enough?

Treats and fertilizes
5,000 square feet

To determine the square footage of your lawn, walk the length and width of your lawn; one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn in square feet. Note: If your lawn has an irregular shape, measure square areas, then add the figures together to reach your total lawn size.

LEFT COLUMN

RIGHT COLUMN

How and when to apply

DIRECTIONS FOR USE

Apply in late winter,
spring, or fall

It is violation of federal law to use this product in a manner inconsistent with its labeling.

Apply only when grass is dry.

Control

- apply any time weeds are actively growing. Controls weeds listed under "Controls" above. If complete control is not obtained a second treatment may be required 2 months after the first.
- apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, eveningprimrose.

Prevention

- apply in January, February or early March to prevent germination of these annual weeds: crabgrass, bull paspalum, sedges (from seed), spotted spurge.

BACK CONTINUED:

RIGHT COLUMN (cont'd)

- . don't apply to centipede or carpetgrass lawns during the period of winter dormancy--approximately October 15 to March 15 (okay to apply in Florida, however).
- . Scotts recommends the PF Spreader, the most accurate spreader you can buy, to receive the maximum value from Bonus^(R) S.

Don't apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.

Extreme Temperatures. Rinse particles off the grass blades when temperatures are 80°F or above.

Seeding/Sprigging. Apply Bonus^(R) S after sprigging a new

St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application of Bonus^(R) S.

Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.

Don't plant sprigs for one month, or sow new grass seed for six months following application of Bonus^(R) S.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

BACK CONTINUED:

11 of 16

Spreading Tips

DESIRABLE PANTS: DON'T APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS OR GARDEN PLANTS, PARTICULARLY IN COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS-FT. WORTH AREA.

For best results, use a Scotts spreader:

Scotts Drop: Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or stopped.

(ILLUS)

Scotts EasyGreen™ Rotary: Slide shut-off lever to the right; application automatically starts and stops when you do. For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs.

(ILLUS)

Scotts SpeedyGreen™ Rotary: Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.

Bonus^R S
weed control plus lawn fertilizer
(Weed-and-Feed)

	Spreader Setting (covers X,XXX sq ft)
Scotts Drop Spreaders	X
Scotts EasyGreen™ Rotary	YX
Scotts SpeedyGreen™ Rotary	X

Additional Spreader Settings

Cyclone Rotary (Model B)	X	Ortho Drop (#5000)	X
Central Drop (#205)	X	Green View Drop	X
Sears Drop (#19810)	X	Precision Drop	X

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

ALTERNATE SPREADER SETTING SECTION

RIGHT COLUMN

Spreading tips

For best results, use a Scott's spreader

RIGHT COLUMN

DESIRABLE PLANTS: DON NOT APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS, PARTICULARLY IN COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS-FT WORTH AREA.

	Spreader Setting REGULAR RATE covers 5,000 sq.ft.	DIRECTIONS
Scotts Drop Spreaders	X	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scotts EasyGreen ^R Rotary	X	Make each pass about XX inches from previous pass to overlap spread width.
Scotts SpeedyGreen ^R Rotary	X	Make each pass about X feet from previous pass to overlap spread width.

LEFT COLUMN

Your lawn makes a good environment

RIGHT COLUMN

A well-maintained lawn provides environmental benefits as well as an attractive and pleasant setting for your home. Healthy grass takes carbon dioxide and pollutants from the air while creating oxygen; it traps dust and prevents erosion; and it reduces the heat, noise, and glare of modern urban areas while providing a safer recreation area.

The timed-release nitrogen in Scotts Super Bonus S weed-and-feed is designed to be absorbed by the grass plants slowly and steadily, to build thick turf that helps prevent runoff and leaching into groundwater.

Your lawn makes a good environment...and Scotts products help you get the best lawn.

(OPTIONAL DIRECTIONS FOR USE)**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS

Don't apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur. Desirable plants: Don't apply on or under the branch spread (rootzone) of trees, shrubs, bedding plants, flower or garden plants, particularly in compact, slowly draining soils in the Dallas/Ft. Worth area. Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice. Don't plant sprigs for one month, or sow new grass seed for six months following application. Extreme temperatures: Rinse particles off the grass blades when temperatures are 80°F or above.

INSTRUCTIONS

Scotts' Bonus^R S weed control plus lawn fertilizer controls a wide range of lawn weeds, including broadleaf weeds and annual weeds commonly found in home lawns. In addition, a XX-X-X fertilizer provides a supply of plant food needed for growth.

Apply only when grass is dry.

CONTROL

- . Apply any time weeds are actively growing. Controls weeds listed below. If complete control is not obtained, a second treatment may be required 2 months after the first.
- . Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, eveningprimrose.

PREVENTION

- . Apply in January, February or early March to prevent germination of these annual weeds: crabgrass, bull paspalum, sedges (from seed), and spotted spurge.
- . Don't apply to centipede or carpetgrass lawns during the period of winter dormancy - approximately October 15 to March 15 (okay to apply in Florida, however).

SPRIGGING

- . Apply after sprigging a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application.

SPREADER SETTINGS

Always apply fertilizer products with a spreader. Avoid applying this product on flower, vegetable and shrub plantings.

Scotts SpeedyGreen™ Rotary... X	Scotts EasyGreen Rotary.... X
Scotts Drop..... X	Sears Drop (#1981J)..... X
Greenview Drop (Spred II)..... X	Ortho Drop (#5000)..... X
Central Drop (#205)..... X	Precision Drop (Red Devil).. X
Cyclone Rotary..... X	Ortho Rotary..... X

Above spreader settings are approximate. You may need to adjust for proper coverage.

WEEDS PREVENTED OR CONTROLLED

WEEDS CONTROLLED

Black medic, blue toadflax, buckhorn, burclover, Carolina geranium (cranesbill), chickweed, dandelion, dichondra, dollarweed, eveningprimrose, Florida betony, Florida pusley, fragrant cudweed (rabbit-tobacco), henbit, lippia (matchweed), oxalis (yellow woodsorrel), pepperweed, purslane, red sorrel (sheep sorrel), rescuegrass, shepherdspurse, sowthistle, stinging nettle, Venus lookingglass, wild mustard.

WEEDS PREVENTED

Crabgrass, sedges, spotted spurge, bull paspalum.

UNCONDITIONALLY GUARANTEED
If you are not satisfied with the
results from using this product,
we will refund your purchase price.
Send evidence of your purchase to:

THE O. M. SCOTT & SONS COMPANY
MARYSVILLE, OHIO 43041

(Logo) Distributed by:
The O. M. Scott & Sons Company
Marysville, Ohio 43041

Questions?

Call Scott's toll-free
Consumer hotline

1-800-543-TURF
(In Ohio, 1-800-762-4010)

Open 8:00 am to 5:00 pm
Eastern time

Scotts Policy
No-Quibble Guarantee

If for any reason you are not satisfied
with results after using this product,
you are entitled to get your money
back. Simply send use evidence of
purchase and we will mail you a refund
check promptly.

SCOTTS...the lawn people
Marysville, Ohio 43041

Bonus^(R) S weed control plus lawn fertilizer
(Weed-and-Feed)